

WOODEX

**WOOD STAINS • OPAQUE WOOD STAINS
WOOD OILS • PRIMING OILS**



EXTERIOR WOODEN SURFACES



Woodex takes good care of wood

Wood outdoors needs protection against changing weather conditions – and naturally a beautiful shade, either translucent or opaque. The Woodex product family provides a suitable product for the protection and finishing of all wooden surfaces: for the house, summer cottage, log cabin, jetty, terrace, fence and garden furniture.

Water-borne means comfort of use and environmental sustainability

A water-borne alternative exists for all product types in the Woodex product family. They are at least as efficient and long-lasting as traditional solvent-based products.

Woodex meets changing requirements and regulations

With a changing climate and increasingly extreme weather phenomena, wood treatment products need to provide ever more protection. European consumer protection and environmental regulations also require products to be efficient and well-functioning. Wood protection must protect the wood against wood rot and fungal growth, which has to be proven in independent tests. The products should not cause extra environmental load.

Wood stains



Page 4

Opaque wood stains



Page 6

Wood oils



Page 8

Priming oils



Page 10

Wood stains

A translucent colour that is absorbed into the wood looks beautiful and enhances the wood's natural appearance. The colour in wood stains protects the wood from greying as a result of exposure to sun. Wood stains do not provide a film, and are therefore particularly well-suited for log surfaces. Their maintenance application is also simple. The Woodex Eko special wood stain forms a permeable film and allows for longer maintenance intervals for roughly-sawn surfaces in wooden structures, such as fences.



WOODEX AQUA CLASSIC

A water-borne, oil-based non-film forming wood stain for outdoor use. For planed and log surfaces and for maintenance application of transparent wood treatment and wood stains. Protects wooden surfaces against moisture and dirt, and when tinted, against the sun's UV rays. Can be tinted with the transparent tones in the Woodex colour chart range.



WOODEX CLASSIC

Solvent-based, mildly thixotropic, alkyd-based, non-film forming transparent wood stain for outdoor use. Protects wooden surfaces against moisture, soiling and when tinted, against the sun's UV rays. For planed and log surfaces and for maintenance application of transparent wood protection and wood stains. Can be tinted with the transparent tones in the Woodex colour chart range.



WOODEX EKO

Water-borne, oil-based special wood stain for outdoor use. Forms a permeable, semi-glossy film. For roughly-sawn surfaces and maintenance application of transparent wood protection and wood stains. Protects wooden surfaces against moisture and dirt, and when tinted, against the sun's UV rays. This wood stain is also well-suited for planed surfaces on doors and windows, for instance, where protection against wear and tear is required. Can be tinted with the transparent tones in the Woodex colour chart range.







Woodex Aqua Solid, colour 7633

Opaque wood stains

An opaque wood stain that provides the wood with a solid colour and efficient protection against the elements. It forms a thinner film than paint, leaving the wood's grain and structure more visible. Water-borne opaque stains are generally used for painting finely-sawn wall panelling. Oil-based opaque stains are well-suited for painting harder wear areas, such as windows, doors and fences.



WOODEX AQUA SOLID

A water-borne, semi-matte acrylate/alkyd-based opaque wood stain for outdoor use. For sawn, planed and panel surfaces and for maintenance application of transparent and opaque wood protection. Can be tinted with the tones in the Exterior painting colour chart range.



WOODEX SOLID

A traditional solvent-based, semi-glossy, oil/alkyd-based opaque stain with high oil content for outdoor use. For sawn and planed surfaces and for maintenance application of transparent wood protection. Can be tinted with the tones in the Exterior painting colour chart range.



Wood oils

Wood oils provide easy-to-use treatment for wooden surfaces that face wear and tear in the outdoors. Wood oil is used to treat terrace structures, outdoor floors, jetties and garden furniture. The same principles apply to the use of wood oil as to other wood paints. The drier the wooden surface is, the deeper the oil will be absorbed and the longer the protection it will provide. For the best protection, the treatment should be renewed each year.




WOODDEX AQUA WOOD OIL

Water-borne natural oil that penetrates the wooden surface. For outdoor use, for the protection of terrace floors, jetties and other structures, and garden furniture. For untreated wood, heat-treated wood and impregnated wood. Apply to a clean, dry wooden surface using a brush, sponge or by immersion. Protects wooden surfaces against moisture and dirt, and when tinted, against the sun's UV rays. Colours: brown and clear. Can be tinted with the transparent tones in the Woodex colour chart range.




WOODDEX WOOD OIL

Solvent-based natural oil that penetrates the wooden surface. For outdoor use, for the protection of terrace floors and other structures, and garden furniture. For heat-treated and impregnated wood and exotic timber species. Apply to a clean, dry wooden surface using a brush or sponge, or by immersion. Protects wooden surfaces against moisture and dirt, and when tinted, against the sun's UV rays. Colours: brown, green and clear.



WOODDEX HARDWOOD OIL

Solvent-based natural oil that penetrates the wooden surface. For outdoor use, for the protection of garden furniture and handrails and other structures. For teak, mahogany and other exotic timber species, and for heat-treated and impregnated wood. Apply to a clean, dry wooden surface using a brush or sponge, or by immersion. Protects wooden surfaces against moisture, dirt and the sun's UV rays. Colour: brown.







Priming oils

A wood protection primer is used to absorb agents in untreated wood that prevent the growth of rot fungi, mildew and blue stain. Priming should be carried out as soon as possible after the wood is exposed to weather. This will ensure a clean and healthy base for further treatment.



WOODEX AQUA BASE

Water-borne wood protection primer for outdoor use. Contains highly efficient agents that prevent blue stain fungi, mildew and wood rot. Especially suited for sawn and planed softwood surfaces. Opens up the grain of planed wood and eases the penetration of top coating. Clear.



WOODEX BASE

Solvent-based wood protection primer for outdoor use. Contains highly efficient agents that prevent blue stain fungi, mildew and wood rot. For all wooden surfaces and timber species. Clear.





Colour for all surfaces

Teknos is a Finnish family-owned business, which was established in 1948. It is one of the leading suppliers of paint in Scandinavia. The versatile selection of Teknos products includes paints and coatings for wooden, mineral and metal surfaces, for exterior and interior use.

Teknos has a strong position in retail and architectural coatings and a network of well-established sales agents and representatives in Scandinavia, Central Europe and Russia.

TEKNOS OY

Takkatie 3, P.O.Box 107, FI-00371 Helsinki, Finland
Tel. (09) 506 091, Fax (09) 5060 9501
www.teknos.com



Good for professionals,
good for you.