

NUCLEAR POWER PLANT

Paint Systems

TEKNOS SOLUTIONS FOR NUCLEAR POWER PLANTS

The paints used in nuclear power plants are high-class, special products. Their quality is verified through heavy testing programmes.

Teknos' nuclear power plant paint systems for metal and mineral surfaces meet the latest international standards and requirements, for instance, STUK-YTO-TR 210 (Radiation and Nuclear Safety Authority) and TBY (Technical Regulations for Surface Treatment).

Nuclear Power Plant – Teknos' Paint Systems for Metal Surfaces

Paint systems for corrosivity category / durability range C3/H:

INERTA PRIMER 5 A	80 µm	Steel containment inside, controlled areas Examples: Liner, Polar-crane, doors, pipes, steel structures in general.
INERTA 51 A	80 µm	
INERTA 50 A	40 µm	
	Total 200 µm	

INERTA PRIMER 5 A	1 x 60 µm	Steel containment inside, controlled areas Examples: Liner, Polar-crane, doors, pipes, steel structures in general.
INERTA 270 A	1 x 140 µm	
	Total 200 µm	

Paint systems exposed to steam or condensation:

TEKNOPLAST HS 150 A	3 x 100 µm	Structures exposed to steam or condensation, controlled areas. Examples: supports, doors, steel structures in general.
	Total 300 µm	

INERTA 270 A	2 x 150 µm	Structures exposed to steam or condensation, controlled areas. Examples: supports, doors, steel structures in general.
	Total 300 µm	

Paint systems for water immersion:

INERTA 165 A	2 x 250 µm	Pipes and pools in immersion, controlled areas
	Total 500 µm	

INERTA160 A	500 µm	Pipes and pools in immersion, controlled areas
-------------	--------	------------------------------------------------

INERTA160	2 x 500 µm	Sea water pipes, non-controlled areas
	Total 1000 µm	

Nuclear Power Plant – Teknos' Paint Systems for Metal Surfaces

Paint system for tank linings (high chemical resistance):

INERTA 280 A	500 µm	Pipes and tanks immersed in operation medium, controlled areas, High chemical resistance.
--------------	--------	-------------------------------------------------------------------------------------------

Paint system for embedded parts:

TEKNOZINC 90 SE A	50 µm	Embedded parts in concrete, controlled areas, Anchor plates, steel frames
INERTA 51 MIOX A	30 µm	
TEKNOPLAST HS 150 A	120 µm	
	Total 200 µm	

Inorganic zinc silicate coating system:

TEKNOZINC SS A	1 x 80 µm	The outer part of liner, steel parts under insulation
TEKNOZINC SS 1K A	1 x 80 µm	The outer part of liner, steel parts under insulation

Nuclear Power Plant – Teknos' Paint Systems for Mineral Surfaces

TEKNOPOX FILL	filling of cavities	Walls and ceilings, controlled areas
TEKNOPOX AQUA V FILL A	filler < 2 mm	
TEKNOPOX AQUA V TIX A	60 - 100 µm	
TEKNOPOX AQUA V A	60 - 100 µm	

TEKNOFLOOR AQUA 110F A	3 x 60 µm	Floors for light mechanical stress, controlled areas
------------------------	-----------	------------------------------------------------------

TEKNOFLOOR PRIMER 310F A	priming	Floors for high mechanical stress, controlled areas
TEKNOFLOOR 500F A	2-4 mm	



WE MAKE THE WORLD LAST LONGER

Teknos is a global coatings company with operations in more than 20 countries in Europe, Asia, and the USA. It employs approximately 1,700 people and makes annual net sales of approximately EUR 400 million. Teknos is one of the leading suppliers of industrial coatings with a strong position in retail and architectural coatings.

Teknos wants to make the world last longer by providing smart, technically advanced paint and coating solutions to protect and prolong. Teknos always works in close cooperation with its customers. It was established in 1948, and is one of Finland's largest family-owned businesses. For further information, visit www.teknos.com

TEKNOS GROUP OY
TAKKATIE 3
P.O. BOX 107
FI-00371 HELSINKI
TEL. +358 9 506 091

