


INFRALIT

Low Temperature Curing
Powder Coatings



Paint with Pride





INFRALIT LOW TEMPERATURE CURING POWDER COATINGS



New INFRALIT low temperature curing powder coatings combines excellent weather resistance with a low curing temperature. Low temperature curing powder coatings help to save energy and boost production.

Low temperature curing powder coatings cure at significantly lower temperatures than normal powder coatings, providing clear energy savings. On the other hand, the production rate when using normal oven temperatures can be enhanced, due to significantly shorter throughput times. Line speed can be increased without adjusting the oven parameters. Low temperature curing powder coatings are not more sensitive to over-curing than standard powder coatings. Therefore, they are suitable for all types of paint shops that use powder coatings.

The new ultra fast low temperature curing INFRALIT PUR 8476 powder coating is suitable for steel and aluminium structures, both indoors and out. INFRALIT PUR 8476 forms a mechanically and chemically resistant smooth paint film with excellent UV-resistance. The

paint film will not turn yellow and is extremely weather resistant.

Benefits are evident when painting massive steel components

The benefits of using ultra low temperature curing powder are emphasized when painting heavy steel components, such as massive steel beams, agricultural machinery, tractors, mining machinery and truck bodies, because the powder coating cures at significantly lower component temperatures.

Heat-sensitive, non-conductive substrates

One of the basic principles of powder coating is that the component being painted must be conductive and resistant to high curing temperatures. For these reasons, use of powder coating on heat sensitive and non-conductive substrates can be very challenging.

Low temperature curing powders enable the use of powder coating on heat sensitive substrates, such as MDF sheets, plywood, plastic and composite materials. To enable the use of powder coating, non-conductive components need to be pre-treated in a specific way. Pre-treatment methods vary, depending on the substrate.

Storage, transportation and handling

Because low temperature curing powder coatings are more reactive than standard powder coatings, it is vital that the product does not exceed its recommended storage temperature at any stage of transportation, storage or handling.

Teknos' powder coatings sales team will be happy to provide more information on low temperature curing powder coatings and their use.

INFRALIT Low Temperature Curing Powder Coatings

Serie	Binder	Energy-saving curing time / substrate temperature Heat sensitive substrates	Time-saving curing time / substrate temperature	Finish	Quality
-------	--------	--	---	--------	---------

INFRALIT ULTRA FAST LOW TEMPERATURE CURING POWDER COATINGS FOR OUTDOOR USE

PUR 8471	Polyurethane	30 min / 130 °C	7 min / 160 °C	Texture	Facade
PUR 8475	Polyurethane	30 min / 130 °C	7 min / 160 °C	Glossy	Facade
PUR 8476	Polyurethane	30 min / 130 °C	7 min / 160 °C	Semigloss	Facade
PE 8601	Polyester	15 min / 130 °C	5 min / 160 °C	Texture	Industrial
PE 8605	Polyester	–	5 min / 160 °C	Glossy	Industrial
PE 8606	Polyester	–	5 min / 160 °C	Semigloss	Industrial

INFRALIT LOW TEMPERATURE CURING POWDER COATINGS FOR OUTDOOR USE

PE 8640	Polyester	10 min / 160 °C	6 min / 180 °C	Glossy, semigloss	Industrial
PE 8641	Polyester	10 min / 160 °C	6 min / 180 °C	Texture	Industrial
PE 8642	Polyester	10 min / 160 °C	6 min / 180 °C	Hammer finish	Industrial
PE 8643	Polyester	15 min / 160 °C	5 min / 180 °C	Matte	Industrial
PE 8625	Polyester	15 min / 160 °C	9 min / 180 °C	Semigloss	Facade
PE 8721	Polyester	15 min / 160 °C	8 min / 180 °C	Texture	Super Durable
PE 8725	Polyester	15 min / 160 °C	8 min / 180 °C	Glossy	Super Durable
PE 8726	Polyester	15 min / 160 °C	8 min / 180 °C	Semigloss	Super Durable

INFRALIT LOW TEMPERATURE CURING POWDER COATINGS FOR INDOOR USE

EP/PE 8241	Epoxy Polyester	10 min / 145 °C	5 min / 165 °C	Texture	
EP/PE 8242	Epoxy Polyester	10 min / 145 °C	5 min / 165 °C	Hammer finish	
EP/PE 8245	Epoxy Polyester	10 min / 145 °C	5 min / 165 °C	Glossy	
EP/PE 8246	Epoxy Polyester	10 min / 145 °C	5 min / 165 °C	Semigloss	
EP 8024	Epoxy	15 min / 130 °C	5 min / 160 °C	Glossy	

Teknos Group Companies

Teknos Oy

Helsinki factory, Head office
Takkatie 3
P.O.Box 107
FI-00371 HELSINKI
Finland
Tel. +358 9 506 091
sales@teknos.fi

Teknos Oy

Rajamäki factory
Perämatkuntie 12
P.O.Box 14
FI-05201 RAJAMÄKI
Finland
Tel. +358 9 506 091
sales@teknos.fi

Teknos A/S

Industrivej 19
DK-6580 VAMDRUP
Denmark
Tel. +45 76 93 94 00
teknos@teknos.dk

Teknos AB

Limmaredsv. 2, P.O.Box 211
SE-514 24 TRANEMO
Sweden
Tel. +46 325 619 500
info@teknos.se

Teknos Wedevåg Färg AB

Industrigatan 7
SE-711 72 VEDEVÅG
Sweden
Tel. +46 581 645 900
info@teknos.se

Teknos Deutschland GmbH

Edelzeller Strasse 62
D-36043 FULDA
Germany
Tel. +49 661 1080
info@teknos.de

Teknos Norge AS

Industriveien 28
NO-3430 SPIKKESTAD
Norway
Tel. +47 31 29 49 00
teknos@teknos.no

Teknos (UK) Limited

Unit E1, Heath Farm
Banbury Road, Swerford
OXFORDSHIRE OX7 4BN
UK
Tel. +44 1608 683 494
sales@teknos.co.uk

Teknos Ireland Limited

Unit 1, Fortwilliam
Industrial Estate
Dargan Crescent
BELFAST BT3 9JP
Northern Ireland, UK
Tel. +44 2890 960670
sales.ni@teknos.co.uk

Teknos Scotland Limited

Nettlehill Road
Houston Industrial Estate
LIVINGSTON EH54 5DL
UK
Tel. +44 1506 436222
sales.scotland@teknos.co.uk

Teknos OOO

Butyrskij Val, 68/70, bl.4, of.211
127055 MOSCOW
Russia
Tel. /Fax +7(495) 967 19 61
(multi-channel)
teknos.russia@teknos.com

Teknos Ohtek OOO

Ul. Boksitogorskaya, 9, lit. Z
195248 ST PETERSBURG
Russia
Tel. +7(812) 320-76-28
Tel. +7(921) 573-1287
sales@teknoshtek.ru

Teknos Sp. z o.o.

ul. Ziemowita 59
PL-03-885 WARSAW
Poland
Tel. +48 22 678 70 04
biuro@teknos.pl

Teknos Oliva Sp. z o.o.

ul. Chwaszczyńska 129-149
PL-81-571 GDYNIA
Poland
Tel. +48 58 629 91 62
biuro@oliva.com.pl

Teknos d.o.o.

Kidriceva cesta 94
SI-4220 ŠKOFJA LOKA
Slovenia
Tel. +386 4 236 58 78
Fax +386 4 236 58 79
info@teknos.si

Teknos LLC

50 Artema Str., Office 5B
04053 KIEV
Ukraine
Tel. /Fax +38 044 359 0333
teknos.ukraine@teknos.com

Teknos Coatings (Shanghai) Co., Ltd

Rm 405a-407a
Silver Centre
No. 1388 North Shan Xi Road
Putuo District
SHANGHAI
People's Republic of China
Tel. +86 21 6149 8582
teknos.china@teknos.com

Teknos OÜ

Laki 3a
EE-10621 TALLINN
Estonia
Tel. +372 656 3472
Fax +372 656 3279
teknos@teknos.ee

Teknos Deko OOO

Lomonosovsky Region, Kipen
188515 LENINGRAD AREA
Russia
Tel. /Fax +7(812) 960 13 20
sales@teknosdeko.ru
www.teknosdeko.ru

Teknos Oy

Representative Office
Kiseljova Street 55, room 12
220002 MINSK
Republic of Belarus
Tel. /Fax +375 17 237 4336
vladimir.shienok@teknos.com

Teknos A/S

Representative Office
Room MR2, Level 4
Centec Tower
72-74 Nguyen Thi Minh Khai
District 3, HO CHI MINH CITY
Vietnam
Tel. +84 8 3822 0425
teknos@teknos.vn

Teknos Group Oy

Teknos Group's Parent Company
Takkatie 3
P.O. 107
FI-00371 HELSINKI
Finland
Tel. +358 9 506 091
Fax +358 9 5060 9229
sales@teknos.fi

The Teknos Group

Teknos is one of Europe's leading suppliers of industrial coatings with a strong position in retail and architectural coatings, too.

Teknos has its own production in seven countries: Finland, Sweden, Denmark, Germany, Poland, Russia and China. In addition, Teknos has sales companies in 15 countries and exports to over 20 countries via a well-established network of dealers.

Teknos was established in 1948 and is one of Finland's largest family-owned businesses.

OFFICIAL DEALER OF TEKNOS PAINTS AND COATINGS:



www.teknos.com