





## WOODEN AND PARQUETS FLOORS



<b>Program operator, publisher:</b>	Rakennustietosäätiö RTS Building Information Foundation RTS Malminkatu 16 A 00100 Helsinki <a href="http://cer.rts.fi">http://cer.rts.fi</a>
<b>Owner of the declaration:</b>	Teknos Group Oy
<b>Name of the product:</b>	WOODEN AND PARQUETS FLOORS
<b>Registration number:</b>	RTS_233_23
<b>Issue date:</b>	08.05.2023
<b>Valid to:</b>	08.05.2028
<b>Scope of the declaration</b>	This environmental product declaration covers the environmental impacts of the WOODEN AND PARQUETS FLOORS coatings. The declaration has been prepared in accordance with EN 15804:2019 and ISO 14025 standards and the additional requirements stated in the RTS PCR (English version, 26.8.2020). This declaration covers the life cycle stages from cradle to gate with options (A4 and A5), modules C1–C4, and module D. EPD of construction products may not be comparable if they do not comply with EN15804 and seen in a building context.
	 Jukka Seppänen RTS EPD Committee Secretary  Laura Apilo Managing Director

Verified according to the requirements of EN 15804:2019 (product group rules)	
Independent verification of the declaration and data, according to ISO14025:2010 is	
<input type="checkbox"/> Internal	<input checked="" type="checkbox"/> External
Third party verifier:	
	
8.5.2023	
Anni Viitala, Granlund Oy	

**General information, goal and verification of declaration**

**1. Owner of the declaration, manufacturer**

Teknos Group Oy,  
 Takkatie 3,  
 FI-00370 Helsinki, Finland  
 +358 9 506 091S

**2. Product name and number**

Product series	Product name	Color
WOODEN AND PARQUET FLOORS	FORME	Clear
	GAP	Oak, Birch
	HYDRO OIL	Clear
	HYDRO WAX	Clear
	OPAL 10	Clear
	OPAL 20	Clear
	OPAL 55	Clear
	TEKNOFLOOR BOJA	Clear
	TOPAZ 20	Clear
	TOPAZ 55	Clear

**3. Place of production**

Produced in Finland: Rajamäki.

**4. Additional technical information**

Further information can be found at:

FORME: [https://www.teknos.com/document/tds/en\\_14331\\_1.pdf](https://www.teknos.com/document/tds/en_14331_1.pdf)

GAP: [https://www.teknos.com/document/tds/en\\_14350\\_1.pdf](https://www.teknos.com/document/tds/en_14350_1.pdf)

HYDRO OIL: [https://www.teknos.com/document/tds/en\\_1437-00\\_1.pdf](https://www.teknos.com/document/tds/en_1437-00_1.pdf)

HYDRO WAX: [https://www.teknos.com/document/tds/en\\_1436-00\\_2.pdf](https://www.teknos.com/document/tds/en_1436-00_2.pdf)

OPAL 10: [https://www.teknos.com/document/tds/OPAL%2010\\_14320\\_TDS\\_en.pdf](https://www.teknos.com/document/tds/OPAL%2010_14320_TDS_en.pdf)

OPAL 20: [https://www.teknos.com/document/tds/OPAL%2020\\_14321\\_TDS\\_en.pdf](https://www.teknos.com/document/tds/OPAL%2020_14321_TDS_en.pdf)

OPAL 55: [https://www.teknos.com/document/tds/OPAL%2055\\_14322\\_TDS\\_en.pdf](https://www.teknos.com/document/tds/OPAL%2055_14322_TDS_en.pdf)

TEKNOFLOOR BOJA: [https://www.teknos.com/document/tds/en\\_1439-00\\_2.pdf](https://www.teknos.com/document/tds/en_1439-00_2.pdf)

TOPAZ 20: [https://www.teknos.com/document/tds/en\\_14302\\_1.pdf](https://www.teknos.com/document/tds/en_14302_1.pdf)

TOPAZ 55: [https://www.teknos.com/document/tds/en\\_14303\\_1.pdf](https://www.teknos.com/document/tds/en_14303_1.pdf)

#### **5. Product Category Rules and the scope of the declaration**

The declaration has been prepared in accordance with EN 15804:2019 and ISO 14025 standards and the additional requirements stated in the RTS PCR (English version, 26.8.2020). Geographical representativeness is taken into account by opting for the most representative scenarios available, Finland specifically, and Europe generally.

**6. Author of the life-cycle assessment and declaration**

Ecomatters B.V.

Weg der Verenigde Naties 1, 3527 KT Utrecht

tel +31 (0) 6 44836384

<https://www.ecomatters.nl/>.

Compiler Ecomatters.

Evaluation made according to values in 2023.

**7. Verification**

The declaration has been prepared in accordance with EN 15804:2019 and ISO 14025 standards and the additional requirements stated in the RTS PCR (English version, 26.8.2020). The declaration was verified by Anni Viitala, Granlund Oy, according to abovementioned standards and PCR rules.

Malminkaari 21, 00701 Helsinki

<https://www.granlund.fi/>

Third party verification on 8.5.2023. Verification is valid 8.5.2023

**8. Declaration issue date and validity**

Declaration issue date 8.5.2023. The declaration is valid 5 years, 8.5.2023-8.5.2028.

**Product information**

**9. Product description**



**FORME** is suitable for priming parquet and wooden floors using all application methods. To be used in combination with Teknos parquet lacquers.



**GAP:** For filling gaps in parquet and wooden floors before sanding and applying water-borne primer or topcoat.



**HYDRO OIL** is suitable for roller and trowel application on parquet and wooden floors in public spaces and homes. Forms a natural wax oiled and very durable surface.



**HYDRO WAX** is suitable for roller and trowel application on parquet and wooden floors in public spaces and homes. Forms a natural surface with good abrasion resistance. Good UV-light resistance, does not yellow.



**OPAL 10** is suitable for roller and brush application on parquet and wooden floors. Designed for floors, which are subjected to severe wear stress, for example, sports halls and public premises. Complies with DIN 18032-2 and EN 14904 friction requirements for sports halls. Not suitable for the lacquering of diamond pine and chemically treated wood, e.g., smoked oak.



**OPAL 20** is suitable for roller and brush application on parquet and wooden floors. Designed for floors, which are subjected to severe wear stress, for example, sports halls and public premises. Complies with DIN 18032-2 and EN 14904 friction requirements for sports halls. Not suitable for the lacquering of diamond pine and chemically treated wood, e.g., smoked oak.



**OPAL 55** is suitable for roller and brush application on parquet and wooden floors. Designed for floors, which are subjected to severe wear stress, for example, sports halls and public premises. Complies with DIN 18032-2 and EN 14904 friction requirements for sports halls. Not suitable for the lacquering of diamond pine and chemically treated wood, e.g., smoked oak.



**TEKNOFLOOR BOJA** is suitable for roller and trowel application on parquet and wooden floors. To be coated with acrylate based primer lacquer or top coat.



**TOPAZ 20** is suitable for roller application on parquet and wooden floors. Not suitable for the lacquering of diamond pine and chemically treated wood, e.g., smoked oak.



**TOPAZ 55** is suitable for roller application on parquet and wooden floors. Not suitable for the lacquering of diamond pine and chemically treated wood, e.g., smoked oak.

This EPD represents the highest environmental impact for the FORME, GAP, HYDRO OIL, HYDRO WAX, OPAL 10, OPAL 20, OPAL 55, TEKNOFLOOR BOJA, TOPAZ 20 and TOPAZ 55 products.

**10. Results of environmental information reported per kilogram**

**TOPAZ 20**

Environmental Impact Category	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv/kg	8.31E-01	4.44E+00	6.63E-02	4.64E-01	NR	0.00E+00	7.23E-03	0.00E+00	4.27E-01	-6.99E-02
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq./kg	6.53E-07	1.27E-05	1.53E-07	9.08E-07	NR	0.00E+00	1.66E-08	0.00E+00	2.37E-07	-4.45E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value/kg	1.12E+01	6.87E+01	1.04E+00	2.64E+00	NR	0.00E+00	1.14E-01	0.00E+00	2.00E+00	-1.38E+00
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived/kg	2.28E-01	9.96E+00	5.30E-03	3.88E-02	NR	0.00E+00	5.78E-04	0.00E+00	1.34E-02	-2.72E-02
Biogenic carbon content in product	kg C/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of secondary material	kg/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**TOPAZ 55**

Environmental Impact Category	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv/kg	8.28E-01	4.40E+00	6.64E-02	4.64E-01	NR	0.00E+00	7.23E-03	0.00E+00	4.27E-01	-6.99E-02
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq./kg	6.38E-07	1.29E-05	1.53E-07	9.07E-07	NR	0.00E+00	1.67E-08	0.00E+00	2.36E-07	-4.45E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value/kg	1.12E+01	6.80E+01	1.04E+00	2.64E+00	NR	0.00E+00	1.14E-01	0.00E+00	2.00E+00	-1.38E+00
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived/kg	2.28E-01	1.02E+01	5.31E-03	3.88E-02	NR	0.00E+00	5.79E-04	0.00E+00	1.34E-02	-2.72E-02
Biogenic carbon content in product	kg C/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of secondary material	kg/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**OPAL 10**

Environmental Impact Category	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv/kg	8.35E-01	2.92E+00	6.64E-02	4.64E-01	NR	0.00E+00	7.23E-03	0.00E+00	4.27E-01	-6.99E-02
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq./kg	6.38E-07	1.00E-05	1.53E-07	9.07E-07	NR	0.00E+00	1.67E-08	0.00E+00	2.37E-07	-4.45E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value/kg	1.13E+01	4.93E+01	1.04E+00	2.64E+00	NR	0.00E+00	1.14E-01	0.00E+00	2.01E+00	-1.38E+00
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived/kg	2.27E-01	5.32E+00	5.31E-03	3.88E-02	NR	0.00E+00	5.79E-04	0.00E+00	1.34E-02	-2.72E-02
Biogenic carbon content in product	kg C/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of secondary material	kg/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**OPAL 20**

Environmental Impact Category	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv/kg	8.34E-01	2.88E+00	6.63E-02	4.64E-01	NR	0.00E+00	7.22E-03	0.00E+00	4.27E-01	-6.98E-02
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq./kg	6.39E-07	1.01E-05	1.53E-07	9.07E-07	NR	0.00E+00	1.66E-08	0.00E+00	2.36E-07	-4.45E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value/kg	1.13E+01	4.92E+01	1.04E+00	2.64E+00	NR	0.00E+00	1.13E-01	0.00E+00	2.00E+00	-1.38E+00
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived/kg	2.27E-01	5.11E+00	5.31E-03	3.88E-02	NR	0.00E+00	5.77E-04	0.00E+00	1.34E-02	-2.71E-02
Biogenic carbon content in product	kg C/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of secondary material	kg/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**OPAL 55**

Environmental Impact Category	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv/kg	8.33E-01	2.67E+00	6.63E-02	4.64E-01	NR	0.00E+00	7.23E-03	0.00E+00	4.27E-01	-6.99E-02
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq./kg	6.38E-07	9.54E-06	1.53E-07	9.07E-07	NR	0.00E+00	1.66E-08	0.00E+00	2.37E-07	-4.45E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value/kg	1.12E+01	4.52E+01	1.04E+00	2.64E+00	NR	0.00E+00	1.14E-01	0.00E+00	2.01E+00	-1.38E+00
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived/kg	2.27E-01	4.12E+00	5.30E-03	3.88E-02	NR	0.00E+00	5.78E-04	0.00E+00	1.34E-02	-2.71E-02
Biogenic carbon content in product	kg C/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of secondary material	kg/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**FORME**

Environmental Impact Category	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv/kg	8.28E-01	3.04E+00	6.63E-02	4.64E-01	NR	0.00E+00	7.23E-03	0.00E+00	4.27E-01	-6.99E-02
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq./kg	6.37E-07	1.30E-05	1.53E-07	9.07E-07	NR	0.00E+00	1.66E-08	0.00E+00	2.37E-07	-4.45E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value/kg	1.12E+01	5.62E+01	1.04E+00	2.64E+00	NR	0.00E+00	1.13E-01	0.00E+00	2.01E+00	-1.38E+00
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived/kg	2.27E-01	3.80E+00	5.30E-03	3.88E-02	NR	0.00E+00	5.78E-04	0.00E+00	1.34E-02	-2.72E-02
Biogenic carbon content in product	kg C/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of secondary material	kg/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**GAP**

Environmental Impact Category	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv/kg	7.59E-01	1.27E+00	6.64E-02	4.63E-01	NR	0.00E+00	7.22E-03	0.00E+00	4.27E-01	-6.99E-02
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq./kg	6.24E-07	4.54E-06	1.53E-07	9.06E-07	NR	0.00E+00	1.66E-08	0.00E+00	2.37E-07	-4.45E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value/kg	1.05E+01	2.08E+01	1.04E+00	2.63E+00	NR	0.00E+00	1.13E-01	0.00E+00	2.01E+00	-1.38E+00
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived/kg	2.32E-01	6.83E-01	5.31E-03	3.89E-02	NR	0.00E+00	5.78E-04	0.00E+00	1.34E-02	-2.72E-02
Biogenic carbon content in product	kg C/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of secondary material	kg/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**HYRDO WAX**

Environmental Impact Category	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv/kg	8.29E-01	2.52E+00	6.64E-02	4.65E-01	NR	0.00E+00	7.23E-03	0.00E+00	4.26E-01	-7.01E-02
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq./kg	6.33E-07	1.16E-05	1.53E-07	9.08E-07	NR	0.00E+00	1.67E-08	0.00E+00	2.36E-07	-4.46E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value/kg	1.12E+01	2.97E+01	1.04E+00	2.64E+00	NR	0.00E+00	1.14E-01	0.00E+00	2.00E+00	-1.39E+00
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived/kg	2.27E-01	1.57E+01	5.31E-03	3.88E-02	NR	0.00E+00	5.79E-04	0.00E+00	1.34E-02	-2.72E-02
Biogenic carbon content in product	kg C/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of secondary material	kg/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**HYDRO OIL**

Environmental Impact Category	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv/kg	8.26E-01	2.97E+00	6.63E-02	4.64E-01	NR	0.00E+00	7.23E-03	0.00E+00	4.27E-01	-6.99E-02
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq./kg	6.35E-07	1.25E-05	1.53E-07	9.07E-07	NR	0.00E+00	1.66E-08	0.00E+00	2.37E-07	-4.45E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value/kg	1.12E+01	4.21E+01	1.04E+00	2.64E+00	NR	0.00E+00	1.14E-01	0.00E+00	2.00E+00	-1.38E+00
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived/kg	2.28E-01	1.50E+01	5.31E-03	3.88E-02	NR	0.00E+00	5.78E-04	0.00E+00	1.34E-02	-2.72E-02
Biogenic carbon content in product	kg C/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of secondary material	kg/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**TEKOFLOOR BOJA**

Environmental Impact Category	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv/kg	1.00E+00	1.87E+00	6.63E-02	4.66E-01	NR	0.00E+00	7.22E-03	0.00E+00	4.26E-01	-7.00E-02
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq./kg	6.59E-07	6.14E-06	1.53E-07	9.10E-07	NR	0.00E+00	1.66E-08	0.00E+00	2.36E-07	-4.46E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value/kg	1.30E+01	3.11E+01	1.04E+00	2.66E+00	NR	0.00E+00	1.13E-01	0.00E+00	2.00E+00	-1.38E+00
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived/kg	2.15E-01	1.83E+00	5.30E-03	3.86E-02	NR	0.00E+00	5.78E-04	0.00E+00	1.34E-02	-2.72E-02
Biogenic carbon content in product	kg C/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of secondary material	kg/kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00



### 11. Description of product and its use

FORME is a water-borne primer.

GAP is a water-borne, ready to use putty for parquet and wooden floors.

HYDRO OIL is a water-borne, 1-component coating for wooden floors. Gloss: matt.

HYDRO WAX is a water-borne, polyurethane based, 1-component coating for parquet and wooden floors. Approximately 30% of the total carbon content is bio-based (based on C14 analysis according to EN 16640). Gloss: full-matt.

OPAL 10 is a water-borne, 2-component polyurethane parquet lacquer.

OPAL 20 is a water-borne, 2-component polyurethane parquet lacquer.

OPAL 55 is a water-borne, 2-component polyurethane parquet lacquer.

TEKNOFLOOR BOJA is a water-borne wood stain for toning of parquet and wooden floors.

TOPAZ 20 is a water-borne, 1-component parquet lacquer for parquet and wooden floors in homes as well as public spaces. Good wear resistance.

TOPAZ 55 is a water-borne, 1-component parquet lacquer for parquet and wooden floors in homes as well as public spaces. Good wear resistance.

### Product standards (c-PCR)

c-PCR is not used in the calculations.

### 12. Physical properties

The wooden and parquet coatings are waterborne and for indoor and outdoor surfaces. They cover 8-12 m<sup>2</sup>/l and is applied in 1 to 3 layers.

### 13. Raw materials of the product and product information

Product structure / composition / raw-material	Quantity p%*	Usability			Origin of the raw materials
		Renewable	Non-renewable	Recycled	
Additives	8-10%		x		Europe/Global.
Colorants	1-2%		x		Europe/Global.
Extenders	8-10%		x		Europe/Global.
Pigments	9-12%		x		Europe/Global.
Resins	15-21%		x		Europe/Global.
Solvents	40-50%		x		Europe/Global.

\*Order of magnitude, not exact composition

### 14. Substances under European Chemicals Agency's REACH, SVHC restrictions

<http://echa.europa.eu/web/guest/candidate-list-table> Compulsory CAS-number

Name	EC Number	CAS Number
Does not include	-	-

**SCOPE OF LIFE CYCLE ASSESMENT (Standard 7.2.1-2)**

Mark all the covered modules of the EPD with X. Mandatory modules are marked with blue in the table below. This declaration covers “cradle-to-gate with options”. Please fulfil relevant stages “R” (relevant) and non-relevant stages “NR”.

Product stage			Construction process stage		Use stage							End of life stage				Supplementary information beyond the life cycle		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
☒	☒	☒	☒	☒	NR	NR	NR	NR	NR	NR	NR	☒	☒	☒	☒	☒	☒	☒
Raw material supply	Transport	Manufacturing	Transport	Construction-Installation process	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling


Mandatory modules  
Mandatory as per the RTS PCR section 6.2.1 rules and terms  
Optional modules based on scenarios

**15. Functional / declared unit**

The environmental performance of the paints is calculated using the declared unit “1 m<sup>2</sup> of paint”. This declared unit encompasses the following paint characteristics: paints coverage (m<sup>2</sup>/l), density (kg/l) and number of layers needed in its application. Therefore, the declared unit was calculated as follows:

$$Declared\ Unit = Coverage\ [kg/m^2] \times number\ of\ layers$$

Product	kg/m <sup>2</sup>
TOPAZ 20	4.68E-01
TOPAZ 55	3.92E-01
OPAL 10	3.91E-01
OPAL 20	3.96E-01
OPAL 55	3.95E-01
FORME	3.92E-01
GAP	3.70E-01
HYDRO WAX	3.68E-01
HYDRO OIL	3.84E-01
TEKNOFLOOR BOJA	3.91E-01

**16. System boundary**

This LCA is a Cradle-to-Grave with options. All major steps, from the extraction of natural resources to the final disposal of the product, are included in the scope of the study. The life cycle stages included are A1-A5, C2 and C4 and D. The use stage, B, is not considered in this study, since no impact are associated with the use stage. C1 and C3 are excluded, because there are no dismantling or demolition activities and no waste processing steps respectively. All impacts


associated with the upstream production of materials and energy are included in the system boundaries. Mining activities and controlled landfills are included in the product systems. Wastewater treatment is not considered within the technological systems since it is already included in the solid waste treatment processes. The emissions and resource extractions derived from these processes are considered elementary exchanges between the product systems and the environment.

Paint products do not consume resources and are not released into the environment during the use phase. Moreover, painted surfaces do not require maintenance, repair, replacement or refurbishment beyond their normal use, so no impact is considered for modules B1 to B7 and therefore excluded in this assessment.

Regarding the end-of-life stage, the waste processing stage (C3) is irrelevant as no further processing is required during the end-of-life of decorative paints since they are disposed together with the substrate where they are applied on and not reused or recycled. Since the efficiency rate cannot be considered higher than 60% it is not included in this assessment.

Module D is included to show the benefits and loads beyond the system boundary from the net output of recovered energy from the product system. Energy recovery values for the paint waste are taken on the default level in PEF CR for decorative paints: 1.01 MJ of electricity and 2.16 MJ of heat per kg of waste. Energy recovery values for the packaging materials waste are taken from the background documentation of the respective Ecoinvent datasets.

The allocation is made in accordance with EN15804:A2. Allocation is based on physical and production shares. Energy and water use are allocated according to production volume.



**17. Cut-off criteria**

There was no cut-off of raw materials or other inputs or outputs in any stage of the life cycle. Cut-offs in the background processes are according to the respective methodologies (see documentation of the relevant processes [Wernet, G. et al. 2016; <https://www.ecoinvent.org/>], [Dahlgren, L. et al., 2016]). Furthermore, brushes, clothes, buckets etc., used during the application process are excluded from the assessment since they are being considered capital goods.

### 18. Production process

The following variables have been taken into account during the production phase of the coating. Energy inputs – electricity, diesel, liquefied petroleum gas and water – production outputs – hazardous and non-hazardous waste, waste water and direct VOC emissions. After the production of the paints the produces are packaged.

#### A1. Raw materials supply

Life-cycle stage A1 includes the extraction and processing of raw materials which occur upstream to the WOODEN AND PARQUET FLOOR COATINGS manufacturing process, as well as waste processing up to the end-of-waste state.

#### A2. Transportation of raw materials to manufacturer

Life-cycle stage A2 includes the transport mode and distance of the raw materials to the production facility.

Raw material transport	Quantity
Type of truck	Lorry, total weight >32t
Distance	460 km
Capacity	64%

#### A3. Manufacturing

Life-cycle stage A3 includes the manufacturing of WOODEN AND PARQUET FLOOR COATINGS coatings and includes all processes linked to the production, for example mixing, packaging and transportation. The use of energy, electricity and fuels are taken into account too. Primary production data was obtained, regarding the inputs. For the electricity grid mix the EcoInvent 3.8 database was used. Generic data was used for upstream and downstream processes (application, use and waste processing), when no specific data was obtained. The production data was obtained for one production site, Rajamäki, Finland.

For the Paint packaging, the data for the steel tinplated was obtained from primary data for the other packaging formats default values were used from the Product Environmental Footprint Category Rules - Decorative Paints document version 1.0 published by Technical Secretariat Decorative Paints from the European Council of the Paint, Printing Ink and Artists' Colours Industry (CEPE) and reviewed in April 2018.

Packaging format	Unit	Packaging
Cardboard	kg/kg paint	0.001092
Polyethylene film	kg/kg paint	0.001236
Polypropylene	kg/kg paint	0.0487116
Polypropylene part	kg/kg paint	0.046392
Steel tinplated	kg/kg paint	paint specific
Wooden pallets	kg/kg paint	0.061824

#### A4. Transport of Regional Distribution Centre and customer

Life-cycle stage A4 includes the transportation downstream from the production facility. For all transportation modes and distances for all produced paint from the production facility to the RDC and final customer, default data was used.

Coating transport	Factory to RDC	RDC to PoS
Type of truck	Lorry, total weight >32t	Lorry, total weight >32t
Distance	350 km	370 km
Capacity	64%	64%

#### A5. Application and use

Life-cycle stage A5 includes the environmental impacts during application and use of the coating. Auxiliary materials such as brushers and rollers are not taken into account. The impact of energy to spray the coating is neglectable and therefore not considered in this study.

In the application VOC emissions are emitted and include in this life-cycle stage.

#### C2. Transport of waste material

Life-cycle stage C2 includes the impacts of the transportation mode and distance (one-way) to the end-of-life treatment site.

End-of-life transport	PoS to waste processing
Type of truck	Lorry, total weight >32t
Distance	80 km
Capacity	64%

#### C4. Disposal

Life-cycle stage C4 includes the impact of the end-of-life treatment at the disposal site. It is assumed that paint is used on both interior and exterior surfaces and that in both cases paint is lost during application. The paint that is not lost is considered applied.

#### D. Benefits and loads beyond the system boundaries

Module D has the impacts of benefits and loads beyond the system boundaries. It is assumed that benefits and loads arise from the potential energy recovery in the incineration of non-hazardous waste scenario including wet paint, as well as from energy collected from the waste treatment of hazardous waste and hazardous wet paint waste in stages A5 and C4. As a conservative assumption.

## SCOPE OF THE LIFE-CYCLE ASSESSMENT (Standard 7.2.3–7.2.4)

**19. Environmental impacts (7.2.3, table 3)** The results of the impact assessment are relative. They do not predict the effects on the weighted values of the categories, the exceedance limits, safety margins and risks.

**TOPAZ 20**

Indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv	2.08E+00	3.11E-02	2.17E-01	NR	0.00E+00	3.38E-03	0.00E+00	2.00E-01	-3.27E-02
Global Warming Potential fossil fuels (GWP-fossil)	kg CO <sub>2</sub> ekv	2.05E+00	3.09E-02	1.91E-01	NR	0.00E+00	3.37E-03	0.00E+00	2.00E-01	-3.11E-02
Global Warming Potential biogenic (GWP-biogenic)	kg CO <sub>2</sub> ekv	2.43E-02	1.13E-04	2.62E-02	NR	0.00E+00	1.23E-05	0.00E+00	1.50E-04	-1.55E-03
Global Warming Potential land use and land use change (GWP-luluc)	kg CO <sub>2</sub> ekv	7.20E-04	1.16E-05	3.42E-05	NR	0.00E+00	1.26E-06	0.00E+00	9.65E-06	-3.77E-05
Depletion potential of the stratospheric ozone layer (ODP)	kg CFC 11 ekv	3.12E-06	7.44E-09	2.30E-08	NR	0.00E+00	8.11E-10	0.00E+00	1.54E-08	-3.17E-09
Acidification potential, Accumulated Exceedance (AP)	mol H <sup>+</sup> eqv	1.12E-02	1.57E-04	3.24E-04	NR	0.00E+00	1.71E-05	0.00E+00	2.06E-04	-9.83E-05
Eutrophication potential, fraction of nutrients reaching freshwater end compartment (EP-freshwater)	kg PO <sub>4</sub> -ekv	2.86E-04	1.94E-06	1.17E-05	NR	0.00E+00	2.12E-07	0.00E+00	2.24E-06	-1.59E-05
Eutrophication potential, fraction of nutrients reaching marine end compartment (EP-marine)	kg N ekv.	4.93E-03	5.40E-05	6.57E-05	NR	0.00E+00	5.88E-06	0.00E+00	3.45E-05	-1.89E-05
Eutrophication potential, Accumulated Exceedance (EP-terrestrial)	mol N ekv.	2.01E-02	5.90E-04	6.60E-04	NR	0.00E+00	6.43E-05	0.00E+00	3.82E-04	-1.73E-04
Formation potential of tropospheric ozone (POCP)	kg NMVOC eq.	1.31E-02	1.76E-04	1.98E-04	NR	0.00E+00	1.92E-05	0.00E+00	1.22E-04	-5.03E-05
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq.	5.96E-06	7.15E-08	4.25E-07	NR	0.00E+00	7.79E-09	0.00E+00	1.11E-07	-2.08E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value	3.22E+01	4.88E-01	1.24E+00	NR	0.00E+00	5.31E-02	0.00E+00	9.39E-01	-6.47E-01
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived	4.66E+00	2.48E-03	1.82E-02	NR	0.00E+00	2.71E-04	0.00E+00	6.27E-03	-1.27E-02

**TOPAZ 55**

Indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv	1.72E+00	2.60E-02	1.82E-01	NR	0.00E+00	2.83E-03	0.00E+00	1.67E-01	-2.74E-02
Global Warming Potential fossil fuels (GWP-fossil)	kg CO <sub>2</sub> ekv	1.70E+00	2.59E-02	1.60E-01	NR	0.00E+00	2.82E-03	0.00E+00	1.67E-01	-2.61E-02
Global Warming Potential biogenic (GWP-biogenic)	kg CO <sub>2</sub> ekv	2.15E-02	9.46E-05	2.19E-02	NR	0.00E+00	1.03E-05	0.00E+00	1.26E-04	-1.30E-03
Global Warming Potential land use and land use change (GWP-luluc)	kg CO <sub>2</sub> ekv	6.00E-04	9.68E-06	2.85E-05	NR	0.00E+00	1.05E-06	0.00E+00	8.07E-06	-3.16E-05
Depletion potential of the stratospheric ozone layer (ODP)	kg CFC 11 ekv	3.46E-06	6.23E-09	1.92E-08	NR	0.00E+00	6.79E-10	0.00E+00	1.29E-08	-2.65E-09
Acidification potential, Accumulated Exceedance (AP)	mol H <sup>+</sup> eqv	9.31E-03	1.32E-04	2.71E-04	NR	0.00E+00	1.43E-05	0.00E+00	1.72E-04	-8.23E-05
Eutrophication potential, fraction of nutrients reaching freshwater end compartment (EP-freshwater)	kg PO <sub>4</sub> -ekv	2.42E-04	1.63E-06	9.76E-06	NR	0.00E+00	1.77E-07	0.00E+00	1.88E-06	-1.33E-05
Eutrophication potential, fraction of nutrients reaching marine end compartment (EP-marine)	kg N ekv.	4.18E-03	4.52E-05	5.49E-05	NR	0.00E+00	4.93E-06	0.00E+00	2.89E-05	-1.58E-05
Eutrophication potential, Accumulated Exceedance (EP-terrestrial)	mol N ekv.	1.68E-02	4.94E-04	5.52E-04	NR	0.00E+00	5.38E-05	0.00E+00	3.20E-04	-1.45E-04
Formation potential of tropospheric ozone (POCP)	kg NMVOC eq.	1.08E-02	1.48E-04	1.65E-04	NR	0.00E+00	1.61E-05	0.00E+00	1.02E-04	-4.21E-05
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq.	5.06E-06	5.99E-08	3.55E-07	NR	0.00E+00	6.53E-09	0.00E+00	9.26E-08	-1.74E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value	2.66E+01	4.09E-01	1.03E+00	NR	0.00E+00	4.45E-02	0.00E+00	7.85E-01	-5.41E-01
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived	3.98E+00	2.08E-03	1.52E-02	NR	0.00E+00	2.27E-04	0.00E+00	5.24E-03	-1.06E-02

Indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv	1.14E+00	2.59E-02	1.81E-01	NR	0.00E+00	2.83E-03	0.00E+00	1.67E-01	-2.73E-02
Global Warming Potential fossil fuels (GWP-fossil)	kg CO <sub>2</sub> ekv	1.16E+00	2.58E-02	1.59E-01	NR	0.00E+00	2.81E-03	0.00E+00	1.67E-01	-2.60E-02
Global Warming Potential biogenic (GWP-biogenic)	kg CO <sub>2</sub> ekv	-1.93E-02	9.44E-05	2.18E-02	NR	0.00E+00	1.03E-05	0.00E+00	1.26E-04	-1.29E-03
Global Warming Potential land use and land use change (GWP-luluc)	kg CO <sub>2</sub> ekv	8.16E-04	9.66E-06	2.85E-05	NR	0.00E+00	1.05E-06	0.00E+00	8.05E-06	-3.15E-05
Depletion potential of the stratospheric ozone layer (ODP)	kg CFC 11 ekv	2.71E-06	6.22E-09	1.92E-08	NR	0.00E+00	6.77E-10	0.00E+00	1.29E-08	-2.65E-09
Acidification potential, Accumulated Exceedance (AP)	mol H <sup>+</sup> eqv	5.96E-03	1.31E-04	2.71E-04	NR	0.00E+00	1.43E-05	0.00E+00	1.72E-04	-8.21E-05
Eutrophication potential, fraction of nutrients reaching freshwater end compartment (EP-freshwater)	kg PO <sub>4</sub> -ekv	1.74E-04	1.62E-06	9.74E-06	NR	0.00E+00	1.77E-07	0.00E+00	1.87E-06	-1.32E-05
Eutrophication potential, fraction of nutrients reaching marine end compartment (EP-marine)	kg N ekv.	1.40E-03	4.51E-05	5.48E-05	NR	0.00E+00	4.91E-06	0.00E+00	2.88E-05	-1.58E-05
Eutrophication potential, Accumulated Exceedance (EP-terrestrial)	mol N ekv.	1.07E-02	4.93E-04	5.51E-04	NR	0.00E+00	5.37E-05	0.00E+00	3.19E-04	-1.44E-04
Formation potential of tropospheric ozone (POCP)	kg NMVOC eq.	9.85E-03	1.47E-04	1.65E-04	NR	0.00E+00	1.60E-05	0.00E+00	1.02E-04	-4.20E-05
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq.	3.92E-06	5.97E-08	3.54E-07	NR	0.00E+00	6.51E-09	0.00E+00	9.24E-08	-1.74E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value	1.93E+01	4.07E-01	1.03E+00	NR	0.00E+00	4.44E-02	0.00E+00	7.83E-01	-5.40E-01
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived	2.08E+00	2.07E-03	1.52E-02	NR	0.00E+00	2.26E-04	0.00E+00	5.23E-03	-1.06E-02

**OPAL 20**

Indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv	1.14E+00	2.63E-02	1.84E-01	NR	0.00E+00	2.86E-03	0.00E+00	1.69E-01	-2.77E-02
Global Warming Potential fossil fuels (GWP-fossil)	kg CO <sub>2</sub> ekv	1.16E+00	2.62E-02	1.61E-01	NR	0.00E+00	2.85E-03	0.00E+00	1.69E-01	-2.63E-02
Global Warming Potential biogenic (GWP-biogenic)	kg CO <sub>2</sub> ekv	-2.16E-02	9.56E-05	2.21E-02	NR	0.00E+00	1.04E-05	0.00E+00	1.27E-04	-1.31E-03
Global Warming Potential land use and land use change (GWP-luluc)	kg CO <sub>2</sub> ekv	8.25E-04	9.78E-06	2.89E-05	NR	0.00E+00	1.06E-06	0.00E+00	8.15E-06	-3.19E-05
Depletion potential of the stratospheric ozone layer (ODP)	kg CFC 11 ekv	2.75E-06	6.30E-09	1.94E-08	NR	0.00E+00	6.85E-10	0.00E+00	1.30E-08	-2.68E-09
Acidification potential, Accumulated Exceedance (AP)	mol H <sup>+</sup> eqv	5.93E-03	1.33E-04	2.74E-04	NR	0.00E+00	1.45E-05	0.00E+00	1.74E-04	-8.31E-05
Eutrophication potential, fraction of nutrients reaching freshwater end compartment (EP-freshwater)	kg PO <sub>4</sub> -ekv	1.75E-04	1.64E-06	9.87E-06	NR	0.00E+00	1.79E-07	0.00E+00	1.90E-06	-1.34E-05
Eutrophication potential, fraction of nutrients reaching marine end compartment (EP-marine)	kg N ekv.	1.32E-03	4.57E-05	5.56E-05	NR	0.00E+00	4.97E-06	0.00E+00	2.92E-05	-1.60E-05
Eutrophication potential, Accumulated Exceedance (EP-terrestrial)	mol N ekv.	1.06E-02	4.99E-04	5.59E-04	NR	0.00E+00	5.43E-05	0.00E+00	3.23E-04	-1.46E-04
Formation potential of tropospheric ozone (POCP)	kg NMVOC eq.	9.91E-03	1.49E-04	1.67E-04	NR	0.00E+00	1.62E-05	0.00E+00	1.03E-04	-4.25E-05
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq.	4.01E-06	6.05E-08	3.59E-07	NR	0.00E+00	6.58E-09	0.00E+00	9.36E-08	-1.76E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value	1.95E+01	4.13E-01	1.04E+00	NR	0.00E+00	4.49E-02	0.00E+00	7.93E-01	-5.47E-01
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived	2.02E+00	2.10E-03	1.54E-02	NR	0.00E+00	2.29E-04	0.00E+00	5.29E-03	-1.07E-02

**OPAL 55**

Indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv	1.06E+00	2.62E-02	1.83E-01	NR	0.00E+00	2.86E-03	0.00E+00	1.69E-01	-2.76E-02
Global Warming Potential fossil fuels (GWP-fossil)	kg CO <sub>2</sub> ekv	1.07E+00	2.61E-02	1.61E-01	NR	0.00E+00	2.85E-03	0.00E+00	1.69E-01	-2.63E-02
Global Warming Potential biogenic (GWP-biogenic)	kg CO <sub>2</sub> ekv	-1.96E-02	9.54E-05	2.21E-02	NR	0.00E+00	1.04E-05	0.00E+00	1.27E-04	-1.31E-03
Global Warming Potential land use and land use change (GWP-luluc)	kg CO <sub>2</sub> ekv	5.09E-04	9.76E-06	2.88E-05	NR	0.00E+00	1.06E-06	0.00E+00	8.15E-06	-3.19E-05
Depletion potential of the stratospheric ozone layer (ODP)	kg CFC 11 ekv	2.31E-06	6.28E-09	1.94E-08	NR	0.00E+00	6.85E-10	0.00E+00	1.30E-08	-2.68E-09
Acidification potential, Accumulated Exceedance (AP)	mol H <sup>+</sup> eqv	5.44E-03	1.33E-04	2.74E-04	NR	0.00E+00	1.45E-05	0.00E+00	1.74E-04	-8.30E-05
Eutrophication potential, fraction of nutrients reaching freshwater end compartment (EP-freshwater)	kg PO <sub>4</sub> -ekv	1.63E-04	1.64E-06	9.86E-06	NR	0.00E+00	1.79E-07	0.00E+00	1.90E-06	-1.34E-05
Eutrophication potential, fraction of nutrients reaching marine end compartment (EP-marine)	kg N ekv.	1.30E-03	4.56E-05	5.55E-05	NR	0.00E+00	4.97E-06	0.00E+00	2.92E-05	-1.59E-05
Eutrophication potential, Accumulated Exceedance (EP-terrestrial)	mol N ekv.	1.00E-02	4.98E-04	5.58E-04	NR	0.00E+00	5.43E-05	0.00E+00	3.23E-04	-1.46E-04
Formation potential of tropospheric ozone (POCP)	kg NMVOC eq.	9.60E-03	1.49E-04	1.67E-04	NR	0.00E+00	1.62E-05	0.00E+00	1.03E-04	-4.25E-05
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq.	3.77E-06	6.04E-08	3.59E-07	NR	0.00E+00	6.58E-09	0.00E+00	9.36E-08	-1.76E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value	1.79E+01	4.12E-01	1.04E+00	NR	0.00E+00	4.49E-02	0.00E+00	7.93E-01	-5.46E-01
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived	1.63E+00	2.10E-03	1.53E-02	NR	0.00E+00	2.29E-04	0.00E+00	5.29E-03	-1.07E-02

**FORME**

Indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv	1.19E+00	2.60E-02	1.82E-01	NR	0.00E+00	2.83E-03	0.00E+00	1.68E-01	-2.74E-02
Global Warming Potential fossil fuels (GWP-fossil)	kg CO <sub>2</sub> ekv	1.21E+00	2.59E-02	1.60E-01	NR	0.00E+00	2.82E-03	0.00E+00	1.67E-01	-2.61E-02
Global Warming Potential biogenic (GWP-biogenic)	kg CO <sub>2</sub> ekv	-2.35E-02	9.46E-05	2.19E-02	NR	0.00E+00	1.03E-05	0.00E+00	1.26E-04	-1.30E-03
Global Warming Potential land use and land use change (GWP-luluc)	kg CO <sub>2</sub> ekv	4.67E-04	9.68E-06	2.86E-05	NR	0.00E+00	1.05E-06	0.00E+00	8.09E-06	-3.16E-05
Depletion potential of the stratospheric ozone layer (ODP)	kg CFC 11 ekv	5.18E-07	6.23E-09	1.92E-08	NR	0.00E+00	6.79E-10	0.00E+00	1.29E-08	-2.65E-09
Acidification potential, Accumulated Exceedance (AP)	mol H <sup>+</sup> eqv	6.45E-03	1.32E-04	2.72E-04	NR	0.00E+00	1.43E-05	0.00E+00	1.72E-04	-8.23E-05
Eutrophication potential, fraction of nutrients reaching freshwater end compartment (EP-freshwater)	kg PO <sub>4</sub> -ekv	2.12E-04	1.63E-06	9.78E-06	NR	0.00E+00	1.77E-07	0.00E+00	1.88E-06	-1.33E-05
Eutrophication potential, fraction of nutrients reaching marine end compartment (EP-marine)	kg N ekv.	1.13E-03	4.52E-05	5.50E-05	NR	0.00E+00	4.93E-06	0.00E+00	2.89E-05	-1.58E-05
Eutrophication potential, Accumulated Exceedance (EP-terrestrial)	mol N ekv.	1.08E-02	4.94E-04	5.53E-04	NR	0.00E+00	5.39E-05	0.00E+00	3.20E-04	-1.45E-04
Formation potential of tropospheric ozone (POCP)	kg NMVOC eq.	1.01E-02	1.48E-04	1.66E-04	NR	0.00E+00	1.61E-05	0.00E+00	1.02E-04	-4.21E-05
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq.	5.10E-06	5.99E-08	3.56E-07	NR	0.00E+00	6.53E-09	0.00E+00	9.28E-08	-1.74E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value	2.20E+01	4.09E-01	1.03E+00	NR	0.00E+00	4.45E-02	0.00E+00	7.87E-01	-5.42E-01
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived	1.49E+00	2.08E-03	1.52E-02	NR	0.00E+00	2.27E-04	0.00E+00	5.25E-03	-1.06E-02



**GAP**

Indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv	4.68E-01	2.45E-02	1.71E-01	NR	0.00E+00	2.67E-03	0.00E+00	1.58E-01	-2.58E-02
Global Warming Potential fossil fuels (GWP-fossil)	kg CO <sub>2</sub> ekv	5.01E-01	2.45E-02	1.51E-01	NR	0.00E+00	2.66E-03	0.00E+00	1.58E-01	-2.46E-02
Global Warming Potential biogenic (GWP-biogenic)	kg CO <sub>2</sub> ekv	-2.80E-02	7.48E-05	1.72E-02	NR	0.00E+00	8.13E-06	0.00E+00	9.96E-05	-1.02E-03
Global Warming Potential land use and land use change (GWP-luluc)	kg CO <sub>2</sub> ekv	3.82E-04	9.14E-06	2.68E-05	NR	0.00E+00	9.94E-07	0.00E+00	7.62E-06	-2.98E-05
Depletion potential of the stratospheric ozone layer (ODP)	kg CFC 11 ekv	3.01E-08	5.88E-09	1.81E-08	NR	0.00E+00	6.40E-10	0.00E+00	1.22E-08	-2.50E-09
Acidification potential, Accumulated Exceedance (AP)	mol H <sup>+</sup> eqv	1.82E-03	1.24E-04	2.55E-04	NR	0.00E+00	1.35E-05	0.00E+00	1.62E-04	-7.76E-05
Eutrophication potential, fraction of nutrients reaching freshwater end compartment (EP-freshwater)	kg PO <sub>4</sub> -ekv	3.84E-05	1.54E-06	9.14E-06	NR	0.00E+00	1.67E-07	0.00E+00	1.77E-06	-1.25E-05
Eutrophication potential, fraction of nutrients reaching marine end compartment (EP-marine)	kg N ekv.	3.92E-04	4.27E-05	5.16E-05	NR	0.00E+00	4.64E-06	0.00E+00	2.73E-05	-1.49E-05
Eutrophication potential, Accumulated Exceedance (EP-terrestrial)	mol N ekv.	3.36E-03	4.67E-04	5.18E-04	NR	0.00E+00	5.07E-05	0.00E+00	3.02E-04	-1.36E-04
Formation potential of tropospheric ozone (POCP)	kg NMVOC eq.	6.85E-03	1.39E-04	1.54E-04	NR	0.00E+00	1.52E-05	0.00E+00	9.63E-05	-3.97E-05
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq.	1.68E-06	5.65E-08	3.35E-07	NR	0.00E+00	6.15E-09	0.00E+00	8.75E-08	-1.64E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value	7.69E+00	3.86E-01	9.72E-01	NR	0.00E+00	4.19E-02	0.00E+00	7.41E-01	-5.11E-01
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived	2.53E-01	1.96E-03	1.44E-02	NR	0.00E+00	2.14E-04	0.00E+00	4.95E-03	-1.00E-02

**HYDRO WAX**

Indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv	9.26E-01	2.44E-02	1.71E-01	NR	0.00E+00	2.66E-03	0.00E+00	1.57E-01	-2.58E-02
Global Warming Potential fossil fuels (GWP-fossil)	kg CO <sub>2</sub> ekv	8.51E-01	2.43E-02	1.50E-01	NR	0.00E+00	2.65E-03	0.00E+00	1.57E-01	-2.45E-02
Global Warming Potential biogenic (GWP-biogenic)	kg CO <sub>2</sub> ekv	7.52E-02	8.89E-05	2.07E-02	NR	0.00E+00	9.68E-06	0.00E+00	1.18E-04	-1.22E-03
Global Warming Potential land use and land use change (GWP-luluc)	kg CO <sub>2</sub> ekv	3.46E-04	9.09E-06	2.68E-05	NR	0.00E+00	9.90E-07	0.00E+00	7.58E-06	-2.97E-05
Depletion potential of the stratospheric ozone layer (ODP)	kg CFC 11 ekv	6.36E-08	5.85E-09	1.80E-08	NR	0.00E+00	6.38E-10	0.00E+00	1.21E-08	-2.50E-09
Acidification potential, Accumulated Exceedance (AP)	mol H <sup>+</sup> eqv	5.59E-03	1.24E-04	2.55E-04	NR	0.00E+00	1.35E-05	0.00E+00	1.61E-04	-7.75E-05
Eutrophication potential, fraction of nutrients reaching freshwater end compartment (EP-freshwater)	kg PO <sub>4</sub> -ekv	2.62E-04	1.53E-06	9.18E-06	NR	0.00E+00	1.66E-07	0.00E+00	1.76E-06	-1.25E-05
Eutrophication potential, fraction of nutrients reaching marine end compartment (EP-marine)	kg N ekv.	5.73E-03	4.25E-05	5.16E-05	NR	0.00E+00	4.63E-06	0.00E+00	2.71E-05	-1.49E-05
Eutrophication potential, Accumulated Exceedance (EP-terrestrial)	mol N ekv.	1.51E-02	4.64E-04	5.19E-04	NR	0.00E+00	5.06E-05	0.00E+00	3.00E-04	-1.36E-04
Formation potential of tropospheric ozone (POCP)	kg NMVOC eq.	9.41E-03	1.39E-04	1.54E-04	NR	0.00E+00	1.51E-05	0.00E+00	9.57E-05	-3.96E-05
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq.	4.25E-06	5.62E-08	3.34E-07	NR	0.00E+00	6.13E-09	0.00E+00	8.69E-08	-1.64E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value	1.09E+01	3.83E-01	9.71E-01	NR	0.00E+00	4.18E-02	0.00E+00	7.37E-01	-5.10E-01
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived	5.77E+00	1.95E-03	1.43E-02	NR	0.00E+00	2.13E-04	0.00E+00	4.92E-03	-1.00E-02

**HYDRO OIL**

Indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv	1.14E+00	2.55E-02	1.78E-01	NR	0.00E+00	2.78E-03	0.00E+00	1.64E-01	-2.68E-02
Global Warming Potential fossil fuels (GWP-fossil)	kg CO <sub>2</sub> ekv	1.09E+00	2.54E-02	1.57E-01	NR	0.00E+00	2.77E-03	0.00E+00	1.64E-01	-2.55E-02
Global Warming Potential biogenic (GWP-biogenic)	kg CO <sub>2</sub> ekv	4.80E-02	9.27E-05	2.15E-02	NR	0.00E+00	1.01E-05	0.00E+00	1.23E-04	-1.27E-03
Global Warming Potential land use and land use change (GWP-luluc)	kg CO <sub>2</sub> ekv	1.17E-03	9.48E-06	2.80E-05	NR	0.00E+00	1.03E-06	0.00E+00	7.92E-06	-3.09E-05
Depletion potential of the stratospheric ozone layer (ODP)	kg CFC 11 ekv	4.20E-07	6.11E-09	1.88E-08	NR	0.00E+00	6.65E-10	0.00E+00	1.27E-08	-2.60E-09
Acidification potential, Accumulated Exceedance (AP)	mol H <sup>+</sup> eqv	6.64E-03	1.29E-04	2.66E-04	NR	0.00E+00	1.41E-05	0.00E+00	1.69E-04	-8.07E-05
Eutrophication potential, fraction of nutrients reaching freshwater end compartment (EP-freshwater)	kg PO <sub>4</sub> -ekv	2.48E-04	1.59E-06	9.57E-06	NR	0.00E+00	1.74E-07	0.00E+00	1.84E-06	-1.30E-05
Eutrophication potential, fraction of nutrients reaching marine end compartment (EP-marine)	kg N ekv.	4.73E-03	4.43E-05	5.38E-05	NR	0.00E+00	4.83E-06	0.00E+00	2.83E-05	-1.55E-05
Eutrophication potential, Accumulated Exceedance (EP-terrestrial)	mol N ekv.	1.58E-02	4.84E-04	5.41E-04	NR	0.00E+00	5.28E-05	0.00E+00	3.14E-04	-1.42E-04
Formation potential of tropospheric ozone (POCP)	kg NMVOC eq.	1.03E-02	1.45E-04	1.61E-04	NR	0.00E+00	1.58E-05	0.00E+00	1.00E-04	-4.13E-05
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq.	4.80E-06	5.87E-08	3.48E-07	NR	0.00E+00	6.39E-09	0.00E+00	9.08E-08	-1.71E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value	1.62E+01	4.00E-01	1.01E+00	NR	0.00E+00	4.36E-02	0.00E+00	7.70E-01	-5.30E-01
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived	5.74E+00	2.04E-03	1.49E-02	NR	0.00E+00	2.22E-04	0.00E+00	5.14E-03	-1.04E-02

**TEKNOFLOOR BOJA**

Indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Global Warming Potential total (GWP-total)	kg CO <sub>2</sub> ekv	7.30E-01	2.59E-02	1.82E-01	NR	0.00E+00	2.83E-03	0.00E+00	1.67E-01	-2.74E-02
Global Warming Potential fossil fuels (GWP-fossil)	kg CO <sub>2</sub> ekv	7.63E-01	2.58E-02	1.60E-01	NR	0.00E+00	2.81E-03	0.00E+00	1.67E-01	-2.61E-02
Global Warming Potential biogenic (GWP-biogenic)	kg CO <sub>2</sub> ekv	-3.39E-02	9.44E-05	2.21E-02	NR	0.00E+00	1.03E-05	0.00E+00	1.26E-04	-1.30E-03
Global Warming Potential land use and land use change (GWP-luluc)	kg CO <sub>2</sub> ekv	5.32E-04	9.66E-06	2.90E-05	NR	0.00E+00	1.05E-06	0.00E+00	8.05E-06	-3.16E-05
Depletion potential of the stratospheric ozone layer (ODP)	kg CFC 11 ekv	9.35E-08	6.22E-09	1.93E-08	NR	0.00E+00	6.77E-10	0.00E+00	1.29E-08	-2.65E-09
Acidification potential, Accumulated Exceedance (AP)	mol H <sup>+</sup> eqv	3.16E-03	1.31E-04	2.73E-04	NR	0.00E+00	1.43E-05	0.00E+00	1.72E-04	-8.23E-05
Eutrophication potential, fraction of nutrients reaching freshwater end compartment (EP-freshwater)	kg PO <sub>4</sub> -ekv	1.22E-04	1.62E-06	9.94E-06	NR	0.00E+00	1.77E-07	0.00E+00	1.87E-06	-1.33E-05
Eutrophication potential, fraction of nutrients reaching marine end compartment (EP-marine)	kg N ekv.	5.59E-04	4.51E-05	5.57E-05	NR	0.00E+00	4.91E-06	0.00E+00	2.88E-05	-1.58E-05
Eutrophication potential, Accumulated Exceedance (EP-terrestrial)	mol N ekv.	5.51E-03	4.93E-04	5.60E-04	NR	0.00E+00	5.37E-05	0.00E+00	3.19E-04	-1.45E-04
Formation potential of tropospheric ozone (POCP)	kg NMVOC eq.	8.09E-03	1.47E-04	1.66E-04	NR	0.00E+00	1.60E-05	0.00E+00	1.02E-04	-4.21E-05
Abiotic depletion potential for non-fossil resources (ADP-minerals&metals)	kg Sb eq.	2.40E-06	5.97E-08	3.56E-07	NR	0.00E+00	6.51E-09	0.00E+00	9.24E-08	-1.74E-08
Abiotic depletion for fossil resources potential (ADP-fossil)	MJ. Net calorific value	1.22E+01	4.07E-01	1.04E+00	NR	0.00E+00	4.44E-02	0.00E+00	7.83E-01	-5.41E-01
Water (user) deprivation potential, deprivation-weighted water consumption (WDP)	M3world eq. deprived	7.16E-01	2.07E-03	1.51E-02	NR	0.00E+00	2.26E-04	0.00E+00	5.23E-03	-1.06E-02

**20. Standard 7.2.3.2 Additional environmental impact indicators (voluntary information).**
**TOPAZ 20**

Indicator	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Potential incidence of disease due to PM emissions (PM)	Incidence of disease	1.95E-07	2.87E-09	2.78E-09	NR	0.00E+00	3.13E-10	0.00E+00	1.96E-09	-2.73E-10
Potential Human exposure efficiency relative to U235 (IRP)	kBq U235 eq.	1.02E-01	2.46E-03	6.72E-03	NR	0.00E+00	2.68E-04	0.00E+00	4.49E-03	-9.40E-03
Potential Comparative Toxic Unit for ecosystems (ETP-fw)	CTUh	3.19E+01	3.94E-01	1.92E+02	NR	0.00E+00	4.29E-02	0.00E+00	8.79E-01	-1.96E-01
Potential Comparative Toxic Unit for humans (HTP-c)	CTUh	6.27E-09	1.05E-11	4.41E-11	NR	0.00E+00	1.14E-12	0.00E+00	3.88E-10	-5.76E-12
Potential Comparative Toxic Unit for humans (HTP-nc)	CTUh	1.81E-08	3.60E-10	4.30E-09	NR	0.00E+00	3.92E-11	0.00E+00	7.17E-10	-1.74E-10
Potential soil quality index (SQP)	Dimensionless	8.92E+01	5.55E-01	3.22E-01	NR	0.00E+00	6.05E-02	0.00E+00	2.43E-01	-5.44E-02

**TOPAZ 55**

Indicator	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Potential incidence of disease due to PM emissions (PM)	Incidence of disease	1.65E-07	2.40E-09	2.32E-09	NR	0.00E+00	2.62E-10	0.00E+00	1.64E-09	-2.29E-10
Potential Human exposure efficiency relative to U235 (IRP)	kBq U235 eq.	8.57E-02	2.06E-03	5.62E-03	NR	0.00E+00	2.24E-04	0.00E+00	3.75E-03	-7.86E-03
Potential Comparative Toxic Unit for ecosystems (ETP-fw)	CTUh	2.71E+01	3.30E-01	1.60E+02	NR	0.00E+00	3.59E-02	0.00E+00	7.35E-01	-1.64E-01
Potential Comparative Toxic Unit for humans (HTP-c)	CTUh	5.40E-09	8.79E-12	3.69E-11	NR	0.00E+00	9.57E-13	0.00E+00	3.25E-10	-4.82E-12
Potential Comparative Toxic Unit for humans (HTP-nc)	CTUh	1.52E-08	3.02E-10	3.59E-09	NR	0.00E+00	3.29E-11	0.00E+00	6.00E-10	-1.45E-10
Potential soil quality index (SQP)	Dimensionless	7.65E+01	4.65E-01	2.69E-01	NR	0.00E+00	5.07E-02	0.00E+00	2.04E-01	-4.55E-02

**OPAL 10**

Indicator	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Potential incidence of disease due to PM emissions (PM)	Incidence of disease	1.02E-07	2.40E-09	2.32E-09	NR	0.00E+00	2.61E-10	0.00E+00	1.64E-09	-2.28E-10
Potential Human exposure efficiency relative to U235 (IRP)	kBq U235 eq.	1.16E-01	2.05E-03	5.61E-03	NR	0.00E+00	2.24E-04	0.00E+00	3.74E-03	-7.84E-03
Potential Comparative Toxic Unit for ecosystems (ETP-fw)	CTUh	2.15E+01	3.29E-01	8.61E+01	NR	0.00E+00	3.58E-02	0.00E+00	7.33E-01	-1.63E-01
Potential Comparative Toxic Unit for humans (HTP-c)	CTUh	1.31E-09	8.77E-12	3.68E-11	NR	0.00E+00	9.55E-13	0.00E+00	3.24E-10	-4.80E-12
Potential Comparative Toxic Unit for humans (HTP-nc)	CTUh	1.69E-08	3.01E-10	2.43E-09	NR	0.00E+00	3.28E-11	0.00E+00	5.99E-10	-1.45E-10
Potential soil quality index (SQP)	Dimensionless	1.65E+01	4.64E-01	2.69E-01	NR	0.00E+00	5.05E-02	0.00E+00	2.03E-01	-4.54E-02

**OPAL 20**

Indicator	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Potential incidence of disease due to PM emissions (PM)	Incidence of disease	1.01E-07	2.43E-09	2.35E-09	NR	0.00E+00	2.64E-10	0.00E+00	1.66E-09	-2.31E-10
Potential Human exposure efficiency relative to U235 (IRP)	kBq U235 eq.	1.19E-01	2.08E-03	5.68E-03	NR	0.00E+00	2.26E-04	0.00E+00	3.79E-03	-7.94E-03
Potential Comparative Toxic Unit for ecosystems (ETP-fw)	CTUh	2.13E+01	3.33E-01	8.77E+01	NR	0.00E+00	3.62E-02	0.00E+00	7.43E-01	-1.66E-01
Potential Comparative Toxic Unit for humans (HTP-c)	CTUh	1.19E-09	8.88E-12	3.73E-11	NR	0.00E+00	9.66E-13	0.00E+00	3.28E-10	-4.86E-12
Potential Comparative Toxic Unit for humans (HTP-nc)	CTUh	1.71E-08	3.05E-10	2.46E-09	NR	0.00E+00	3.31E-11	0.00E+00	6.06E-10	-1.47E-10
Potential soil quality index (SQP)	Dimensionless	1.42E+01	4.70E-01	2.73E-01	NR	0.00E+00	5.11E-02	0.00E+00	2.06E-01	-4.60E-02

**OPAL 55**

Indicator	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Potential incidence of disease due to PM emissions (PM)	Incidence of disease	9.64E-08	2.42E-09	2.35E-09	NR	0.00E+00	2.64E-10	0.00E+00	1.66E-09	-2.31E-10
Potential Human exposure efficiency relative to U235 (IRP)	kBq U235 eq.	1.13E-01	2.07E-03	5.67E-03	NR	0.00E+00	2.26E-04	0.00E+00	3.79E-03	-7.93E-03
Potential Comparative Toxic Unit for ecosystems (ETP-fw)	CTUh	1.94E+01	3.32E-01	8.55E+01	NR	0.00E+00	3.62E-02	0.00E+00	7.43E-01	-1.65E-01
Potential Comparative Toxic Unit for humans (HTP-c)	CTUh	1.23E-09	8.86E-12	3.72E-11	NR	0.00E+00	9.66E-13	0.00E+00	3.28E-10	-4.86E-12
Potential Comparative Toxic Unit for humans (HTP-nc)	CTUh	1.61E-08	3.04E-10	2.43E-09	NR	0.00E+00	3.31E-11	0.00E+00	6.06E-10	-1.47E-10
Potential soil quality index (SQP)	Dimensionless	1.55E+01	4.69E-01	2.72E-01	NR	0.00E+00	5.11E-02	0.00E+00	2.06E-01	-4.59E-02

**FORME**

Indicator	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Potential incidence of disease due to PM emissions (PM)	Incidence of disease	1.09E-07	2.40E-09	2.33E-09	NR	0.00E+00	2.62E-10	0.00E+00	1.65E-09	-2.29E-10
Potential Human exposure efficiency relative to U235 (IRP)	kBq U235 eq.	1.24E-01	2.06E-03	5.63E-03	NR	0.00E+00	2.24E-04	0.00E+00	3.76E-03	-7.87E-03
Potential Comparative Toxic Unit for ecosystems (ETP-fw)	CTUh	1.78E+01	3.30E-01	9.44E+01	NR	0.00E+00	3.59E-02	0.00E+00	7.37E-01	-1.64E-01
Potential Comparative Toxic Unit for humans (HTP-c)	CTUh	1.45E-09	8.79E-12	3.69E-11	NR	0.00E+00	9.58E-13	0.00E+00	3.25E-10	-4.82E-12
Potential Comparative Toxic Unit for humans (HTP-nc)	CTUh	1.89E-08	3.02E-10	2.61E-09	NR	0.00E+00	3.29E-11	0.00E+00	6.01E-10	-1.46E-10
Potential soil quality index (SQP)	Dimensionless	9.77E+00	4.65E-01	2.70E-01	NR	0.00E+00	5.07E-02	0.00E+00	2.04E-01	-4.56E-02

**GAP**

Indicator	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Potential incidence of disease due to PM emissions (PM)	Incidence of disease	4.20E-08	2.27E-09	2.17E-09	NR	0.00E+00	2.47E-10	0.00E+00	1.55E-09	-2.16E-10
Potential Human exposure efficiency relative to U235 (IRP)	kBq U235 eq.	6.16E-02	1.94E-03	5.29E-03	NR	0.00E+00	2.11E-04	0.00E+00	3.54E-03	-7.42E-03
Potential Comparative Toxic Unit for ecosystems (ETP-fw)	CTUh	5.42E+00	3.11E-01	7.55E+00	NR	0.00E+00	3.38E-02	0.00E+00	6.94E-01	-1.55E-01
Potential Comparative Toxic Unit for humans (HTP-c)	CTUh	7.23E-10	8.30E-12	3.46E-11	NR	0.00E+00	9.02E-13	0.00E+00	3.07E-10	-4.54E-12
Potential Comparative Toxic Unit for humans (HTP-nc)	CTUh	5.25E-09	2.85E-10	1.16E-09	NR	0.00E+00	3.10E-11	0.00E+00	5.67E-10	-1.37E-10
Potential soil quality index (SQP)	Dimensionless	5.17E+00	4.39E-01	2.51E-01	NR	0.00E+00	4.77E-02	0.00E+00	1.92E-01	-4.30E-02

**HYDRO WAX**

Indicator	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Potential incidence of disease due to PM emissions (PM)	Incidence of disease	2.09E-07	2.26E-09	2.18E-09	NR	0.00E+00	2.46E-10	0.00E+00	1.54E-09	-2.15E-10
Potential Human exposure efficiency relative to U235 (IRP)	kBq U235 eq.	8.74E-02	1.93E-03	5.28E-03	NR	0.00E+00	2.11E-04	0.00E+00	3.52E-03	-7.40E-03
Potential Comparative Toxic Unit for ecosystems (ETP-fw)	CTUh	4.15E+01	3.09E-01	8.27E+01	NR	0.00E+00	3.37E-02	0.00E+00	6.90E-01	-1.54E-01
Potential Comparative Toxic Unit for humans (HTP-c)	CTUh	7.80E-09	8.25E-12	3.47E-11	NR	0.00E+00	8.99E-13	0.00E+00	3.05E-10	-4.53E-12
Potential Comparative Toxic Unit for humans (HTP-nc)	CTUh	1.75E-08	2.83E-10	2.42E-09	NR	0.00E+00	3.09E-11	0.00E+00	5.63E-10	-1.37E-10
Potential soil quality index (SQP)	Dimensionless	1.40E+02	4.37E-01	2.53E-01	NR	0.00E+00	4.76E-02	0.00E+00	1.91E-01	-4.29E-02

**HYDRO OIL**

Indicator	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Potential incidence of disease due to PM emissions (PM)	Incidence of disease	1.93E-07	2.35E-09	2.28E-09	NR	0.00E+00	2.57E-10	0.00E+00	1.61E-09	-2.24E-10
Potential Human exposure efficiency relative to U235 (IRP)	kBq U235 eq.	1.02E-01	2.02E-03	5.51E-03	NR	0.00E+00	2.20E-04	0.00E+00	3.68E-03	-7.71E-03
Potential Comparative Toxic Unit for ecosystems (ETP-fw)	CTUh	4.06E+01	3.23E-01	1.55E+02	NR	0.00E+00	3.52E-02	0.00E+00	7.21E-01	-1.61E-01
Potential Comparative Toxic Unit for humans (HTP-c)	CTUh	6.87E-09	8.61E-12	3.61E-11	NR	0.00E+00	9.38E-13	0.00E+00	3.18E-10	-4.72E-12
Potential Comparative Toxic Unit for humans (HTP-nc)	CTUh	2.01E-08	2.95E-10	3.65E-09	NR	0.00E+00	3.22E-11	0.00E+00	5.88E-10	-1.43E-10
Potential soil quality index (SQP)	Dimensionless	1.06E+02	4.56E-01	2.64E-01	NR	0.00E+00	4.96E-02	0.00E+00	2.00E-01	-4.46E-02

**TEKNOFLOOR BOJA**

Indicator	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Potential incidence of disease due to PM emissions (PM)	Incidence of disease	6.07E-08	2.40E-09	2.38E-09	NR	0.00E+00	2.61E-10	0.00E+00	1.64E-09	-2.29E-10
Potential Human exposure efficiency relative to U235 (IRP)	kBq U235 eq.	1.01E-01	2.05E-03	5.65E-03	NR	0.00E+00	2.24E-04	0.00E+00	3.74E-03	-7.86E-03
Potential Comparative Toxic Unit for ecosystems (ETP-fw)	CTUh	1.89E+01	3.29E-01	1.91E+02	NR	0.00E+00	3.58E-02	0.00E+00	7.33E-01	-1.64E-01
Potential Comparative Toxic Unit for humans (HTP-c)	CTUh	4.29E-10	8.77E-12	3.73E-11	NR	0.00E+00	9.55E-13	0.00E+00	3.24E-10	-4.82E-12
Potential Comparative Toxic Unit for humans (HTP-nc)	CTUh	2.16E-08	3.01E-10	4.33E-09	NR	0.00E+00	3.28E-11	0.00E+00	5.99E-10	-1.45E-10
Potential soil quality index (SQP)	Dimensionless	6.35E+00	4.64E-01	2.79E-01	NR	0.00E+00	5.05E-02	0.00E+00	2.03E-01	-4.55E-02

**21. Standard 7.2.4 Use of natural resources**
**TOPAZ 20**

Use of natural resources	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Use of renewable primary energy excluding renewable primary energy resources used as raw materials	MJ	8.69E+00	6.21E-03	1.91E-02	NR	0.00E+00	6.76E-04	0.00E+00	5.99E-04	-4.64E-02
Renewable primary energy resources used as raw materials	MJ	1.72E-02	2.90E-09	4.03E-09	NR	0.00E+00	3.15E-10	0.00E+00	1.43E-09	-1.72E-09
Total use of renewable primary energy resources	MJ	8.71E+00	6.21E-03	1.91E-02	NR	0.00E+00	6.76E-04	0.00E+00	5.99E-04	-4.64E-02
Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials	MJ	3.21E+01	4.88E-01	8.70E-01	NR	0.00E+00	5.31E-02	0.00E+00	6.91E-02	-4.95E-01
Non renewable primary energy resources used as raw materials	MJ	2.81E-06	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of non renewable primary energy resources	MJ	3.43E+01	4.88E-01	8.70E-01	NR	0.00E+00	5.31E-02	0.00E+00	6.91E-02	-4.95E-01
Use of secondary material	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of non-renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Net use of fresh water (7.2.3)	m <sup>3</sup>	1.10E-01	5.78E-05	3.01E-04	NR	0.00E+00	6.30E-06	0.00E+00	0.00E+00	-2.27E-04

**TOPAZ 55**

Use of natural resources	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Use of renewable primary energy excluding renewable primary energy resources used as raw materials	MJ	7.44E+00	5.20E-03	1.60E-02	NR	0.00E+00	5.67E-04	0.00E+00	5.02E-04	-3.88E-02
Renewable primary energy resources used as raw materials	MJ	1.44E-02	2.43E-09	3.37E-09	NR	0.00E+00	2.64E-10	0.00E+00	1.20E-09	-1.44E-09
Total use of renewable primary energy resources	MJ	7.45E+00	5.20E-03	1.60E-02	NR	0.00E+00	5.67E-04	0.00E+00	5.02E-04	-3.88E-02
Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials	MJ	2.66E+01	4.09E-01	7.28E-01	NR	0.00E+00	4.45E-02	0.00E+00	5.79E-02	-4.13E-01
Non renewable primary energy resources used as raw materials	MJ	2.35E-06	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of non renewable primary energy resources	MJ	2.84E+01	4.09E-01	7.28E-01	NR	0.00E+00	4.45E-02	0.00E+00	5.79E-02	-4.13E-01
Use of secondary material	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of non-renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Net use of fresh water (7.2.3)	m <sup>3</sup>	9.34E-02	4.84E-05	2.52E-04	NR	0.00E+00	5.28E-06	0.00E+00	0.00E+00	-1.89E-04

**OPAL 10**

Use of natural resources	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Use of renewable primary energy excluding renewable primary energy resources used as raw materials	MJ	2.90E+00	5.19E-03	1.59E-02	NR	0.00E+00	5.65E-04	0.00E+00	4.27E-02	-3.87E-02
Renewable primary energy resources used as raw materials	MJ	1.49E-02	2.42E-09	3.37E-09	NR	0.00E+00	2.64E-10	0.00E+00	1.24E-08	-1.44E-09
Total use of renewable primary energy resources	MJ	2.91E+00	5.19E-03	1.59E-02	NR	0.00E+00	5.65E-04	0.00E+00	4.27E-02	-3.87E-02
Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials	MJ	1.94E+01	4.07E-01	7.26E-01	NR	0.00E+00	4.44E-02	0.00E+00	6.11E+00	-4.12E-01
Non renewable primary energy resources used as raw materials	MJ	3.31E-06	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of non renewable primary energy resources	MJ	1.97E+01	4.07E-01	7.26E-01	NR	0.00E+00	4.44E-02	0.00E+00	6.11E+00	-4.12E-01
Use of secondary material	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of non-renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Net use of fresh water (7.2.3)	m <sup>3</sup>	4.84E-02	4.83E-05	2.51E-04	NR	0.00E+00	5.26E-06	0.00E+00	0.00E+00	-1.89E-04

**OPAL 20**

Use of natural resources	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Use of renewable primary energy excluding renewable primary energy resources used as raw materials	MJ	2.71E+00	5.25E-03	1.62E-02	NR	0.00E+00	5.72E-04	0.00E+00	4.32E-02	-3.92E-02
Renewable primary energy resources used as raw materials	MJ	1.46E-02	2.45E-09	3.41E-09	NR	0.00E+00	2.67E-10	0.00E+00	1.26E-08	-1.45E-09
Total use of renewable primary energy resources	MJ	2.73E+00	5.25E-03	1.62E-02	NR	0.00E+00	5.72E-04	0.00E+00	4.32E-02	-3.92E-02
Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials	MJ	1.95E+01	4.13E-01	7.36E-01	NR	0.00E+00	4.50E-02	0.00E+00	6.18E+00	-4.18E-01
Non renewable primary energy resources used as raw materials	MJ	3.36E-06	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of non renewable primary energy resources	MJ	1.96E+01	4.13E-01	7.36E-01	NR	0.00E+00	4.50E-02	0.00E+00	6.18E+00	-4.18E-01
Use of secondary material	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of non-renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Net use of fresh water (7.2.3)	m <sup>3</sup>	4.76E-02	4.89E-05	2.54E-04	NR	0.00E+00	5.33E-06	0.00E+00	0.00E+00	-1.91E-04

**OPAL 55**

Use of natural resources	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Use of renewable primary energy excluding renewable primary energy resources used as raw materials	MJ	2.77E+00	5.24E-03	1.61E-02	NR	0.00E+00	5.71E-04	0.00E+00	4.31E-02	-3.91E-02
Renewable primary energy resources used as raw materials	MJ	1.45E-02	2.44E-09	3.40E-09	NR	0.00E+00	2.66E-10	0.00E+00	1.25E-08	-1.45E-09
Total use of renewable primary energy resources	MJ	2.79E+00	5.24E-03	1.61E-02	NR	0.00E+00	5.71E-04	0.00E+00	4.31E-02	-3.91E-02
Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials	MJ	1.79E+01	4.12E-01	7.34E-01	NR	0.00E+00	4.48E-02	0.00E+00	6.17E+00	-4.17E-01
Non renewable primary energy resources used as raw materials	MJ	1.38E-06	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of non renewable primary energy resources	MJ	1.80E+01	4.12E-01	7.34E-01	NR	0.00E+00	4.48E-02	0.00E+00	6.17E+00	-4.17E-01
Use of secondary material	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of non-renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Net use of fresh water (7.2.3)	m <sup>3</sup>	3.84E-02	4.88E-05	2.54E-04	NR	0.00E+00	5.32E-06	0.00E+00	0.00E+00	-1.91E-04

**FORME**

Use of natural resources	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Use of renewable primary energy excluding renewable primary energy resources used as raw materials	MJ	2.35E+00	5.20E-03	1.60E-02	NR	0.00E+00	5.67E-04	0.00E+00	4.28E-02	-3.88E-02
Renewable primary energy resources used as raw materials	MJ	1.44E-02	2.43E-09	3.37E-09	NR	0.00E+00	2.64E-10	0.00E+00	1.24E-08	-1.44E-09
Total use of renewable primary energy resources	MJ	2.37E+00	5.20E-03	1.60E-02	NR	0.00E+00	5.67E-04	0.00E+00	4.28E-02	-3.88E-02
Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials	MJ	2.21E+01	4.09E-01	7.28E-01	NR	0.00E+00	4.45E-02	0.00E+00	6.12E+00	-4.14E-01
Non renewable primary energy resources used as raw materials	MJ	1.39E-06	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of non renewable primary energy resources	MJ	2.21E+01	4.09E-01	7.28E-01	NR	0.00E+00	4.45E-02	0.00E+00	6.12E+00	-4.14E-01
Use of secondary material	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of non-renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Net use of fresh water (7.2.3)	m <sup>3</sup>	3.46E-02	4.84E-05	2.52E-04	NR	0.00E+00	5.28E-06	0.00E+00	0.00E+00	-1.90E-04



**GAP**

Use of natural resources	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Use of renewable primary energy excluding renewable primary energy resources used as raw materials	MJ	9.16E-01	4.91E-03	1.50E-02	NR	0.00E+00	5.35E-04	0.00E+00	4.04E-02	-3.66E-02
Renewable primary energy resources used as raw materials	MJ	1.42E-02	2.29E-09	3.13E-09	NR	0.00E+00	2.49E-10	0.00E+00	1.17E-08	-1.36E-09
Total use of renewable primary energy resources	MJ	9.30E-01	4.91E-03	1.50E-02	NR	0.00E+00	5.35E-04	0.00E+00	4.04E-02	-3.66E-02
Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials	MJ	7.70E+00	3.86E-01	6.83E-01	NR	0.00E+00	4.20E-02	0.00E+00	5.78E+00	-3.90E-01
Non renewable primary energy resources used as raw materials	MJ	9.18E-07	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of non renewable primary energy resources	MJ	7.70E+00	3.86E-01	6.83E-01	NR	0.00E+00	4.20E-02	0.00E+00	5.78E+00	-3.90E-01
Use of secondary material	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of non-renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Net use of fresh water (7.2.3)	m <sup>3</sup>	5.89E-03	4.57E-05	2.37E-04	NR	0.00E+00	4.98E-06	0.00E+00	0.00E+00	-1.79E-04

**HYDRO WAX**

Use of natural resources	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Use of renewable primary energy excluding renewable primary energy resources used as raw materials	MJ	1.04E+00	4.88E-03	1.50E-02	NR	0.00E+00	5.32E-04	0.00E+00	4.02E-02	-3.64E-02
Renewable primary energy resources used as raw materials	MJ	1.38E-02	2.28E-09	3.17E-09	NR	0.00E+00	2.48E-10	0.00E+00	1.17E-08	-1.35E-09
Total use of renewable primary energy resources	MJ	1.05E+00	4.88E-03	1.50E-02	NR	0.00E+00	5.32E-04	0.00E+00	4.02E-02	-3.64E-02
Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials	MJ	1.52E+01	3.83E-01	6.84E-01	NR	0.00E+00	4.18E-02	0.00E+00	5.75E+00	-3.88E-01
Non renewable primary energy resources used as raw materials	MJ	5.45E-07	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of non renewable primary energy resources	MJ	1.52E+01	3.84E-01	6.84E-01	NR	0.00E+00	4.18E-02	0.00E+00	5.75E+00	-3.88E-01
Use of secondary material	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of non-renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Net use of fresh water (7.2.3)	m <sup>3</sup>	3.02E-02	4.55E-05	2.36E-04	NR	0.00E+00	4.95E-06	0.00E+00	0.00E+00	-1.78E-04

**HYDRO OIL**

Use of natural resources	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Use of renewable primary energy excluding renewable primary energy resources used as raw materials	MJ	1.06E+01	5.09E-03	1.57E-02	NR	0.00E+00	5.55E-04	0.00E+00	4.19E-02	-3.80E-02
Renewable primary energy resources used as raw materials	MJ	1.57E-02	2.38E-09	3.30E-09	NR	0.00E+00	2.59E-10	0.00E+00	1.22E-08	-1.41E-09
Total use of renewable primary energy resources	MJ	1.06E+01	5.09E-03	1.57E-02	NR	0.00E+00	5.55E-04	0.00E+00	4.19E-02	-3.80E-02
Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials	MJ	1.68E+01	4.00E-01	7.14E-01	NR	0.00E+00	4.36E-02	0.00E+00	6.00E+00	-4.05E-01
Non renewable primary energy resources used as raw materials	MJ	5.96E-06	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of non renewable primary energy resources	MJ	1.92E+01	4.00E-01	7.14E-01	NR	0.00E+00	4.36E-02	0.00E+00	6.00E+00	-4.05E-01
Use of secondary material	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of non-renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Net use of fresh water (7.2.3)	m <sup>3</sup>	1.33E-01	4.74E-05	2.47E-04	NR	0.00E+00	5.17E-06	0.00E+00	0.00E+00	-1.86E-04

**TEKNOFLOOR BOJA**

Use of natural resources	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Use of renewable primary energy excluding renewable primary energy resources used as raw materials	MJ	1.22E+00	5.19E-03	1.60E-02	NR	0.00E+00	5.65E-04	0.00E+00	4.27E-02	-3.87E-02
Renewable primary energy resources used as raw materials	MJ	1.43E-02	2.42E-09	3.49E-09	NR	0.00E+00	2.64E-10	0.00E+00	1.24E-08	-1.44E-09
Total use of renewable primary energy resources	MJ	1.23E+00	5.19E-03	1.60E-02	NR	0.00E+00	5.65E-04	0.00E+00	4.27E-02	-3.87E-02
Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials	MJ	1.22E+01	4.07E-01	7.33E-01	NR	0.00E+00	4.44E-02	0.00E+00	6.11E+00	-4.13E-01
Non renewable primary energy resources used as raw materials	MJ	1.35E-06	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of non renewable primary energy resources	MJ	1.22E+01	4.07E-01	7.33E-01	NR	0.00E+00	4.44E-02	0.00E+00	6.11E+00	-4.13E-01
Use of secondary material	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of non-renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Net use of fresh water (7.2.3)	m <sup>3</sup>	1.67E-02	4.83E-05	2.50E-04	NR	0.00E+00	5.26E-06	0.00E+00	0.00E+00	-1.89E-04

**OTHER INDICATORS (Standard 7.2.5)**

**22. Biogenic carbon content table 9, 7.2.5 Unit (expressed per declared unit).**

**TOPAZ 20**

Biogenic carbon content	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Biogenic carbon content in product	kg C	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content in packaging	kg C	1.48E-02	1.48E-02	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**TOPAZ 55**

Biogenic carbon content	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Biogenic carbon content in product	kg C	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content in packaging	kg C	1.23E-02	1.23E-02	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**OPAL 10**

Biogenic carbon content	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Biogenic carbon content in product	kg C	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content in packaging	kg C	1.23E-02	1.23E-02	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**OPAL 20**

Biogenic carbon content	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Biogenic carbon content in product	kg C	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content in packaging	kg C	1.25E-02	1.25E-02	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**OPAL 55**

Biogenic carbon content	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Biogenic carbon content in product	kg C	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content in packaging	kg C	1.24E-02	1.24E-02	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**FORME**

Biogenic carbon content	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Biogenic carbon content in product	kg C	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content in packaging	kg C	1.24E-02	1.24E-02	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**GAP**

Biogenic carbon content	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Biogenic carbon content in product	kg C	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content in packaging	kg C	1.17E-02	1.17E-02	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**HYDRO WAX**

Biogenic carbon content	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Biogenic carbon content in product	kg C	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content in packaging	kg C	1.16E-02	1.16E-02	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**HYDRO OIL**

Biogenic carbon content	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Biogenic carbon content in product	kg C	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content in packaging	kg C	1.21E-02	1.21E-02	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**TEKNOFLOOR BOJA**

Biogenic carbon content	Unit	A3	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Biogenic carbon content in product	kg C	0.00E+00	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content in packaging	kg C	1.23E-02	1.23E-02	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**23. End of life - Waste****TOPAZ 20**

Waste categories	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	5.19E-03	0.00E+00	9.55E-02	NR	0.00E+00	0.00E+00	0.00E+00	4.68E-01	0.00E+00
Non-hazardous waste disposed	kg	2.57E-02	0.00E+00	1.00E-01	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Radioactive waste disposed	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**TOPAZ 55**

Waste categories	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	4.34E-03	0.00E+00	7.99E-02	NR	0.00E+00	0.00E+00	0.00E+00	3.92E-01	0.00E+00
Non-hazardous waste disposed	kg	2.15E-02	0.00E+00	8.38E-02	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Radioactive waste disposed	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**OPAL 10**

Waste categories	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	4.33E-03	0.00E+00	7.97E-02	NR	0.00E+00	0.00E+00	0.00E+00	3.91E-01	0.00E+00
Non-hazardous waste disposed	kg	2.15E-02	0.00E+00	8.44E-02	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Radioactive waste disposed	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**OPAL 20**

Waste categories	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	4.39E-03	0.00E+00	8.08E-02	NR	0.00E+00	0.00E+00	0.00E+00	3.96E-01	0.00E+00
Non-hazardous waste disposed	kg	2.18E-02	0.00E+00	8.56E-02	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Radioactive waste disposed	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**OPAL 55**

Waste categories	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	4.38E-03	0.00E+00	8.07E-02	NR	0.00E+00	0.00E+00	0.00E+00	3.95E-01	0.00E+00
Non-hazardous waste disposed	kg	2.17E-02	0.00E+00	8.55E-02	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Radioactive waste disposed	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**FORME**

Waste categories	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	4.35E-03	0.00E+00	8.00E-02	NR	0.00E+00	0.00E+00	0.00E+00	3.92E-01	0.00E+00
Non-hazardous waste disposed	kg	2.16E-02	0.00E+00	8.41E-02	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Radioactive waste disposed	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**GAP**

Waste categories	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	4.10E-03	0.00E+00	7.54E-02	NR	0.00E+00	0.00E+00	0.00E+00	3.70E-01	0.00E+00
Non-hazardous waste disposed	kg	2.03E-02	0.00E+00	7.09E-02	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Radioactive waste disposed	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**HYDRO WAX**

Waste categories	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	4.08E-03	0.00E+00	7.50E-02	NR	0.00E+00	0.00E+00	0.00E+00	3.68E-01	0.00E+00
Non-hazardous waste disposed	kg	2.02E-02	0.00E+00	7.90E-02	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Radioactive waste disposed	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**HYDRO OIL**

Waste categories	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	4.25E-03	0.00E+00	7.83E-02	NR	0.00E+00	0.00E+00	0.00E+00	3.84E-01	0.00E+00
Non-hazardous waste disposed	kg	2.11E-02	0.00E+00	8.21E-02	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Radioactive waste disposed	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**TEKNOFLOOR BOJA**

Waste categories	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Hazardous waste disposed	kg	4.33E-03	0.00E+00	7.98E-02	NR	0.00E+00	0.00E+00	0.00E+00	3.91E-01	0.00E+00
Non-hazardous waste disposed	kg	2.15E-02	0.00E+00	1.06E-01	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Radioactive waste disposed	kg	0.00E+00	0.00E+00	0.00E+00	NR	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

**24. Other environmental indicators.****TOPAZ 20**

Other environmental indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Components for reuse	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for recycling	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for energy recovery	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy (heat)	MJ/energy source	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

**TOPAZ 55**

Other environmental indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Components for reuse	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for recycling	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for energy recovery	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy (heat)	MJ/energy source	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

**OPAL 10**

Other environmental indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Components for reuse	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for recycling	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for energy recovery	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy (heat)	MJ/energy source	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

**OPAL 20**

Other environmental indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Components for reuse	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for recycling	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for energy recovery	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy (heat)	MJ/energy source	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

**OPAL 55**

Other environmental indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Components for reuse	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for recycling	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for energy recovery	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy (heat)	MJ/energy source	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

**FORME**

Other environmental indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Components for reuse	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for recycling	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for energy recovery	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy (heat)	MJ/energy source	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

**GAP**

Other environmental indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Components for reuse	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for recycling	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for energy recovery	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy (heat)	MJ/energy source	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

**HYDRO WAX**

Other environmental indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Components for reuse	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for recycling	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for energy recovery	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy (heat)	MJ/energy source	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

**HYDRO OIL**

Other environmental indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Components for reuse	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for recycling	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for energy recovery	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy (heat)	MJ/energy source	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

**TEKNOFLOOR BOJA**

Other environmental indicators	Unit	A1-A3	A4	A5	B1-B7	C1	C2	C3	C4	D
Components for reuse	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for recycling	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for energy recovery	kg	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy (heat)	MJ/energy source	0,00E+00	0,00E+00	0,00E+00	NR	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

**SCENARIOS AND ADDITIONAL TECHNICAL INFORMATION (Standard 7.3)**

**25. Energy in the manufacturing phase (Standard 7.3. A3)**

Parameter	Quantity	Data quality
A3 Electricity information and CO <sub>2</sub> emission kg CO <sub>2</sub> eq /kWh	<b>0.091</b>	Electricity has been calculated based on ecoinvent 3.8 database. The impacts include all upstream processes.
A3 District heating/cooling data quality and CO <sub>2</sub> emissions kg CO <sub>2</sub> eq./kWh	<b>0.014</b>	District heating has been calculated based on ecoinvent 3.8 database. The impacts include all upstream processes.
A3 Diesel CO <sub>2</sub> emissions kg CO <sub>2</sub> eq./kWh	<b>0.027</b>	Diesel has been calculated based on ecoinvent 3.8 database. The impacts include all upstream processes.
A3 Propane CO <sub>2</sub> emissions kg CO <sub>2</sub> eq./kWh	<b>0.025</b>	Propane has been calculated based on ecoinvent 3.8 database. The impacts include all upstream processes.

**26. Additional technical information, transport to the building site (Standard 7.3.2, A4)**

Parameter	Quantity	Data quality
Fuel type and consumption of vehicle or vehicle type used for transport e.g. long distance truck, boat etc. Litre of fuel type per distance or vehicle type, Commission Directive 2007/37/EC (European Emission Standard)		Default transportation mode and distances have been used in accordance with the PEFCR – Decorative Paint document version 1. Published by the Technical Secretariat Decorative Paints from the European Council of the Paint, Printing Ink and Artists' Colours Industry (CEPE) and reviewed in April 2018.
Distance (average distance of the transportation) km	-	Idem
Capacity utilisation % (including empty returns)	-	idem
Bulk density of transported products kg/m <sup>3</sup>	-	idem
Volume capacity utilisation factor (factor = 1 or <1 tai ≥ 1 for compressed or nested packaged products)	-	n/a

**27. End-of-life process description (7.3.4), module C**

Process flow	Unit (expressed per functional unit or per declared unit of components products or materials and by type of material)	Value kg/kg Data quality
Collection process specified by type	kg collected separately	-
	kg collected with mixed construction waste	1
Recovery system specified by type	kg for re-use	-
	kg for recycling	-
	kg for energy recovery	1
Disposal specified by type	kg product or material for final deposition	-
Assumptions for scenario development, e.g. transportation	units as appropriate	-

\*These values are based on current estimation on end-of-life processes

**28. Other technical information**

Technical information	N/mm <sup>2</sup>
Compressive strength in the direction of cause	n/a
Compressive strength in the direction of cause perpendicular to the	n/a
Tensile strength in the direction of cause	n/a
Bending strength	n/a
Modulus module	n/a
Shear	n/a
Density	n/a

**29. Additional information (Standard 7.4)**

**Emissions to soil**

The information is not available

**Emissions to water**

The information is not available

**Emissions to indoor air**

During application VOC emissions are released.



**Product information :**

The wooden and parquet coatings are for interior and outdoor surfaces. The coatings are manufactured in one location. It is sold mainly in Europe.

Application method: Brush, roller and spray

Pack size:

FORME Clear: 5 L

GAP: 1 L, 10 L

HYDRO OIL Clear: 5 L

HYDRO WAX Clear: 5 L

OPAL 10 Clear lacquer (base): 4.5 l. Hardener: 0.5

OPAL 20 Clear lacquer (base): 4.5 L. Hardener: 0.5 L.

OPAL 55 Clear lacquer (base): 4.5 L. Hardener: 0.5 L.

TEKNOFLOOR BOJA Clear: 2.7 L

TOPAZ 20 Clear: 5 L

TOPAZ 55 Clear: 5 L

**30. Reference of the common information**

- EN 15804:2012+A2:2019 Sustainability of construction works. Environmental product declarations. Core rules for the product category of construction products, of 2019.
- ISO 14040/14044 on Life Cycle Assessments
- Product Environmental Footprint Category Rules - Decorative Paints version 1.0, 2018. Developed by the Technical Secretariat Decorative Paints of the European Council of the Paint, Printing Ink and Artists' Colours Industry.
- Sphera GaBi Software-System and Database for Life Cycle Engineering. Copyright 1992-2018 Sphera.
- Personal communication with Chloé Glotin, LCA specialist, Teknos, 2022.
- Raw materials LCI database for the European Council of the Paint, Printing Ink and Artists' Colours Industry (CEPE), version 3.0, IVL Swedish Environmental Research Institute, 2016
- Wernet, G., Bauer, C., Steubing, B., Reinhard, J., Moreno-Ruiz, E., and Weidema, B., 2016. The ecoinvent database version 3 (part I): overview and methodology. The International Journal of Life Cycle Assessment, [online] 21(9), pp.1218–1230. Available at: <http://link.springer.com/10.1007/s11367-016-1087-8>

**31. Product information (volunteer, verified information)**

n/a