Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

SAFETY DATA SHEET



ANTISTAIN AQUA 2901-00 - CLEAN WHITE

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Product name : ANTISTAIN AQUA 2901-00 - CLEAN WHITE

1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use: Paint.

1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091. e-mail address of person : Prod-safe@teknos.com responsible for this SDS

National contact

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

1.4 Emergency telephone number

National advisory body	//Poison	Centre
------------------------	----------	--------

Telephone number: In an emergency, call 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture <u>Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]</u> Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	No signal word.	
Hazard statements	No known significant effects or critical hazards.	
Precautionary statements		
Prevention	Not applicable.	
Response	Not applicable.	
Storage	Not applicable.	
Disposal	Not applicable.	
Supplemental label elements	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Safety data sheet available on request. Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. Contains biocidal products for in-can preservation: BIT and DTBMA and MBIT.	I
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles		

2.3 Other hazards

Date of issue/Date of revision	: 10/07/2025	Date of previous issue	: 11/10/2023	Version	:2	1/21
ANTISTAIN AQUA 2901	00 - CLEAN WHITE			Label No	: <mark>3</mark> 89:	52

SECTION 2: Hazards identification

 Product meets the criteria
 : This mixture does not contain any substances that are assessed to be a PBT or a

 for PBT or vPvB according
 vPvB.

 to Regulation (EC) No.
 vPvB.

 1907/2006, Annex XIII
 vPvB.

Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
titanium dioxide	REACH #: 01-2119489379-17 EC: 236-675-5 CAS: 13463-67-7	≥10 - ≤25	Carc. 2, H351 (inhalation)	-	[1] [*]
2-(2-butoxyethoxy)ethanol	REACH #: 01-2119475104-44 EC: 203-961-6 CAS: 112-34-5 Index: 603-096-00-8	≤3	Eye Irrit. 2, H319	-	[1] [2]
1,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.036	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = 0.21 mg/l Skin Sens. 1, H317: $C \ge 0.036\%$ M [Acute] = 1 M [Chronic] = 1	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[*] The classification as a carcinogen by inhalation applies only to mixtures placed on the market in powder form containing 1% or more of titanium dioxide particles with aerodynamic diameter \leq 10 µm not bound within a matrix.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid n	neasures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
Date of issue/Date of revision	: 10/07/2025 Date of previous issue : 11/10/2023 Version : 2 2/21
ANTISTAIN AQUA 2901-00 -	CLEAN WHITE Label No : 36952

SECTION 4: First aid measures

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed			
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 		
Specific treatments	: No specific treatment.		

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.	
Unsuitable extinguishing media	None known.	
5.2 Special hazards arising	the substance or mixture	
Hazards from the substance or mixture	In a fire or if heated, a pressure increase will occur and the container may burs	st.
Hazardous combustion products	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides	
5.3 Advice for firefighters		
Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incid there is a fire. No action shall be taken involving any personal risk or without suitable training.	lent if
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves conforming to European standard EN 469 will provide a basic level of protection	e s)

SECTION 6: Accidental release measures

chemical incidents.

6.1 Personal precautions, pro	otective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Date of issue/Date of revision	: 10/07/2025	Date of previous issue	: 11/10/2023	Version	:2	3/21
ANTISTAIN AQUA 2901-00 - CLE	EAN WHITE			Label No	3895	2

SECTION 6[,] Accidental release measures

Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e. g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.		
6.4 Reference to other sections	 See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information. 		

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3	Spe	cific	end	use	(s))
-----	-----	-------	-----	-----	-----	---

: Not available.

Recommendations Industrial sector specific : Not available. solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values		
2-(2-butoxyethoxy)ethanol	Regulation on Limit Values - MAC (Austria, 12/2024) TWA 8 hours: 10 ppm. TWA 8 hours: 67.5 mg/m ³ . PEAK 15 minutes: 15 ppm 4 times per shift. PEAK 15 minutes: 101.2 mg/m ³ 4 times per shift.		
2-(2-butoxyethoxy)ethanol	Limit values (Belgium, 12/2023) STEL 15 minutes: 15 ppm. TWA 8 hours: 10 ppm. TWA 8 hours: 67.5 mg/m ³ . STEL 15 minutes: 101.2 mg/m ³ .		
2-(2-butoxyethoxy)ethanol	Ministry of Labour and Social Policy and the Ministry of Health - Ordinance No 13/2003. (Bulgaria, 4/2024) Limit value 8 hours: 67.5 mg/m ³ . Limit value 15 minutes: 101.2 mg/m ³ . Limit value 15 minutes: 15 ppm. Limit value 8 hours: 10 ppm.		
Date of issue/Date of revision : 10/07/202	5 Date of previous issue : 11/10/2023 Version : 2 4/21		
ANTISTAIN AQUA 2901-00 - CLEAN WHITE	Label No :38952		

SECTION 8: Exposure controls/personal protection				
2-(2-butoxyethoxy)ethanol	Ordinance on the protection of workers from exposure to hazardous chemicals at work, exposure limit values (Annex I) (Croatia, 12/2023) STELV 15 minutes: 101.2 mg/m ³ . STELV 15 minutes: 15 ppm. ELV 8 hours: 67.5 mg/m ³ . ELV 8 hours: 10 ppm.			
	Department of labour inspection (Cyprus, 7/2021) STEL 15 minutes: 15 ppm. STEL 15 minutes: 101.2 mg/m ³ . TWA 8 hours: 10 ppm. TWA 8 hours: 67.5 mg/m ³ .			
₽-(2-butoxyethoxy)ethanol	Government regulation of Czech Republic PEL/NPK-P (Czech Republic, 12/2023) TWA 8 hours: 67.5 mg/m ³ . TWA 8 hours: 10 ppm. STEL 15 minutes: 101.2 mg/m ³ . STEL 15 minutes: 15 ppm.			
2-(2-butoxyethoxy)ethanol	Working Environment Authority (Denmark, 12/2024) TWA 8 hours: 68 mg/m ³ . TWA 8 hours: 10 ppm. STEL 15 minutes: 15 ppm. STEL 15 minutes: 101 mg/m ³ .			
₽-(2-butoxyethoxy)ethanol	Occupational exposure limits, Regulation No. 293 (Estonia, 4/2024) TWA 8 hours: 10 ppm. TWA 8 hours: 67.5 mg/m ³ .			
₽-(2-butoxyethoxy)ethanol	EU OEL (Europe, 1/2022) TWA 8 hours: 67.5 mg/m ³ . TWA 8 hours: 10 ppm. STEL 15 minutes: 101.2 mg/m ³ . STEL 15 minutes: 15 ppm.			
₽-(2-butoxyethoxy)ethanol	Institute of Occupational Health, Ministry of Social Affairs (Finland, 10/2021) TWA 8 hours: 10 ppm. TWA 8 hours: 68 mg/m ³ .			
₽-(2-butoxyethoxy)ethanol	Ministry of Labor (France, 6/2024) STEL 15 minutes: 101.2 mg/m ³ . Notes: Indicative regulatory limit values (decree of 30-06-2004 modified) STEL 15 minutes: 15 ppm. Notes: Indicative regulatory limit values (decree of 30-06-2004 modified) TWA 8 hours: 67.5 mg/m ³ . Notes: Indicative regulatory limit values (decree of 30-06-2004 modified) TWA 8 hours: 10 ppm. Notes: Indicative regulatory limit values (decree of 30-06-2004 modified)			
✓(2-butoxyethoxy)ethanol	 TRGS 900 OEL (Germany, 6/2024) TWA 8 hours: 67 mg/m³. PEAK 15 minutes: 100.5 mg/m³. TWA 8 hours: 10 ppm. PEAK 15 minutes: 15 ppm. DFG MAC-values list (Germany, 7/2024) Develop C. TWA 8 hours: 67 mg/m³. PEAK 15 minutes: 100.5 mg/m³ 4 times per shift [Interval: 1 hour]. TWA 8 hours: 10 ppm. PEAK 15 minutes: 15 ppm 4 times per shift [Interval: 1 hour]. 			
1,2-benzisothiazol-3(2H)-one	DFG MAC-values list (Germany, 7/2024) Skin sensitiser.			
Date of issue/Date of revision : 10.	/07/2025 Date of previous issue : 11/10/2023 Version : 2 5/21			

2-(2-butoxyethoxy)ethanol	Presidential Decree 307/1986: Occupational exposure limit values (Greece, 8/2024) STEL 15 minutes: 101.2 mg/m ³ . STEL 15 minutes: 15 ppm. TWA 8 hours: 67.5 mg/m ³ . TWA 8 hours: 10 ppm.
2-(2-butoxyethoxy)ethanol	5/2020. (II. 6.) ITM Decree (Hungary, 1/2025) TWA 8 hours: 67.5 mg/m ³ . PEAK 15 minutes: 101.2 mg/m ³ . PEAK 15 minutes: 15 ppm. TWA 8 hours: 10 ppm.
2-(2-butoxyethoxy)ethanol	Ministry of Welfare, List of Exposure Limits (Iceland, 11/2024 STEL 15 minutes: 101.2 mg/m ³ . STEL 15 minutes: 15 ppm. TWA 8 hours: 67.5 mg/m ³ . TWA 8 hours: 10 ppm.
2-(2-butoxyethoxy)ethanol	 NAOSH (Ireland, 4/2024) Notes: EU derived Occupational Exposure Limit Values OELV 8 hours: 10 ppm. OELV 15 minutes: 101.2 mg/m³. OELV 8 hours: 67.5 mg/m³. OELV 15 minutes: 15 ppm.
2-(2-butoxyethoxy)ethanol	Legislative Decree No. 81/2008. Title IX. Protection from chemical agents, carcinogens and mutagens (Italy, 9/2024) Limit value 8 hours: 10 ppm. Limit value 8 hours: 67.5 mg/m ³ . Short Term 15 minutes: 15 ppm. Short Term 15 minutes: 101.2 mg/m ³ .
2-(2-butoxyethoxy)ethanol	Ministers Cabinet Regulations Nr.325 - AER (Latvia, 3/2024) STEL 15 minutes: 101.2 mg/m ³ . TWA 8 hours: 10 ppm. STEL 15 minutes: 15 ppm. TWA 8 hours: 67.5 mg/m ³ .
2 (2-butoxyethoxy)ethanol	Lithuanian Hygiene Standard HN 23 (Lithuania, 1/2024) TWA 8 hours: 67.5 mg/m ³ . TWA 8 hours: 10 ppm. STEL 15 minutes: 101.2 mg/m ³ . STEL 15 minutes: 15 ppm.
-(2-butoxyethoxy)ethanol	Grand-Duchy Regulation 2016. Chemical agents. Annex I (Luxembourg, 3/2021) STEL 15 minutes: 15 ppm. STEL 15 minutes: 101.2 mg/m ³ . TWA 8 hours: 10 ppm. TWA 8 hours: 67.5 mg/m ³ .
2-(2-butoxyethoxy)ethanol	EU OEL (Europe, 1/2022) TWA 8 hours: 67.5 mg/m ³ . TWA 8 hours: 10 ppm. STEL 15 minutes: 101.2 mg/m ³ . STEL 15 minutes: 15 ppm.
2-(2-butoxyethoxy)ethanol	Ministry of Social Affairs and Employment, Legal limit value (Netherlands, 5/2024) Absorbed through skin. TWA 8 hours: 50 mg/m ³ . STEL 15 minutes: 100 mg/m ³ . TWA 8 hours: 7.4 ppm. STEL 15 minutes: 14.8 ppm.
2-(2-butoxyethoxy)ethanol	FOR-2011-12-06-1358 (Norway, 5/2024) TWA 8 hours: 10 ppm. TWA 8 hours: 68 mg/m³.

ANTISTAIN AQUA 2901-00 - CLEAN WHITE

SECTION 8: Exposure con	Regulation of the Minister of Family, Labor and Social Policy
	of June 12, 2018 on the maximum permissible concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286) (Poland, 7/2024) TWA 8 hours: 67 mg/m ³ . STEL 15 minutes: 100 mg/m ³ .
₽-(2-butoxyethoxy)ethanol	Portuguese Institute of Quality (Portugal, 11/2014) TWA 8 hours: 10 ppm. Form: Inhalable fraction and vapor. Decree-Law 24/2012 - Occupational exposure limits for chemical agents (Portugal, 6/2021) STEL 15 minutes: 15 ppm. STEL 15 minutes: 101.2 mg/m ³ . TWA 8 hours: 10 ppm. TWA 8 hours: 67.5 mg/m ³ .
₽-(2-butoxyethoxy)ethanol	HG 1218/2006, Annex 1, with subsequent modifications and additions (Romania, 3/2024) VLA 8 hours: 67.5 mg/m ³ . Short term 15 minutes: 101.2 mg/m ³ . Short term 15 minutes: 15 ppm. VLA 8 hours: 10 ppm.
₽-(2-butoxyethoxy)ethanol	Government regulation SR c. 355/2006 (Slovakia, 6/2024) Inhalation sensitiser. TWA 8 hours: 67.5 mg/m ³ . STEL 15 minutes: 101.2 mg/m ³ . TWA 8 hours: 10 ppm. STEL 15 minutes: 15 ppm.
	Regulation on protection of workers from the risks related to exposure to chemical substances at work (Slovenia, 4/2024) TWA 8 hours: 67.5 mg/m ³ . TWA 8 hours: 10 ppm. KTV 15 minutes: 101.2 mg/m ³ 4 times per shift [time between two exposure events at this concentration must be at least 60 minutes]. KTV 15 minutes: 15 ppm 4 times per shift [time between two exposure events at this concentration must be at least 60 minutes].
₽-(2-butoxyethoxy)ethanol	National institute of occupational safety and health (Spain, 1/2024) TWA 8 hours: 67.5 mg/m ³ . TWA 8 hours: 10 ppm. STEL 15 minutes: 15 ppm. STEL 15 minutes: 101.2 mg/m ³ .
₽-(2-butoxyethoxy)ethanol	Work environment authority Regulation 2018:1 (Sweden, 11/2022) TWA 8 hours: 10 ppm. TWA 8 hours: 68 mg/m ³ . STEL 15 minutes: 15 ppm. STEL 15 minutes: 101 mg/m ³ .
 	SUVA (Switzerland, 1/2025) TWA 8 hours: 67 mg/m ³ . Form: vapour and aerosols. STEL 15 minutes: 101 mg/m ³ . Form: vapour and aerosols. STEL 15 minutes: 15 ppm. Form: vapour and aerosols. TWA 8 hours: 10 ppm. Form: vapour and aerosols.
₽-(2-butoxyethoxy)ethanol	EH40/2005 WELs (United Kingdom (UK), 1/2020) TWA 8 hours: 10 ppm. TWA 8 hours: 67.5 mg/m ³ . STEL 15 minutes: 15 ppm. STEL 15 minutes: 101.2 mg/m ³ .

Biological exposure indices

Product/ingredient	name	Exposure indices
No exposure indices known.		
Recommended monitoring		Id be made to monitoring standards, such as the following:
procedures	assessment of e values and mea atmospheres - (of exposure to c (Workplace atm for the measure	dard EN 689 (Workplace atmospheres - Guidance for the exposure by inhalation to chemical agents for comparison with limit asurement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment chemical and biological agents) European Standard EN 482 hospheres - General requirements for the performance of procedure ement of chemical agents) Reference to national guidance methods for the determination of hazardous substances will also be
DNELs/DMELs		
Product/ingredient name		Result

Date of issue/Date of revision: 10/07/2025ANTISTAIN AQUA 2901-00 - CLEAN WHITE

: 10/07/2025 Date of previous issue

- titanium dioxide	DNEL - General population - Long term - Inhalation
	28 μg/m ³
	Effects: Local
	DNEL - Workers - Long term - Inhalation
	170 μg/m³
	Effects: Local
2-(2-butoxyethoxy)ethanol	DNEL - General population - Long term - Oral
	6.25 mg/kg bw/day
	Effects: Systemic
	DNEL - Workers - Long term - Inhalation
	67.5 mg/m ³
	<u>Effects</u> : Local
	DNEL - Workers - Short term - Inhalation
	101.2 mg/m ³
	<u>Effects</u> : Local
1,2-benzisothiazol-3(2H)-one	DNEL - General population - Long term - Dermal
	0.345 mg/kg bw/day
	Effects: Systemic
	DNEL - Workers - Long term - Dermal
	0.966 mg/kg bw/day
	Effects: Systemic
	DNEL - General population - Long term - Inhalation
	1.2 mg/m ³
	Effects: Systemic
	DNEL - Workers - Long term - Inhalation
	6.81 mg/m ³
	Effects: Systemic
PNECs	
Not available.	

Γ

8.2 Exposure controls			
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.		
Individual protection meas	res		
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.		
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.		
Skin protection			
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.		
	Recommendations : Wear suitable gloves tested to EN374.		
	> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm		
	Not recommended polyvinyl alcohol (PVA) gloves		
Date of issue/Date of revision	: 10/07/2025 Date of previous issue : 11/10/2023 Version : 2 9/21		
ANTISTAIN AQUA 2901-00 -	LEAN WHITE Label No : 38952		

SECTION 8: Exposure controls/personal protection

•		· ·	
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.	
		Filter type (spray application): A P	
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance	
Physical state	: Liquid.
Colour	: White.
Odour	: Slight
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and	:
boiling range	

Ingredient name	°C	°F	Method
water	100	212	
2-(2-butoxyethoxy)ethanol	225 to 227.6	437 to 441.7	

Flammability	: Not available.
Lower and upper explosion limit	: Lower: Not applicable. Upper: Not applicable.
Flash point	: Closed cup: >100°C (>212°F)
Auto-ignition temperature	

Auto-ignition temperature

Ingredient name	°C	°F	Method
2-butoxyethoxy)ethanol	210	410	DIN 51794

Decomposition temperature	4	Not available.
рН	:	8.5 to 9 [Conc. (% w/w): 100%]
Viscosity	;	Not available.
Solubility(ies)	:	
Not available.		
Solubility in water	:	Not available.
Partition coefficient: n-octanol/		Not applicable

2

Partition coefficient: n-octanol/ : Not applicable. water

Vapour pressure

	Va	pour Press	ure at 20°C	Va	apour pres	ssure at 50°C	
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method	
water	17.5	2.3					
2-(2-butoxyethoxy)ethanol	0.022	0.0029					
te of issue/Date of revision	: 10/07/2	2025 Date of	previous issue	: 11/10/2023		Version : 2	10/21

ANTISTAIN AQUA 2901-00 - CLEAN WHITE

Label No :38952

SECTION 9: Physical and chemical properties Relative density : Not available. : 1.2 g/cm³ Density Vapour density : Not available. **Particle characteristics** Median particle size : Not applicable. 9.2 Other information 9.2.1 Information with regard to physical hazard classes **Explosive properties** : Not available. **Oxidising properties** : Not available. 9.2.2 Other safety characteristics Not applicable. **SECTION 10: Stability and reactivity**

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: No specific data.
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in	n Regulation (EC) No 1272/2008
Acute toxicity	
Product/ingredient name	Result
₽-(2-butoxyethoxy)ethanol	Rabbit - Dermal - LD50 2700 mg/kg
	Rat - Oral - LD50 4500 mg/kg <u>Toxic effects</u> : Behavioral - Tetany Lung, Thorax, or Respiration - Dyspnea Liver - Other changes
1,2-benzisothiazol-3(2H)-one	Rat - Oral - LD50 1020 mg/kg

Conclusion/Summary [Product] : Based on available data, the classification criteria are not met.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
₽-(2-butoxyethoxy)ethanol	4500	2700	N/A	N/A	N/A
1,2-benzisothiazol-3(2H)-one	450	N/A	N/A	N/A	0.21

Skin corrosion/irritation

Date of issue/Date of revision	: 10/07/2025	Date of previous issue	: 11/10/2023	Version	:2	11/21
ANTISTAIN AQUA 2901-00 - C	LEAN WHITE			Label No	<mark>:3</mark> 895	52

SECTION 11: Toxicological info	rmation
Product/ingredient name	Result
titanium dioxide	Human - Skin - Mild irritant
	Duration of treatment/exposure: 72 hours
	Amount/concentration applied: 300 ug l
1,2-benzisothiazol-3(2H)-one	Human - Skin - Mild irritant
1,2-001213001110201-0(211)-0110	Duration of treatment/exposure: 48 hours
	Amount/concentration applied: 5 %
	<u>Amount concentration applied</u> . 0 70
Conclusion/Summary [Product] : Base	ed on available data, the classification criteria are not met.
Serious eye damage/eye irritation	
Product/ingredient name	Result
2-(2-butoxyethoxy)ethanol	
	Rabbit - Eyes - Moderate irritant Duration of treatment/exposure: 24 hours
	Amount/concentration applied: 20 mg
	Amouni concentration applied. 20 mg
	Rabbit - Eyes - Severe irritant
	Amount/concentration applied: 20 mg
	-
Conclusion/Summary [Product] : Base	d on available data, the classification criteria are not met.
Respiratory corrosion/irritation	
Not available.	
Not available.	
Conclusion/Summary [Product] : Base	d on available data, the classification criteria are not met.
Reconstructory or skin constitution	
Respiratory or skin sensitization	
Not available.	
Skin	
Conclusion/Summary [Product] : May	produce an allergic reaction.
Respiratory	
Conclusion/Summary [Product] : Base	d on available data, the classification criteria are not met.
Germ cell mutagenicity	
Not available.	
Conclusion/Summary [Product] : Base	d on available data, the classification criteria are not met.
Conclusion/Summary [Product] . Dase	
<u>Carcinogenicity</u>	
	azard of this product arises when respirable dust is inhaled in quantities
leading to significant impairment of particle cl	earance mechanisms in the lung.
Not available.	
Conclusion/Summary [Product] : Base	d on available data, the classification criteria are not met.
Reproductive toxicity	
Not available.	
Conclusion/Summary [Product] : Base	d on available data, the classification criteria are not met.
Specific target organ toxicity (single expos	sure)
Not available.	
Date of issue/Date of revision : 10/07/2025	Date of previous issue : 11/10/2023 Version : 2 12/21
ANTISTAIN AQUA 2901-00 - CLEAN WHITE	Label No :38952

Specific target organ toxicity (repeated exposure) Not available.

Aspiration hazard	
Not available.	
Information on likely routes	s of exposure
Not available.	
Potential acute health effect	<u>its</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the pl	nysical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Delayed and immediate effe	ects as well as chronic effects from short and long-term exposure
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	<u>ects</u>
Not available.	
Conclusion/Summary [Pr	oduct] : Based on available data, the classification criteria are not met.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.
11.2 Information on other ha	zards
11.2.1 Endocrine disrupting Not available.	j properties
Conclusion/Summary [Pr	oduct] : The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.
11.2.2 Other information	
Not available.	

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name

Result

titanium dioxide	Acute - LC50 - Marine water
	Fish - Mummichog - <i>Fundulus heteroclitus</i>
	>1000000 µg/l [96 hours]
	Effect: Mortality
	Acute - LC50 - Fresh water
	Crustaceans - Water flea - Ceriodaphnia dubia - Neonate
	Age: <24 hours
	3 mg/l [48 hours] <u>Effect</u> : Mortality
2-(2-butoxyethoxy)ethanol	Acute - LC50 - Fresh water
	Fish - Bluegill - Lepomis macrochirus
	<u>Size</u> : 33 to 75 mm
	1300000 μg/l [96 hours] <u>Effect</u> : Mortality
1,2-benzisothiazol-3(2H)-one	Acute - LC50 - Fresh water
	OECD [Fish, Acute Toxicity Test]
	Fish - Trout - Onorhynchus Mykiss
	1.9 mg/l [96 hours]
	Acute - EC50
	OECD 202 [Daphnia sp. Acute Immobilization Test and
	Reproduction Test] Daphnia - Daphnia - <i>Daphnia Magna</i>
	3.7 mg/l [48 hours]
	Acute - EC50 - Marine water
	OECD 201 [Alga, Growth Inhibition Test]
	Algae - Algae - Skeletonema Costatum
	0.36 mg/l [72 hours]
	Acute - NOEC - Marine water
	OECD 201 [Alga, Growth Inhibition Test]
	Algae - Algae - <i>Skeletonema Costatum</i> 0.15 mg/l [72 hours]
Conclusion/Summary [Product] : Not av	ailable.
12.2 Persistence and degradability	
Product/ingredient name	Result
7,2-benzisothiazol-3(2H)-one	EU
. ,	24% [28 days]

Conclusion/Summary [Product] : Not available.

7.2-benzisothiazol-3(2H)-one - Inherent	Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
	7,2-benzisothiazol-3(2H)-one	-	-	Inherent

12.3 B	ioaccumu	lative	potential
--------	----------	--------	-----------

Product/ingredient name	LogPow	BCF	Potential
2-(2-butoxyethoxy)ethanol 1,2-benzisothiazol-3(2H)-one	1	-	Low
	-	3.2	Low

12.4 Mobility in soil

Soil/water partition coefficient

Product/ingredient name	logKoc	Кос
2-(2-butoxyethoxy)ethanol	1.6	36.5981
1,2-benzisothiazol-3(2H)-one	1.9	73.142

:11/10/2023

SECTION 12: Ecological information

Results of PMT and vPvM assessment

Product/ingredient name	PMT	Ρ	М	Т	vPvM	vP	vM
Manium dioxide	No	No	No	No	No	No	No
2-(2-butoxyethoxy)ethanol	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No

Mobility Conclusion/Summary : Not available.

: The product does not meet the criteria to be considered as a PMT or vPvM.

12.5 Results of PBT and vPvB assessment Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	Ρ	В	т	vPvB	vP	vB
Iffanium dioxide	No	No	No	No	No	No	No
2-(2-butoxyethoxy)ethanol	No	N/A	N/A	No	N/A	N/A	N/A
1,2-benzisothiazol-3(2H)-one	No	N/A	No	No	No	N/A	No

Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB	
Infanium dioxide	No	No	No	No	No	No	No	
2-(2-butoxyethoxy)ethanol	No	No	No	No	No	No	No	
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No	

Conclusion/Summary : The product does not meet the criteria to be considered as a PBT or vPvB. Regulation (EC) No. 1272/2008 [CLP]

12.6 Endocrine disrupting properties

Not available.

```
Conclusion/Summary [Product]
```

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	 Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.
European waste catalogue (EWC)	: 080112
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Date of issue/Date of revision	: 10/07/2025	Date of previous issue	: 11/10/2023	Version	:2	15/21
ANTISTAIN AQUA 2901-00 - CL	EAN WHITE			Label No	3 895	2

SECTION 14. Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

: Not relevant/applicable due to nature of the product.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product/ingredient name		%	Designation [Usage]			
2-(2-butoxyethoxy)ethanol		≤3	55 [Consumer paint]			
Labelling	:	-1				
Other EU regulations						
Industrial emissions (integrated pollution prevention and control) - Air	: Not listed					
Industrial emissions (integrated pollution prevention and control) - Water	: Not listed					
Explosive precursors	: Not applical	ole.				
Ozone depleting substance Not listed.	es (EU 2024/59)	<u>0)</u>				
Prior Informed Consent (P	PIC) (649/2012/E	<u>:U)</u>				
Not listed.						
ate of issue/Date of revision	: 10/07/2025	Date of p	revious issue : 11/10/2023	Version	:2	16/21

ANTISTAIN AQUA 2901-00 - CLEAN WHITE

ECTION 15: Regulat Persistent Organic Pollutan	-		
Not listed.			
Seveso Directive			
This product is not controlled	under the Seveso Directive.		
ational regulations			
<u>Austria</u>			
Limitation of the use of organic solvents	: Permitted.		
<u>Belgium</u>			
Book VI carcinogenic agent	<u>ts annex VI.2-1 - VI.2-3</u>		
Ingredient name			Status
Styrène			Listed
Czech Republic			
Storage code	: IV		
<u>Denmark</u>			
Fire class	: 📈-1		
Executive Order No. 1795/2	<u>015</u>		
Ingredient name		Annex I Section A	Annex I Section B
titanium dioxide		Listed	-
	 : 0-1 : According to the regulations or stipulations apply to the use of Constant: Cloves must be worn for 	personal protective equi	pment:
	: According to the regulations or	personal protective equip or all work that may result in be worn when soiling is so skin against contact with th ving spattering if a full mask eye protection is not require there is return spray, the fo	pment: great that regular wor be product. A face k is not required. In this ed.
	: According to the regulations or stipulations apply to the use of General: Gloves must be worn for coveralls/protective clothing must clothes do not adequately protect shield must be worn in work invol- case, other recommended use of In all spraying operations in which respiratory protection and arm pro-	personal protective equip or all work that may result in be worn when soiling is so skin against contact with the ving spattering if a full mask eye protection is not require there is return spray, the for betectors/apron/coveralls/pro	pment: great that regular wor he product. A face is not required. In thi ed. ollowing must be worn otective clothing as
MAL-code Protection based on MAL	 According to the regulations of stipulations apply to the use of General: Gloves must be worn for coveralls/protective clothing must clothes do not adequately protect shield must be worn in work invol case, other recommended use of In all spraying operations in which respiratory protection and arm pro- appropriate or as instructed. MAL-code: 0-1 Application: When spraying in e 	personal protective equip or all work that may result in be worn when soiling is so skin against contact with the ving spattering if a full mask eye protection is not require there is return spray, the for betectors/apron/coveralls/pro	pment: great that regular wor he product. A face is not required. In this ed. ollowing must be worn otective clothing as
	 According to the regulations of stipulations apply to the use of General: Gloves must be worn for coveralls/protective clothing must clothes do not adequately protect shield must be worn in work invol case, other recommended use of In all spraying operations in which respiratory protection and arm pro- appropriate or as instructed. MAL-code: 0-1 Application: When spraying in e- spray zone. 	existing* facilities of the cor	pment: n soiling. Apron/ great that regular wor he product. A face k is not required. In this ed. ollowing must be worn otective clothing as
	 According to the regulations of stipulations apply to the use of General: Gloves must be worn for coveralls/protective clothing must clothes do not adequately protect shield must be worn in work invol- case, other recommended use of In all spraying operations in which respiratory protection and arm pro- appropriate or as instructed. MAL-code: 0-1 Application: When spraying in e- spray zone. Arm protectors must be worn. During non-atomising spraying in 	existing* facilities of the cor	pment: n soiling. Apron/ great that regular wor he product. A face k is not required. In this ed. ollowing must be worn otective clothing as
	 According to the regulations of stipulations apply to the use of General: Gloves must be worn for coveralls/protective clothing must clothes do not adequately protect shield must be worn in work involucase, other recommended use of In all spraying operations in which respiratory protection and arm proappropriate or as instructed. MAL-code: 0-1 Application: When spraying in e spray zone. - Arm protectors must be worn. During non-atomising spraying in cabin and spray-booth type where 	existing* facilities of the core	pment: n soiling. Apron/ great that regular wor he product. A face k is not required. In this ed. ollowing must be worn otective clothing as e operator is outside th mbined-cabin, spray- side the spray zone.

SECTION 15: Regulatory information

		Drying: Items for drying/drying ovens that are tempor rack trolleys, etc, must be equipped with a mechanica fumes from wet items from passing through workers' i	l exhaust system to prevent
		Polishing: When polishing treated surfaces, a mask When machine grinding, eye protection must be worn, worn.	
		Caution The regulations contain other stipulations in	addition to the above.
		*See Regulations.	
Restrictions on use	:	Not to be used by professional users below 18 years of Working Environment Authorities Executive Order reg	5
List of undesirable substances	:	Not listed	
Carcinogenic waste	:	Waste containers must be labeled: Contains a substance by Danish working environment legislation on cancer r	•
Finland			
<u>France</u>			
Social Security Code, Articles L 461-1 to L 461-7	1	₽-(2-butoxyethoxy)ethanol	RG 84
Reinforced medical surveillance	:	Act of July 11, 1977 determining the list of activities whe medical surveillance: not applicable	nich require reinforced
Germany			
Storage class (TRGS 510)	:	10	
Hazardous incident ordinar	nc	<u>e</u>	

This product is not controlled under the Germany Hazardous Incident Ordinance.

Hazard class for water : 1

Technical instruction on air quality control (TA Luft)

Number [Class]		Description	%
5.2.1 5.2.4 [III] 5.2.5 5.2.5 [I]		Total dust Gaseous inorganic substances Organic substances Organic substances	
ΑΟΧ		ne product contains organically bound halogens and can contribute to the alue in waste water.	e AOX
<u>Italy</u>			
D.Lgs. 152/06	: N	ot determined.	
Netherlands			
Water Discharge Policy (ABM)		(3) Hazardous for aquatic organisms, may have long-term hazardous eff quatic environment. Decontamination effort: A	ects in
<u>Norway</u>			
<u>Sweden</u>			
Switzerland			
VOC content	: E:	xempt.	
nternational regulations			
Chemical Weapon Conven	tion Li	st Schedules I, II & III Chemicals	
Not listed.			
<mark>/ontreal Protocol</mark> Not listed.			
	_		
stockholm Convention on	Persis	tent Organic Pollutants	

:11/10/2023

SECTION 15: Regulatory information

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

15.2 Chemical safety	: Not applicable.

assessment

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations	and :	ATE = Acute Toxicity Estimate
acronyms		CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
-		1272/2008]
		DMEL = Derived Minimal Effect Level
		DNEL = Derived No Effect Level
		EUH statement = CLP-specific Hazard statement
		N/A = Not available
		PBT = Persistent, Bioaccumulative and Toxic
		PNEC = Predicted No Effect Concentration
		RRN = REACH Registration Number
		SGG = Segregation Group
		vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

Full text of abbreviated H statements

1 302	Harmful if swallowed.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H351	Suspected of causing cancer.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

Full text of classifications [CLP/GHS]

Acute Tox. 2	ACUTE TOXICITY - Category 2
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Carc. 2	CARCINOGENICITY - Category 2
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1A	SKIN SENSITISATION - Category 1A
Date of issue/ Date of revision	: 10/07/2025
Data of providua isour	11/10/2022
Date of previous issue	e : 11/10/2023
Version	: 2

Notice to reader

SECTION 16: Other information

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.