

# SAFETY DATA SHEET



ANTISTAIN AQUA 5300-20 - WHITE

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : ANTISTAIN AQUA 5300-20 - WHITE

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product description : Paint.

### 1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

e-mail address of person responsible for this SDS : Prod-safe@teknos.com

#### National contact

Teknos (UK) Limited, 7 Longlands Rd, Bicester, Oxfordshire OX26 5AH, United Kingdom. Tel. +44 (0) 1869 208005.

### 1.4 Emergency telephone number

Telephone number : Teknos UK Limited; TEL: +44 1608 683 494; Opening hours: MON-FRI, 7am – 6pm.

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Product definition : Mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

#### Precautionary statements

General : Not applicable.

Prevention : Not applicable.

Response : Not applicable.

Storage : Not applicable.

Disposal : Not applicable.

Supplemental label elements : Warning! Contains 2,4,7,9-tetramethyl-5-decyne-4,7-diol. May produce an allergic reaction. Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. Safety data sheet available on request. Contains biocidal products for in-can preservation: BIT and DTBMA and MBIT.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles :

ANTISTAIN AQUA 5300-20 - WHITE

Label No : 05133

Date of issue/Date of revision

: 27/01/2022

Date of previous issue

: 24/09/2020

Version : 1.02 1/12

## SECTION 2: Hazards identification

### 2.3 Other hazards

Other hazards which do not result in classification :  None known.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures : Mixture

| Product/ingredient name                              | Identifiers  | %         | Regulation (EC) No. 1272/2008 [CLP]  | Type           |
|--|--|-----------|--|----------------|
| <input checked="" type="checkbox"/> Titanium dioxide | REACH #:<br>01-2119489379-17<br>EC: 236-675-5<br>CAS: 13463-67-7                           | ≥10 - ≤25 | Carc. 2, H351<br>(inhalation)  | [1] [*]        |
| Polymeric alkoxyate<br>2-(2-butoxyethoxy)ethanol     | -<br>REACH #:<br>01-2119475104-44<br>EC: 203-961-6<br>CAS: 112-34-5<br>Index: 603-096-00-8 | ≤3<br>≤3  | Acute Tox. 4, H302<br>Eye Irrit. 2, H319   | [1]<br>[1] [2] |
| 1-Methoxy 2-propanol                                 | REACH #:<br>01-2119457435-35<br>EC: 203-539-1<br>CAS: 107-98-2<br>Index: 603-064-00-3      | ≤3        | Flam. Liq. 3, H226<br>STOT SE 3, H336  | [1] [2]        |
| 2,4,7,9-tetramethyl-5-decyne-4,7-diol                | REACH #:<br>01-2119954390-39<br>EC: 204-809-1<br>CAS: 126-86-3                             | <1        | Eye Dam. 1, H318<br>Skin Sens. 1B, H317<br>Aquatic Chronic 3,<br>H412<br><br><b>See Section 16 for the full text of the H statements declared above.</b> | [1]            |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

#### Type

- [1] Substance classified with a health or environmental hazard  
[2] Substance with a workplace exposure limit  
[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII  
[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII  
[5] Substance of equivalent concern  
[6] Additional disclosure due to company policy  
[\*] The classification as a carcinogen by inhalation applies only to mixtures placed on the market in powder form containing 1% or more of titanium dioxide particles with diameter ≤ 10 µm not bound within a matrix.

Occupational exposure limits, if available, are listed in Section 8.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- Eye contact** :  Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation** :  Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
- Skin contact** :  Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
- Ingestion** :  Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
- Protection of first-aiders** :  No action shall be taken involving any personal risk or without suitable training.

ANTISTAIN AQUA 5300-20 - WHITE

Label No :  5133

Date of issue/Date of revision

: 27/01/2022

Date of previous issue

: 24/09/2020

Version : 1.02 2/12

## SECTION 4: First aid measures

### 4.2 Most important symptoms and effects, both acute and delayed

#### Over-exposure signs/symptoms

- Eye contact : No specific data.
- Inhalation : No specific data.
- Skin contact : No specific data.
- Ingestion : No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments : No specific treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst.
- Hazardous combustion products : In a fire, decomposition may produce toxic gases/fumes.

### 5.3 Advice for firefighters

- Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
- For emergency responders : Specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

### 6.2 Environmental precautions

- : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up

- Small spill : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## SECTION 6: Accidental release measures

- Large spill** : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
- 6.4 Reference to other sections** : See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

#### Seveso Directive - Reporting thresholds (in tonnes)

### 7.3 Specific end use(s)

- Recommendations** : Not available.
- Industrial sector specific solutions** : Not available.

## SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control parameters

#### Occupational exposure limits

|   |   |
|---|---|
| <input checked="" type="checkbox"/> (2-butoxyethoxy)ethanol | <b>EH40/2005 WELs (United Kingdom (UK), 1/2020).</b><br>TWA: 10 ppm 8 hours.<br>STEL: 15 ppm 15 minutes.<br>TWA: 67.5 mg/m <sup>3</sup> 8 hours.<br>STEL: 101.2 mg/m <sup>3</sup> 15 minutes.                       |
| 1-Methoxy 2-propanol  | <b>EH40/2005 WELs (United Kingdom (UK), 1/2020). Absorbed through skin.</b><br>STEL: 560 mg/m <sup>3</sup> 15 minutes.<br>STEL: 150 ppm 15 minutes.<br>TWA: 375 mg/m <sup>3</sup> 8 hours.<br>TWA: 100 ppm 8 hours. |

## SECTION 8: Exposure controls/personal protection

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### DNELs/DMELs

| Product/ingredient name               | Type | Exposure              | Value                   | Population         | Effects  |
|---------------------------------------|------|-----------------------|-------------------------|--------------------|----------|
| Titanium dioxide                      | DNEL | Long term Inhalation  | 10 mg/m <sup>3</sup>    | Workers            | Local    |
|                                       | DNEL | Long term Oral        | 700 mg/kg bw/day        | General population | Systemic |
| 2-(2-butoxyethoxy)ethanol             | DNEL | Long term Oral        | 5 mg/kg bw/day          | General population | Systemic |
|                                       | DNEL | Long term Inhalation  | 40.5 mg/m <sup>3</sup>  | General population | Local    |
|                                       | DNEL | Long term Inhalation  | 40.5 mg/m <sup>3</sup>  | General population | Systemic |
|                                       | DNEL | Long term Dermal      | 50 mg/kg bw/day         | General population | Systemic |
|                                       | DNEL | Short term Inhalation | 60.7 mg/m <sup>3</sup>  | General population | Local    |
|                                       | DNEL | Long term Inhalation  | 67.5 mg/m <sup>3</sup>  | Workers            | Local    |
|                                       | DNEL | Long term Inhalation  | 67.5 mg/m <sup>3</sup>  | Workers            | Systemic |
| 1-Methoxy 2-propanol                  | DNEL | Long term Dermal      | 83 mg/kg bw/day         | Workers            | Systemic |
|                                       | DNEL | Short term Inhalation | 101.2 mg/m <sup>3</sup> | Workers            | Local    |
|                                       | DNEL | Long term Oral        | 33 mg/kg bw/day         | General population | Systemic |
|                                       | DNEL | Long term Inhalation  | 43.9 mg/m <sup>3</sup>  | General population | Systemic |
|                                       | DNEL | Long term Dermal      | 78 mg/kg bw/day         | General population | Systemic |
|                                       | DNEL | Long term Dermal      | 183 mg/kg bw/day        | Workers            | Systemic |
|                                       | DNEL | Long term Inhalation  | 369 mg/m <sup>3</sup>   | Workers            | Systemic |
|                                       | DNEL | Short term Inhalation | 553.5 mg/m <sup>3</sup> | Workers            | Local    |
| 2,4,7,9-tetramethyl-5-decyne-4,7-diol | DNEL | Short term Inhalation | 553.5 mg/m <sup>3</sup> | Workers            | Systemic |
|                                       | DNEL | Long term Oral        | 0.25 mg/kg bw/day       | General population | Systemic |
|                                       | DNEL | Long term Dermal      | 0.25 mg/kg bw/day       | General population | Systemic |
|                                       | DNEL | Long term Inhalation  | 0.43 mg/m <sup>3</sup>  | General population | Systemic |
|                                       | DNEL | Long term Dermal      | 0.5 mg/kg bw/day        | Workers            | Systemic |
|                                       | DNEL | Short term Oral       | 0.75 mg/kg bw/day       | General population | Systemic |
|                                       | DNEL | Short term Dermal     | 0.75 mg/kg bw/day       | General population | Systemic |
|                                       | DNEL | Short term            | 1.29 mg/m <sup>3</sup>  | General            | Systemic |

## SECTION 8: Exposure controls/personal protection

|  |      |                                 |                        |                       |          |
|--|------|---------------------------------|------------------------|-----------------------|----------|
|  | DNEL | Inhalation<br>Short term Dermal | 1.5 mg/kg<br>bw/day    | population<br>Workers | Systemic |
|  | DNEL | Long term<br>Inhalation         | 1.76 mg/m <sup>3</sup> | Workers               | Systemic |
|  | DNEL | Short term<br>Inhalation        | 5.28 mg/m <sup>3</sup> | Workers               | Systemic |

### PNECs

No PNECs available

## 8.2 Exposure controls

**Appropriate engineering controls** :  Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Individual protection measures

**Hygiene measures** :  Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** :  Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

### Skin protection

**Hand protection** :  Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Recommendations : Wear suitable gloves tested to EN374.

> 8 hours (breakthrough time):  Nitrile gloves. thickness > 0.3 mm

Not recommended  polyvinyl alcohol (PVA) gloves

**Body protection** :  Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Refer to European Standard EN 14605 for further information on material and design requirements and test methods.

**Other skin protection** :  Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** :  Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Filter type (spray application):  P

**Environmental exposure controls** :  Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

**Physical state** :  Liquid.

**Colour** :  White.

**Odour** :  Slight

**Odour threshold** :  Not available.

**pH** :  Not available.

**Melting point/freezing point** :  Not available.

ANTISTAIN AQUA 5300-20 - WHITE

Label No :  5133

Date of issue/Date of revision

: 27/01/2022

Date of previous issue

: 24/09/2020

Version : 1.02 6/12

## SECTION 9: Physical and chemical properties

|  |  |
|--|--|
| Initial boiling point and boiling range      | : Not available.                                   |
| Flash point                                  | : Closed cup: >100°C                               |
| Evaporation rate                             | : Not available.                                   |
| Flammability (solid, gas)                    | : Not available.                                   |
| Upper/lower flammability or explosive limits | : Lower: Not applicable.<br>Upper: Not applicable. |
| Vapour pressure                              | : Not available.                                   |
| Vapour density                               | : Not available.                                   |
| Density                                      | : 1.3 kg/l   |
| Solubility(ies)                              | : Not available.                                   |
| Partition coefficient: n-octanol/water       | : Not applicable.                                  |
| Auto-ignition temperature                    | : Not available.                                   |
| Decomposition temperature                    | : Not available.                                   |
| Viscosity                                    | : Not available.                                   |
| Explosive properties                         | : Not available.                                   |
| Oxidising properties                         | : Not available.                                   |

### 9.2 Other information

|                     |                  |
|---------------------|------------------|
| VOC                 | : 52 g/l         |
| Solubility in water | : Not available. |

No additional information.

## SECTION 10: Stability and reactivity

|   |  |
|---|--|
| 10.1 Reactivity                         | : No specific test data related to reactivity available for this product or its ingredients.           |
| 10.2 Chemical stability                 | : The product is stable.   |
| 10.3 Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur.                      |
| 10.4 Conditions to avoid                | : No specific data.  |
| 10.5 Incompatible materials             | : No specific data.  |
| 10.6 Hazardous decomposition products   | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

| Product/ingredient name   | Result      | Species | Dose       | Exposure |
|---------------------------|-------------|---------|------------|----------|
| 2-(2-butoxyethoxy)ethanol | LD50 Dermal | Rabbit  | 2700 mg/kg | -        |
|                           | LD50 Oral   | Rat     | 4500 mg/kg | -        |
| 1-Methoxy 2-propanol      | LD50 Dermal | Rabbit  | 13 g/kg    | -        |
|                           | LD50 Oral   | Rat     | 6600 mg/kg | -        |

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

#### Acute toxicity estimates

| Route | ATE value      |
|-------|----------------|
| Oral  | 33322.03 mg/kg |



## SECTION 11: Toxicological information

### Irritation/Corrosion

| Product/ingredient name               | Result                   | Species | Score | Exposure          | Observation |
|---------------------------------------|--------------------------|---------|-------|-------------------|-------------|
| Titanium dioxide                      | Skin - Mild irritant     | Human   | -     | 72 hours 300 ug l | -           |
| 2-(2-butoxyethoxy)ethanol             | Eyes - Moderate irritant | Rabbit  | -     | 24 hours 20 mg    | -           |
| 1-Methoxy 2-propanol                  | Eyes - Severe irritant   | Rabbit  | -     | 20 mg             | -           |
|                                       | Eyes - Mild irritant     | Rabbit  | -     | 24 hours 500 mg   | -           |
| 2,4,7,9-tetramethyl-5-decyne-4,7-diol | Skin - Mild irritant     | Rabbit  | -     | 500 mg            | -           |
|                                       | Eyes - Severe irritant   | Rabbit  | -     | 0.1 MI            | -           |
|                                       | Skin - Mild irritant     | Rabbit  | -     | 0.5 g             | -           |

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### Sensitisation

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### Mutagenicity

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### Carcinogenicity

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### Reproductive toxicity

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### Teratogenicity

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### Specific target organ toxicity (single exposure)

| Product/ingredient name | Category   | Route of exposure | Target organs    |
|-------------------------|------------|-------------------|------------------|
| 1-Methoxy 2-propanol    | Category 3 | -                 | Narcotic effects |

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

**Information on likely routes of exposure** : Not available.

### Potential acute health effects

**Eye contact** : No known significant effects or critical hazards.

**Inhalation** : No known significant effects or critical hazards.

**Skin contact** : No known significant effects or critical hazards.

**Ingestion** : No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : No specific data.

**Inhalation** : No specific data.

**Skin contact** : No specific data.

**Ingestion** : No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

**Potential immediate effects** : Not available.



## SECTION 11: Toxicological information

**Potential delayed effects** : Not available.

### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

### Potential chronic health effects

Not available.

**Conclusion/Summary** : Not available.

**General** : No known significant effects or critical hazards.

**Carcinogenicity** : No known significant effects or critical hazards.

**Mutagenicity** : No known significant effects or critical hazards.

**Teratogenicity** : No known significant effects or critical hazards.

**Developmental effects** : No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

**Other information** : Not available.

## SECTION 12: Ecological information

### 12.1 Toxicity

| Product/ingredient name   | Result                                | Species                                    | Exposure |
|---------------------------|---------------------------------------|--|----------|
| Titanium dioxide          | Acute LC50 3 mg/l Fresh water         | Crustaceans - Ceriodaphnia dubia - Neonate | 48 hours |
|                           | Acute LC50 6.5 mg/l Fresh water       | Daphnia - Daphnia pulex - Neonate          | 48 hours |
|                           | Acute LC50 >1000000 µg/l Marine water | Fish - Fundulus heteroclitus               | 96 hours |
| 2-(2-butoxyethoxy)ethanol | Acute LC50 1300000 µg/l Fresh water   | Fish - Lepomis macrochirus                 | 96 hours |
|                           | 2,4,7,9-tetramethyl-5-decyne-4,7-diol | Daphnia - Daphnia magna                    | 48 hours |
|                           | LC50 42 mg/l                          | Fish - Cyprinus carpio                     | 96 hours |

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

### 12.2 Persistence and degradability

**Conclusion/Summary** : This product has not been tested for biodegradation.

### 12.3 Bioaccumulative potential

| Product/ingredient name   | LogP <sub>ow</sub> | BCF | Potential |
|---------------------------|--------------------|-----|-----------|
| 2-(2-butoxyethoxy)ethanol | 1                  | -   | low       |
| 1-Methoxy 2-propanol      | <1                 | -   | low       |

### 12.4 Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Mobility** : Not available.

### 12.5 Results of PBT and vPvB assessment

**PBT** : Not applicable.

**vPvB** : Not applicable.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

**European waste catalogue (EWC)** : 080112

#### Packaging

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information

|                                 | ADR/RID        | ADN            | IMDG           | IATA           |
|---------------------------------|----------------|----------------|----------------|----------------|
| 14.1 UN number                  | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| 14.2 UN proper shipping name    | ☑              | ☑              | ☑              | ☑              |
| 14.3 Transport hazard class(es) | ☑              | ☑              | ☑              | ☑              |
| 14.4 Packing group              | ☑              | ☑              | ☑              | ☑              |
| 14.5 Environmental hazards      | No.            | No.            | No.            | No.            |
| Additional information          | ☑              | ☑              | ☑              | ☑              |

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to IMO instruments** : Not relevant/applicable due to nature of the product.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulation (EC) No. 1907/2006 (REACH)

#### Annex XIV - List of substances subject to authorisation

#### Annex XIV

None of the components are listed.

#### Substances of very high concern

ANTISTAIN AQUA 5300-20 - WHITE

Label No : 05133

Date of issue/Date of revision

: 27/01/2022

Date of previous issue

: 24/09/2020

Version : 1.02 10/12

## SECTION 15: Regulatory information

None of the components are listed.

**Annex XVII - Restrictions** :  
on the manufacture,  
placing on the market  
and use of certain  
dangerous substances,  
mixtures and articles

### Other EU regulations

**Europe inventory** :  Not determined.

### Ozone depleting substances (1005/2009/EU)

Not listed.

### Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

### Seveso Directive

This product is not controlled under the Seveso Directive.

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### **15.2 Chemical safety assessment**

:  This product contains substances for which Chemical Safety Assessments are still required.

## SECTION 16: Other information

Indicates information that has changed from previously issued version.

### **Abbreviations and acronyms**


: ATE = Acute Toxicity Estimate  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
DMEL = Derived Minimal Effect Level  
DNEL = Derived No Effect Level  
EUH statement = CLP-specific Hazard statement  
PBT = Persistent, Bioaccumulative and Toxic  
PNEC = Predicted No Effect Concentration  
RRN = REACH Registration Number  
vPvB = Very Persistent and Very Bioaccumulative

### **Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**


| Classification  | Justification |
|-----------------|---------------|
| Not classified. |               |

### **Full text of abbreviated H statements**

## SECTION 16: Other information

|  |   |
|--|---|
|  H226<br>H302<br>H317<br>H318<br>H319<br>H336<br>H351<br>H412 | Flammable liquid and vapour.<br>Harmful if swallowed.<br>May cause an allergic skin reaction.<br>Causes serious eye damage.<br>Causes serious eye irritation.<br>May cause drowsiness or dizziness.<br>Suspected of causing cancer.<br>Harmful to aquatic life with long lasting effects. |
|--|---|

### [Full text of classifications \[CLP/GHS\]](#)

|  |   |
|--|---|
|  Acute Tox. 4<br>Aquatic Chronic 3<br>Carc. 2<br>Eye Dam. 1<br>Eye Irrit. 2<br>Flam. Liq. 3<br>Skin Sens. 1B<br>STOT SE 3 | ACUTE TOXICITY - Category 4<br>LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3<br>CARCINOGENICITY - Category 2<br>SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1<br>SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2<br>FLAMMABLE LIQUIDS - Category 3<br>SKIN SENSITISATION - Category 1B<br>SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3 |
|--|---|

**Date of issue/ Date of revision** : 27/01/2022

**Date of previous issue** : 24/09/2020

**Version** : 1.02

 ANTISTAIN AQUA 5300-20\_WHITE

 WHITE

### [Notice to reader](#)

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.