Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

SAFETY DATA SHEET



AQUACOAT 2650-06 - RAL 9003

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Product name

: AQUACOAT 2650-06 - RAL 9003

1.2 Relevant identified uses of the substance or mixture and uses advised against **Product use** : Paint.

1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091. e-mail address of person : Prod-safe@teknos.com

responsible for this SDS

National contact Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number : In an emergency, call 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	Contains adipohydrazide, 2-mercaptoethanol, 1,2-benzisothiazol-3(2H)-one and reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. Safety data sheet available on request. Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	
Date of issue/Date of revision		: 13/11/2023 Date of previous issue : 12/09/2022 Version : 1.01 1/18
AQUACOAT 2650-06 - RAL 90	0.3	Label No :7/3933

SECTION 2: Hazards identification

2.3 Other hazards

Product meets the criteria	: This mixture does not contain any substances that are assessed to be a PBT or a
for PBT or vPvB according	vPvB.

to Regulation (EC) No. 1907/2006, Annex XIII Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
titanium dioxide	REACH #: 01-2119489379-17 EC: 236-675-5 CAS: 13463-67-7	≥10 - ≤25	Carc. 2, H351 (inhalation)	-	[1] [*]
3-Butoxypropan-2-ol	REACH #: 01-2119475527-28 EC: 225-878-4 CAS: 5131-66-8 Index: 603-052-00-8	≤3	Skin Irrit. 2, H315 Eye Irrit. 2, H319	-	[1]
adipohydrazide	REACH #: 01-2119962900-36 EC: 213-999-5 CAS: 1071-93-8	<1	Skin Sens. 1, H317 Aquatic Chronic 2, H411	-	[1]
2-mercaptoethanol	EC: 200-464-6 CAS: 60-24-2	<0.1	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 3, H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Repr. 2, H361 STOT RE 2, H373 Aquatic Acute 1, H400	ATE [Oral] = 244 mg/kg ATE [Dermal] = 50 mg/kg ATE [Inhalation (vapours)] = 3 mg/l M [Acute] = 1	[1]
1,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.05	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400	ATE [Oral] = 1020 mg/kg Skin Sens. 1, H317: C ≥ 0.05% M [Acute] = 1	[1]
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:1)	CAS: 55965-84-9 Index: 613-167-00-5	<0.0015	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071	ATE [Oral] = 53 mg/ kg ATE [Dermal] = 50 mg/kg ATE [Inhalation (vapours)] = 0.5 mg/l Skin Corr. 1C, H314: $C \ge 0.6\%$ Eye Dam. 1, H318: $C \ge 0.6\%$ Eye Irrit. 2, H319: $0.06\% \le C < 0.6\%$ Skin Sens. 1, H317: $C \ge 0.0015\%$ M [Acute] = 100 M [Chronic] = 100	[1]
Date of issue/Date of revision	: 13/11/2023 Date	e of previous is	sue : 12/09/2022	Version :1.01	1 2/18
AQUACOAT 2650-06 - RAL 9003 Label No :73933					

SECTION 3: Composition/information on ingredients			
		See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

The classification as a carcinogen by inhalation applies only to mixtures placed on the market in powder form containing 1% or more of titanium dioxide particles with aerodynamic diameter \leq 10 µm not bound within a matrix.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures			
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.		
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.		
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. 		
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.		
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.		

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

•	-
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising	from the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides

SECTION 5: Firefighting measures

5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, prot	teo	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for o	co	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

SECTION 7: Handling and storage

7.3 Specific end use(s)

: Not available.

Recommendations Industrial sector specific solutions

SECTION 8: Exposure controls/personal protection

: Not available.

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient n	ame	Exposure limit values
Peaction mass of: 5-chloro-2-met 4-isothiazolin-3-one [EC no. 247- 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)	500-7] and	Regulation on Limit Values - MAC (Austria, 4/2021). [5-chloro- 2-methyl-2,3-dihydroisothiazol-3-one and 2-methyl-2,3-di- hydroisothiazol-3-one (mixture in the ratio 3:1)] Skin sensitiser. TWA: 0.05 mg/m ³ 8 hours.
No exposure limit value known.		
No exposure limit value known.		
No exposure limit value known.		
No exposure limit value known.		
♂-Butoxypropan-2-ol		Government regulation of Czech Republic PEL/NPK-P (Czech Republic, 10/2022). Absorbed through skin. STEL: 550 mg/m ³ 15 minutes. TWA: 270 mg/m ³ 8 hours. TWA: 49.14 ppm 8 hours. STEL: 100.1 ppm 15 minutes.
No exposure limit value known.		
No exposure limit value known.		
No exposure limit value known.		
No exposure limit value known.		
No exposure limit value known.		
7,2-benzisothiazol-3(2H)-one		DFG MAC-values list (Germany, 7/2022). Skin sensitiser.
No exposure limit value known.		
No exposure limit value known.		
No exposure limit value known.		
No exposure limit value known.		
No exposure limit value known.		
No exposure limit value known.		
2-mercaptoethanol		Lithuanian Hygiene Standard HN 23 (Lithuania, 7/2022). TWA: 1 mg/m ³ 8 hours.
No exposure limit value known.		
No exposure limit value known.		
No exposure limit value known.		
No exposure limit value known.		
No exposure limit value known.		
No exposure limit value known.		
No exposure limit value known.		
No exposure limit value known.		
Date of issue/Date of revision	: 13/11/2023	Date of previous issue : 12/09/2022 Version : 1.01 5/18

SECTION 8: Exposure controls/p	ersonal protection
No exposure limit value known.	
No exposure limit value known.	
No exposure limit value known.	
Peaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	SUVA (Switzerland, 1/2021). Skin sensitiser.
	STEL: 0.4 mg/m ³ 15 minutes. Form: Inhalable fraction TWA: 0.2 mg/m ³ 8 hours. Form: Inhalable fraction
No exposure limit value known.	
Biological exposure indices	
Product/ingredient name	Exposure indices
No exposure indices known.	

SECTION 8: Exposure controls/personal protection

procedures

Recommended monitoring : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	Туре	Exposure	Value	Population	Effects
3-Butoxypropan-2-ol	DNEL	Long term Inhalation	147 mg/m³	Workers	Systemic
	DNEL	Long term Oral	12.5 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Dermal	22 mg/kg bw/day	General population	Systemic
	DNEL	Long term	43 mg/m ³	General	Systemic
	DNEL	Inhalation Long term Dermal	52 mg/kg	population Workers	Systemic
	DNEL	Short term Dermal	bw/day 50 %	General	Local
	DNEL	Long term Dermal	50 %	population General	Local
	DNEL	Short term Dermal	50 % 50 %	population Workers Workers	Local Local
adipohydrazide	DNEL DNEL	Long term Dermal Long term Inhalation	17.5 mg/m ³		Systemic
2-mercaptoethanol	DNEL	Short term Oral	0.025 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Oral	0.025 mg/ kg bw/day	General population	Systemic
	DNEL	Short term Dermal	0.05 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Dermal	0.05 mg/ kg bw/day	Workers	Systemic
	DNEL	Short term Inhalation	0.17 mg/m ³	Workers	Systemic
	DNEL	Long term Inhalation	0.17 mg/m³	Workers	Systemic
1,2-benzisothiazol-3(2H)-one	DNEL	Long term Dermal	0.345 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0.966 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	1.2 mg/m ³	General population	Systemic
	DNEL	Long term Inhalation	6.81 mg/m³	Workers	Systemic
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6]	DNEL	Long term Inhalation	0.02 mg/m ³	General population	Local
(3:1)	DNEL	Long term Inhalation	0.02 mg/m³	Workers	Local
	DNEL	Short term	0.04 mg/m³	General population	Local
	DNEL	Short term Inhalation	0.04 mg/m³		Local
	DNEL	Long term Oral	0.09 mg/ kg bw/day	General population	Systemic
	DNEL	Short term Oral	0.11 mg/	General	Systemic

AQUACOAT 2650-06 - RAL 9003

Label No :7/3933

-		contro	-	-	1	I	1
					kg bw/day	population	
PNECs							
No PNECs available							
.2 Exposure controls							
Appropriate engineering controls	- 1	Good g contam			Ild be sufficient to	o control worker e	xposure to airborne
Individual protection meas	ures						
Hygiene measures	:	before Approp Wash c	eating riate to contan	, smoking and us echniques shoul hinated clothing l	sing the lavatory d be used to rem	ove potentially cor Ensure that eyewa	the working period.
Eye/face protection	:	assessi gases o	ment i or dust the as	ndicates this is r ts. If contact is p	ecessary to avoi ossible, the follo	wing protection sh	id splashes, mists,
Skin protection							
Hand protection	:		n at all	times when har			ed standard should sessment indicate
		Recom	menda	ations:Wears	uitable gloves te	sted to EN374.	
		> 8 hou	rs (bre	eakthrough time	: Nitrile gloves	. thickness > 0.3	mm
		Not rec	omme	ended	polyvinyl alco	ohol (PVA) gloves	
Body protection	:	being p	erforn			ould be selected b ould be approved	
Other skin protection	:	selecte	d base	ed on the task be		rotection measure nd the risks involv roduct.	
Respiratory protection	:	approp	riate s ory pr	tandard or certifi otection progran	cation. Respirate	ors must be used	tor that meets the according to a and other importan
		Filter ty	pe (sp	oray application):	AP		
Environmental exposure controls	:	ensure In some	they c e case	comply with the rest, fume scrubbe	equirements of e rs, filters or engi	uipment should be nvironmental prote neering modifications to acceptable	ection legislation. ons to the process

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Colour	: White.
Odour	: Slight
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	:

: 13/11/2023 Date of previous issue

: 12/09/2022

Ingredient name		°C	°F	Method	
water		100	212		
3-Butoxypropan-2-ol		171	339.8	OECD 103	
Flammability	: Not ava	ilable.	1		
Lower and upper explosion limit		Not applicable. Not applicable.			
Flash point	: Closed	cup: >100°C (>2	212°F)		
Auto-ignition temperature	:				
Ingredient name		°C	°F	Method	
propylenglycoldimethylether		165	329		
3-Butoxypropan-2-ol		260	500	EU A.15	
Decomposition temperature	: Not ava	ilable.			
рН	: 8 to 8.8				
Viscosity	: Not ava	ilable.			
Solubility(ies)	:				
Not available.					
Solubility in water	: Not ava	ilable.			
Partition coefficient: n-octanol/ water	: Not app	licable.			
Vapour pressure					

Vapour pressure

	Va	Vapour Pressure at 20°C			apour pres	ssure at 50°C
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	17.5	2.3				
3-Butoxypropan-2-ol	1.05	0.14	OECD 104			
Relative density	: Not	available.		·		
Density	: 1.2	g/cm³				
/apour density	: Not	available.				
Explosive properties	: Not	available.				
Dxidising properties	: Not	available.				
Particle characteristics						
Median particle size	: Not	applicable.				

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: No specific data.
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
₿-Butoxypropan-2-ol	LD50 Dermal	Rabbit	3100 mg/kg	-
2-mercaptoethanol	LD50 Oral	Rat	244 mg/kg	-
1,2-benzisothiazol-3(2H)-	LD50 Oral	Rat	1020 mg/kg	-
one				
reaction mass of: 5-chloro-	LD50 Oral	Rat	53 mg/kg	-
2-methyl-4-isothiazolin-				
3-one [EC no. 247-500-7]				
and 2-methyl-2H-isothiazol-				
3-one [EC no. 220-239-6] (3:				
1)				
Conclusion/Summary	: Based on available data, the cla	assification crite	ria are not met.	

Acute toxicity estimates

Route	ATE value
Not available.	

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
iitanium dioxide	Skin - Mild irritant	Human	-	72 hours 300 ug l	-
3-Butoxypropan-2-ol 2-mercaptoethanol	Skin - Moderate irritant Eyes - Severe irritant	Rabbit Rabbit	-	- 2 mg	-
1,2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7]	Skin - Mild irritant Skin - Severe irritant	Human Human	-	48 hours 5 % 0.01 %	-
and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)					
Conclusion/Summary	: Based on available data, the	classification cr	iteria are	not met.	•

Sensitisation

Conclusion/Summary	:	Based on available data, the classification criteria are not met.	
oonoluolon/ounnuly	۰.	Duscu on available data, the slassification oftend are not met.	

<u>Mutagenicity</u> Conclusion/Summary

sion/Summary : Based on available data, the classification criteria are not met.

Carcinogenicity

It has been observed that the carcinogenic hazard of this product arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung.

Conclusion/Summary	: Based on available data, the classification criteria are not met.
Reproductive toxicity	
Conclusion/Summary	: Based on available data, the classification criteria are not met.
Teratogenicity	
Conclusion/Summary	: Based on available data, the classification criteria are not met.
Specific target organ toxic	<u>ity (single exposure)</u>
Not available.	

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
₽-mercaptoethanol	Category 2	-	-

Aspiration hazard

Not available.

	
SECTION 11: Toxico	_
Information on likely routes of exposure	: Not available.
Potential acute health effects	<u>></u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the phy	vsical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Delayed and immediate effect Short term exposure	cts as well as chronic effects from short and long-term exposure
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	<u>ects</u>
Not available.	
Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
titanium dioxide	Acute LC50 3 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 6.5 mg/l Fresh water	Daphnia - <i>Daphnia pulex -</i> Neonate	48 hours
	Acute LC50 >1000000 μg/l Marine water	Fish - Fundulus heteroclitus	96 hours
1,2-benzisothiazol-3(2H)-one	Acute EC50 0.36 mg/l Marine water	Algae - Skeletonema Costatum	72 hours
	Acute EC50 3.7 mg/l	Daphnia - Daphnia Magna	48 hours
	Acute LC50 1.9 mg/l Fresh water	Fish - Onorhynchus Mykiss	96 hours
	Acute NOEC 0.15 mg/I Marine water	Algae - Skeletonema Costatum	72 hours
Conclusion/Summary	: Based on available data, the classific	cation criteria are not met.	

SECTION 12: Ecological information

12.2 Persistence	and	degradability	

Product/ingredient name	Test	Result		Dose	Inoculum
2-benzisothiazol-3(2H)-one		24 % - 28 days			-
Conclusion/Summary	: This product ha	is not been tested for	^r biodegrada	tion.	
Product/ingredient name	Aquatic half-life		Photolysis		Biodegradability
7,2-benzisothiazol-3(2H)-one	-		-		Inherent

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
 Butoxypropan-2-ol 2-mercaptoethanol 1,2-benzisothiazol-3(2H)-one 	1.2	-	Low
	-0.056	-	Low
	-	3.2	Low

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.
European waste catalogue (EWC)	: 080112
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

: 13/11/2023 Date of previous issue

: 12/09/2022

	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

: Not relevant/applicable due to nature of the product.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions or	n the manufact	ure, placing on the mar	ket and use of cer	tain dangerous	
substances, mixtures and a	articles				
Labelling	÷				
Other EU regulations					
Industrial emissions (integrated pollution prevention and control) - Air	: Not listed				
Industrial emissions (integrated pollution prevention and control) - Water	: Not listed				
Explosive precursors	: Not applicat	ole.			
Ozone depleting substanc	<u>es (1005/2009/E</u>	<u>EU)</u>			
Not listed.					
Prior Informed Consent (P	<u>PIC) (649/2012/E</u>	<u>U)</u>			
Not listed.					
Persistent Organic Polluta Not listed.	<u>ants</u>				
<u>Seveso Directive</u>					
Date of issue/Date of revision	: 13/11/2023	Date of previous issue	: 12/09/2022	Version : 1.01 13/	/18
AQUACOAT 2650-06 - RAL 90	003			Label No :7/3933	

SECTION 15: Regulatory information

This product is not controlled under the Seveso Directive.					
National regulations					
Austria					
VbF class	: Not regulated.				
Limitation of the use of organic solvents	: Permitted.				
Czech Republic					
Storage code	: 🕅				
<u>Denmark</u>					
Danish fire class	: IV-1				
Executive Order No. 1795/2	<u>2015</u>				
Ingredient name		Annex I Section A	Annex I Section B		
titanium dioxide		Listed	-		
MAL-code	: 0-1				
Protection based on MAL	: According to the regulations on wo stipulations apply to the use of pers				
	General: Gloves must be worn for all coveralls/protective clothing must be v clothes do not adequately protect skin shield must be worn in work involving case, other recommended use of eye	vorn when soiling is so against contact with th spattering if a full mask	great that regular work he product. A face k is not required. In this		
	In all spraying operations in which then respiratory protection and arm protecto appropriate or as instructed.				
	MAL-code: 0-1 Application: When spraying in existin spray zone.	ng* spray booths, if the	operator is outside the		
	- Arm protectors must be worn.				
	During non-atomising spraying in exist cabin and spray-booth type where the				
	- Gas filter mask must be worn.				
	During all spraying where atomisation operator is inside the spray zone and o or booth.				
	- Full mask with combined filter, cover	alls and hood must be	worn.		
	Drying: Items for drying/drying ovens rack trolleys, etc, must be equipped w fumes from wet items from passing th	ith a mechanical exhau	ist system to prevent		
	Polishing: When polishing treated su When machine grinding, eye protectio worn.				
	Caution The regulations contain othe	r stipulations in additio	n to the above.		
	*See Regulations.				

SECTION 15: Regulatory information

SECTION 15: Regula		•	
Restrictions on use		Not to be used by professional users below 18 years of age. See the National Working Environment Authorities Executive Order regarding Young People At W	/ork.
List of undesirable substances	÷	Not listed	
Carcinogenic waste	1	Waste containers must be labeled: Contains a substance or substances regulate by Danish working environment legislation on cancer risks.	ed
<u>Finland</u>			
<u>France</u>			
Social Security Code, Articles L 461-1 to L 461-7	:	Butoxypropan-2-ol RG 84	
Reinforced medical surveillance	:	Kct of July 11, 1977 determining the list of activities which require reinforced medical surveillance: not applicable	
<u>Germany</u>			
Storage class (TRGS 510)	:	10	
Hazardous incident ordina	<u>nc</u>	<u>.e</u>	
This product is not controlled	d u	nder the Germany Hazardous Incident Ordinance.	
Hazard class for water	:		
Technical instruction on air quality control	:	F A-Luft Number 5.2.5: 28.3%	
ΑΟΧ	:	The product contains organically bound halogens and can contribute to the AOX value in waste water.	ć
<u>Italy</u>			
D.Lgs. 152/06	:	Not determined.	
Netherlands			
Water Discharge Policy (ABM)	:	𝕂(3) Hazardous for aquatic organisms, may have long-term hazardous effects in aquatic environment. Decontamination effort: A	I
<u>Norway</u>			
<u>Sweden</u>			
Switzerland			
VOC content	:	Exempt.	
International regulations			
	ion	List Schedules I, II & III Chemicals	
Not listed.			
Montreal Protocol Not listed.			
Stockholm Convention on I		reistant Organia Ballutanta	
Stockholm Convention on F Not listed.	<u>'er</u>	sistent organic Polititants	
Rotterdam Convention on F Not listed.	<u>'ric</u>	<u>or Informed Consent (PIC)</u>	
UNECE Aarhus Protocol on Not listed.	<u>P(</u>	<u>DPs and Heavy Metals</u>	
15.2 Chemical safety assessment	:	This product contains substances for which Chemical Safety Assessments are s required.	still

: 13/11/2023 Date of previous issue

:12/09/2022

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	N/A = Not available
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	SGG = Segregation Group
	vPvB = Very Persistent and Very Bioaccumulative
Provide the second devided of the second	

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

Full text of abbreviated H statements

Harmful if swallowed.H310Fatal in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H330Fatal if inhaled.H331Toxic if inhaled.H351Suspected of causing cancer.H361Suspected of damaging fertility or the unborn child.H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.		
H310Fatal in contact with skin.H314Causes severe skin burns and eye damage.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H330Fatal if inhaled.H351Suspected of causing cancer.H361Suspected of damaging fertility or the unborn child.H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	H301	Toxic if swallowed.
H314Causes severe skin burns and eye damage.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H330Fatal if inhaled.H331Toxic if inhaled.H351Suspected of causing cancer.H361Suspected of damaging fertility or the unborn child.H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	H302	Harmful if swallowed.
H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H330Fatal if inhaled.H331Toxic if inhaled.H351Suspected of causing cancer.H361Suspected of damaging fertility or the unborn child.H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	H310	Fatal in contact with skin.
H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H330Fatal if inhaled.H331Toxic if inhaled.H351Suspected of causing cancer.H361Suspected of damaging fertility or the unborn child.H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	H314	Causes severe skin burns and eye damage.
H318Causes serious eye damage.H319Causes serious eye irritation.H330Fatal if inhaled.H331Toxic if inhaled.H351Suspected of causing cancer.H361Suspected of damaging fertility or the unborn child.H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	H315	Causes skin irritation.
H319Causes serious eye irritation.H330Fatal if inhaled.H331Toxic if inhaled.H351Suspected of causing cancer.H361Suspected of damaging fertility or the unborn child.H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	H317	May cause an allergic skin reaction.
 H330 Fatal if inhaled. H331 Toxic if inhaled. H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. 	H318	Causes serious eye damage.
H331Toxic if inhaled.H351Suspected of causing cancer.H361Suspected of damaging fertility or the unborn child.H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	H319	Causes serious eye irritation.
H351Suspected of causing cancer.H361Suspected of damaging fertility or the unborn child.H373May cause damage to organs through prolonged or repeated exposure.H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	H330	Fatal if inhaled.
 H361 Suspected of damaging fertility or the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. 	H331	Toxic if inhaled.
 H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. 	H351	Suspected of causing cancer.
H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	H361	Suspected of damaging fertility or the unborn child.
H410Very toxic to aquatic life with long lasting effects.H411Toxic to aquatic life with long lasting effects.	H373	May cause damage to organs through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.
EUH071 Corrosive to the respiratory tract.	H411	Toxic to aquatic life with long lasting effects.
	EUH071	Corrosive to the respiratory tract.

Full text of classifications [CLP/GHS]

	ACUTE TOXICITY - Category 2
Acute Tox. 3	
	ACUTE TOXICITY - Category 3
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Aquatic Chronic 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
	CARCINOGENICITY - Category 2
Eye Dam. 1 S	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Repr. 2 F	REPRODUCTIVE TOXICITY - Category 2
Skin Corr. 1C S	SKIN CORROSION/IRRITATION - Category 1C
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1 S	SKIN SENSITISATION - Category 1
Skin Sens. 1A S	SKIN SENSITISATION - Category 1A
	SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2

: 12/09/2022	
: 1.01	
AQUACOAT 2650-06_RAL 9003	
	: 1.01

Notice to reader

SECTION 16: Other information

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision AQUACOAT 2650-06 - RAL 9003 : 13/11/2023 Date of previous issue

:12/09/2022