Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - Ireland

# **SAFETY DATA SHEET**



AQUAPRIMER 2900-02 - BASE T

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	

: AQUAPRIMER 2900-02 - BASE T

1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use: Paint.

### 1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091. e-mail address of person : Prod-safe@teknos.com responsible for this SDS

### National contact

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

### 1.4 Emergency telephone number

National advisory body/Poison Centre

- Telephone number
- Emergency medical information: (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland.
   Members of the public Number (8 am-10 pm): +353 (0)1 809 2166 Healthcare professional telephone Number (24hrs): +353 (0)1 809 2566

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Product definition

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

: Mixture

Aquatic Chronic 3, H412

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	1	No signal word.
Hazard statements	:	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements		
Prevention	:	P273 - Avoid release to the environment.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	Contains 3-iodo-2-propynyl-butyl carbamate, 1,2-benzisothiazol-3(2H)-one and 2-Methyl-1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Contains biocidal products for dry film and in-can preservation: IPBC and BIT and DTBMA and MBIT. Risk of skin sensitisation.

# **SECTION 2: Hazards identification**

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	:	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	1	None known.

# **SECTION 3: Composition/information on ingredients**

2*(2-butoxyethoxy)ethanol         REACH #: 01-2119475104-44 EC: 203-9061-6 CAS: 112-34-5 Index: 603-096-00-8         S3         Eye Irrit. 2, H319         -         [1] [2           2-Butoxyethanol         REACH #: 01-2119475108-36 EC: 203-905-0 CAS: 111-76-2 Index: 603-014-00-0         <1         Acute Tox. 4, H302 Acute Tox. 3, H331 Skin Irrit. 2, H319         ATE [Oral] = 1200 mg/kg ATE [Inhalation (vapours)] = 3 mg/l         [1] [2           3-iodo-2-propynyl-butyl carbamate         EC: 259-627-5 Index: 616-212-00-7         <1         Acute Tox. 4, H302 Acute Tox. 3, H331 Skin Sens. 1, H317         ATE [Oral] = 400 mg/kg ATE [Inhalation (dusts and mists)] = 0.67 mg/l M [Acute] = 10 M [Chronic] = 1 Aquatic Acute 1, H400 Acute Tox. 2, H330 Acute Tox. 2, H330         ATE [Oral] = 400 mg/kg ATE [Inhalation (dusts and mists)] = 0.67 mg/l M [Acute] = 10 M [Chronic] = 1 Aquatic Chronic 1, H410         ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = 0.67 mg/l M [Acute] = 10 M [Chronic] = 1 Aquatic Acute 1, H400 Acute Tox. 2, H330 Acute Tox. 2, H330 Acute Tox. 2, H330 Acute Tox. 2, H330 Acute Tox. 3, H301 Acute Tox. 4, H312 Skin Sens. 1, H317: C 2 0.036% M [Acute] = 1 M [Chronic] = 1           2-Methyl-1,2-benzisothiazol- 3(2H)-one         EC: 695-989-4 Index: 613-336-00-3         <0.0015 Acute Tox. 3, H301 Acute Tox. 4, H312 Skin Corn. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1, H317: C 2 0.036% M [Acute] = 1         TE [Oral] = 175 mg/kg ATE [Inhalation (dust sand mists)]           2-Methyl-1,2-benzisothiazol- 3(2H)-one         EC: 695-989-4 Index: 613-336-00-3         <0.0015 Acute Tox. 3, H301 Acute Tox. 4, H312 Skin Corn. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1, H317: C 2 0.0015% M [Acute] = 1<	Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors	Туре
$ \begin{array}{c} 1-2119475108-36\\ EC: 203-905-0\\ CAS: 111-76-2\\ Index: 603-014-00-0\\ EC: 259-627-5\\ CAS: 55406-53-6\\ Index: 616-212-00-7\\ \end{array} \begin{array}{c} < 1 \\ \begin{array}{c} Acute Tox. 3, H331\\ Skin Irrit. 2, H316\\ Symposium (vapours)] = 3 mg/l\\ \end{array} \begin{array}{c} ATE [Inhalation (vapours)] = 3 mg/l\\ ATE [Inhalation (uapours)] = 3 mg/l\\ \end{array} \begin{array}{c} ATE [Inhalation (uapours)] = 3 mg/l\\ \end{array} \begin{array}{c} ATE [Inhalation (uapours)] = 3 mg/l\\ Acute Tox. 3, H331\\ Symposium (apours)] = 0.67 mg/l\\ M[Acute] = 10\\ M[Corronic] = 1\\ \end{array} \begin{array}{c} Acute Tox. 4, H302\\ Acute Tox. 4, H304\\ Acute Tox. 4, H304\\ Acute Tox. 4, H306\\ Acute Tox. 4, H306\\ Acute Tox. 4, H306\\ Acute Tox. 4, H307\\ Aquatic Acute 1, H400\\ Aquatic Chronic 1, H410\\ Acute Tox. 4, H312\\ Skin Sens. 1A, H317\\ Aquatic Acute 1, H400\\ Aquatic Chronic 1, H410\\ Acute Tox. 4, H312\\ Skin Sens. 1, H317\\ Cas 2527-66-4\\ Index: 613-336-00-3\\ \end{array}$		01-2119475104-44 EC: 203-961-6 CAS: 112-34-5	≤3	Eye Irrit. 2, H319	and ATEs -	[1] [2]
carbamateCAS: 55406-53-6 Index: 616-212-00-7Acute Tox. 3, H331 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 1, H372 $(larynx)$ Aquatic Acute 1, H400 Aquatic Chronic 1, H410mg/kg ATE [Inhalation (dusts and mists)] $= 0.67 mg/l$ M [Acute] = 10 M [Chronic] = 1 M [Chronic] = 1 M [Chronic] = 11,2-benzisothiazol-3(2H)- oneEC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6<0.036	2-Butoxyethanol	01-2119475108-36 EC: 203-905-0 CAS: 111-76-2	<1	Acute Tox. 3, H331 Skin Irrit. 2, H315	mg/kg ATE [Inhalation	[1] [2]
one CAS: 2634-33-5 Index: 613-088-00-6 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Acute Tox. 4, H312 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 C ≥ 0.036% M [Acute] = 1 M [Chronic] = 1 ATE [Oral] = 175 mg/kg ATE [Inhalation (dusts and mists)] = 0.21 mg/l Skin Sens. 1, H317: C ≥ 0.036% M [Acute] = 1 M [Chronic] = 1 ATE [Oral] = 175 mg/kg ATE [Dral] = 1100 mg/kg Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 EUH071	3-iodo-2-propynyl-butyl carbamate	CAS: 55406-53-6	<1	Acute Tox. 3, H331 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 1, H372 (larynx) Aquatic Acute 1, H400 Aquatic Chronic 1,	mg/kg ATE [Inhalation (dusts and mists)] = 0.67 mg/l M [Acute] = 10	[1]
3(2H)-one       CAS: 2527-66-4       Acute Tox. 4, H312       mg/kg         Index: 613-336-00-3       Skin Corr. 1C, H314       ATE [Dermal] =         Eye Dam. 1, H318       Skin Sens. 1A, H317       Aquatic Acute 1, H400         Aquatic Chronic 2,       H411       EUH071       C ≥ 0.0015%	. ,	CAS: 2634-33-5	<0.036	Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1,	mg/kg ATE [Inhalation (dusts and mists)] = $0.21$ mg/l Skin Sens. 1, H317: C $\ge 0.036\%$ M [Acute] = 1	[1]
		CAS: 2527-66-4	<0.0015	Acute Tox. 4, H312 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	mg/kg ATE [Dermal] = 1100 mg/kg Skin Sens. 1, H317: C ≥ 0.0015%	[1]
Date of issue/Date of revision : 22/05/2025 Date of previous issue : 04/10/2022 Version : 2 2/18	Date of issue/Date of revision	: 22/05/2025 Date		:04/10/2022	Version : 2	2/18

# SECTION 3: Composition/information on ingredients See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

# **SECTION 4: First aid measures**

4.1 Description of first aid m	neasures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

# 4.2 Most important symptoms and effects, both acute and delayed

# Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

# 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising t	from the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide

#### 5.3 Advice for firefighters

Date of issue/Date of revision	: 22/05/2025	Date of previous issue	:04/10/2022	Version :	2 <b>3/18</b>
AQUAPRIMER 2900-02 - BASE T				Label No :ք	12876

# **SECTION 5: Firefighting measures**

Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
6.3 Methods and material for	СС	ontainment and cleaning up
Small spill	1	Stop leak if without risk. Move containers from spill area. Absorb with an inert

# Stop leak it without risk. Move containers from spin area. Absorb with an itert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

6.4 Reference to other : sections	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.
-----------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

# **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

# 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# 7.2 Conditions for safe storage, including any incompatibilities

Date of issue/Date of revision	: 22/05/2025	Date of previous issue	:04/10/2022	Version	:2	4/18
AQUAPRIMER 2900-02 - BASE T				Label No	<b>1</b> 128	876

# **SECTION 7: Handling and storage**

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 8	Specific	end	use(s)	

Recommendations: Not available.Industrial sector specific: Not available.solutions: Not available.

# **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

# 8.1 Control parameters

### **Occupational exposure limits**

Exposure limit values
NAOSH (Ireland, 4/2024) Notes: EU derived Occupational
Exposure Limit Values
OELV 8 hours: 10 ppm.
OELV 15 minutes: 101.2 mg/m <sup>3</sup> .
OELV 8 hours: 67.5 mg/m <sup>3</sup> .
OELV 15 minutes: 15 ppm.
<ul> <li>NAOSH (Ireland, 4/2024) Absorbed through skin. Notes: EU derived Occupational Exposure Limit Values</li> <li>OELV 8 hours: 20 ppm.</li> <li>OELV 8 hours: 98 mg/m<sup>3</sup>.</li> <li>OELV 15 minutes: 50 ppm.</li> <li>OELV 15 minutes: 246 mg/m<sup>3</sup>.</li> </ul>

#### **Biological exposure indices**

		Exposure indices		
		NAOSH (Ireland, 1/2011) BMGV: 200 mg/g creatinine, BAA [in urine]. Sampling time: end of shift - As soon as possible after exposure ceases.		
procedures	European Stan assessment of values and mea atmospheres - of exposure to (Workplace atm for the measure	buld be made to monitoring standards, such as the following: Indard EN 689 (Workplace atmospheres - Guidance for the f exposure by inhalation to chemical agents for comparison with limit easurement strategy) European Standard EN 14042 (Workplace - Guide for the application and use of procedures for the assessment o chemical and biological agents) European Standard EN 482 mospheres - General requirements for the performance of procedures rement of chemical agents) Reference to national guidance methods for the determination of hazardous substances will also be		
DNELs/DMELs				
Product/ingredient name		Result		
2-(2-butoxyethoxy)ethanol		<b>DNEL - General population - Long term - Oral</b> 6.25 mg/kg bw/day <u>Effects</u> : Systemic		
		DNEL - Workers - Long term - Inhalation 67.5 mg/m³ <u>Effects</u> : Local		
		<b>DNEL - Workers - Short term - Inhalation</b> 101.2 mg/m³ <u>Effects</u> : Local		
Date of issue/Date of revision	: 22/05/2025 D	Date of previous issue : 04/10/2022 Version : 2 5/18		
QUAPRIMER 2900-02 - BASE T		Label No : 1/12876		

# **SECTION 8: Exposure controls/personal protection**

• •	•
2-Butoxyethanol	<b>DNEL - General population - Long term - Oral</b> 6.3 mg/kg bw/day <u>Effects</u> : Systemic
	<b>DNEL - General population - Short term - Oral</b> 26.7 mg/kg bw/day <u>Effects</u> : Systemic
	<b>DNEL - General population - Long term - Inhalation</b> 59 mg/m <sup>3</sup> <u>Effects</u> : Systemic
	<b>DNEL - Workers - Long term - Inhalation</b> 98 mg/m³ <u>Effects</u> : Systemic
	DNEL - General population - Short term - Inhalation 147 mg/m <sup>3</sup> Effects: Local
	<b>DNEL - Workers - Short term - Inhalation</b> 246 mg/m³ <u>Effects</u> : Local
	DNEL - General population - Short term - Inhalation 426 mg/m <sup>3</sup> Effects: Systemic
	<b>DNEL - Workers - Short term - Inhalation</b> 1091 mg/m <sup>3</sup> <u>Effects</u> : Systemic
3-iodo-2-propynyl-butyl carbamate	<b>DNEL - Workers - Long term - Inhalation</b> 0.023 mg/m <sup>3</sup> <u>Effects</u> : Systemic
	DNEL - Workers - Short term - Inhalation 0.07 mg/m <sup>3</sup> Effects: Systemic
	<b>DNEL - Workers - Short term - Inhalation</b> 1.16 mg/m³ <u>Effects</u> : Local
	<b>DNEL - Workers - Long term - Inhalation</b> 1.16 mg/m³ <u>Effects</u> : Local
	<b>DNEL - Workers - Long term - Dermal</b> 2 mg/kg bw/day <u>Effects</u> : Systemic
1,2-benzisothiazol-3(2H)-one	<b>DNEL - General population - Long term - Dermal</b> 0.345 mg/kg bw/day <u>Effects</u> : Systemic
	<b>DNEL - Workers - Long term - Dermal</b> 0.966 mg/kg bw/day <u>Effects</u> : Systemic
	<b>DNEL - General population - Long term - Inhalation</b> 1.2 mg/m <sup>3</sup> <u>Effects</u> : Systemic
	DNEL - Workers - Long term - Inhalation

Date of issue/Date of revision: 22/05/2025Date of previous issue: 04/10/2022VersionAQUAPRIMER 2900-02 - BASE TLabel No

6.81 mg/m<sup>3</sup> Effects: Systemic

# **PNECs**

Not available.

8.2 Exposure controls	
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection meas	<u>ures</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
	Recommendations : Wear suitable gloves tested to EN374.
	> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm
	Not recommended polyvinyl alcohol (PVA) gloves
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
	Filter type (spray application): A P
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

Appearance	
Physical state	: Liquid.
Colour	: Translucent.
Odour	: Slight

Date of issue/Date of revision	: 22/05/2025	Date of previous issue	:04/10/2022
AQUAPRIMER 2900-02 - BASE T			

# **SECTION 9: Physical and chemical properties**

Odour threshold	:
Melting point/freezing point	:
Initial boiling point and	:
boiling range	

Not available. Not available.

ing range			
Ingredient name	°C	°F	Method
water	100	212	
2-(2-butoxyethoxy)ethanol	225 to 227.6	437 to 441.7	

Flammability	: Not available.
Lower and upper explosion	: Lower: Not applicable.
limit	Upper: Not applicable.

2

: Closed cup: >100°C (>212°F)

# Auto-ignition temperature

**Flash point** 

Ingredient name		°C	°F	Method	
2-(2-butoxyethoxy)ethanol		210	410	DIN 51794	
Decomposition temperature	: Not ava	ilable.			

рН	: ₿.5 to 9.5 [Conc. (% w/w): 100%]
Viscosity	: Not available.
Solubility(ies)	:
Not available.	
Solubility in water	: Not available.

Partition coefficient: n-octanol/	1	Not applicable.
water		

### Vapour pressure

	Va	pour Pres	sure at 20°C	V	apour pres	ssure at 50°C
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	17.5	2.3				
2-(2-butoxyethoxy)ethanol	0.022	0.0029				

-	
Density	: 1 g/cm <sup>3</sup>
Vapour density	: Not available.
Particle characteristics	
Median particle size	: Not applicable.

# 9.2 Other information

9.2.1 Information with regard to physical hazard classes				
Explosive properties	: Not available.			
Oxidising properties	: Not available.			
9.2.2 Other safety characteristics				

Not applicable.

# **SECTION 10: Stability and reactivity**

10.1 Reactivity	;	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	The product is stable.
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.

Date of issue/Date of revision	: 22/05/2025	Date of previous issue	: 04/10/2022	Version	:2	8/18
AQUAPRIMER 2900-02 - BASE T				Label No :	11287	76

<b>SECTION 10: Stabilit</b>	SECTION 10: Stability and reactivity				
10.4 Conditions to avoid	: No specific data.				
10.5 Incompatible materials	: No specific data.				
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.				
SECTION 11: Toxico	SECTION 11: Toxicological information				
11.1 Information on hazard c	lasses as defined in R	egulation (EC) No 1272/2008			
Acute toxicity					
Product/ingredient name		Result			
2-(2-butoxyethoxy)ethanol		Rabbit - Dermal - LD50			
		2700 mg/kg			
		<b>Rat - Oral - LD50</b> 4500 mg/kg <u>Toxic effects</u> : Behavioral - Tetany Lung, Thorax, or Respiration - Dyspnea Liver - Other changes			
3-iodo-2-propynyl-butyl carba	amate	<b>Rat - Oral - LD50</b> 400 mg/kg			
		<b>Rat - Dermal - LD50</b> >2000 mg/kg			
		Rat - Inhalation - LC50 Dusts and mists 0.763 mg/l [4 hours]			
		Rat - Inhalation - LC50 Dusts and mists 0.67 g/m <sup>3</sup> [4 hours]			
1,2-benzisothiazol-3(2H)-one	)	<b>Rat - Oral - LD50</b> 1020 mg/kg			
Conclusion/Summary [Pro	oduct] : Not available	е.			

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
QUAPRIMER 2900-02	N/A	N/A	N/A	383.8	214.6
2-(2-butoxyethoxy)ethanol	4500	2700	N/A	N/A	N/A
2-Butoxyethanol	1200	N/A	N/A	3	N/A
3-iodo-2-propynyl-butyl carbamate	400	N/A	N/A	N/A	0.67
1,2-benzisothiazol-3(2H)-one	450	N/A	N/A	N/A	0.21
2-Methyl-1,2-benzisothiazol-3(2H)-one	175	1100	N/A	N/A	N/A

#### **Skin corrosion/irritation**

**Product/ingredient name** 

2-Butoxyethanol

#### Result

Rabbit - Skin - Mild irritant Amount/concentration applied: 500 mg

1,2-benzisothiazol-3(2H)-one

Human - Skin - Mild irritant

Duration of treatment/exposure: 48 hours Amount/concentration applied: 5 %

**Conclusion/Summary [Product]** : Not available.

Date of issue/Date of revision AQUAPRIMER 2900-02 - BASE T : 22/05/2025 Date of previous issue

:04/10/2022

SECTION 11: Toxicological inform	ation
Serious eye damage/eye irritation	
Product/ingredient name (2-butoxyethoxy)ethanol	Result Rabbit - Eyes - Moderate irritant Duration of treatment/exposure: 24 hours Amount/concentration applied: 20 mg
	Rabbit - Eyes - Severe irritant Amount/concentration applied: 20 mg
2-Butoxyethanol	Rabbit - Eyes - Moderate irritant Duration of treatment/exposure: 24 hours Amount/concentration applied: 100 mg
	Rabbit - Eyes - Severe irritant Amount/concentration applied: 100 mg
3-iodo-2-propynyl-butyl carbamate	Rabbit - Eyes - Severe irritant
Conclusion/Summary [Product] : Not avai	lable.
Respiratory corrosion/irritation Not available.	
Conclusion/Summary [Product] : Not avai	lable.
Respiratory or skin sensitization Product/ingredient name Product/ingredient name	Result Guinea pig - skin <u>Result</u> : Not sensitizing
Skin Conclusion/Summary [Product] : Not avai	able.
Respiratory Conclusion/Summary [Product] : Not avai	able.
Germ cell mutagenicity	
Product/ingredient name 9-iodo-2-propynyl-butyl carbamate	Result In vitro - Bacteria <u>Result</u> : Negative
Conclusion/Summary [Product] : Not avai	able.
<u>Carcinogenicity</u> Not available.	
Conclusion/Summary [Product] : Not avai	lable.
Reproductive toxicity	
<b>Product/ingredient name</b>	<b>Result</b> <b>Rabbit - Female - Oral</b> 50 mg/kg [7 days per week] [13 days] <u>Maternal toxicity</u> : Positive <u>Developmental</u> : Negative
	<b>Rabbit - Female - Oral</b> 20 mg/kg [7 days per week] [13 days]
Date of issue/Date of revision: 22/05/2025DateAQUAPRIMER 2900-02- BASE T	te of previous issue : 04/10/2022 Version : 2 10/18 Label No : 12/12876

SECTION 11: Toxicological information			
	-	Maternal toxicity: Negative	
		Developmental: Negative	
Conclusion/Summary [Pro	oducti · Not available		
	Juucij . Not avaliable.		
Specific target organ toxicit	ty (single exposure)		
Not available.			
Specific target organ toxicit	ty (repeated exposure)		
Product/ingredient name		Result	
3-iodo-2-propynyl-butyl carba	amate	STOT RE 1, H372 (larynx)	
A - ninetien bewond			
Aspiration hazard Not available.			
Information on likely routes	of exposure		
Not available.			
Potential acute health effec	ts		
Eye contact		effects or critical hazards.	
Inhalation	-	effects or critical hazards.	
Skin contact	•	effects or critical hazards.	
Ingestion	-	effects or critical hazards.	
Symptoms related to the ph	•		
Eye contact	: No specific data.		
Inhalation	. No specific data.		
Skin contact	. No specific data.		
Ingestion	: No specific data.		
-	•	ffects from short and long-term exposure	
Short term exposure		<u></u>	
Potential immediate effects	: Not available.		
Potential delayed effects	: Not available.		
Long term exposure			
Potential immediate effects	: Not available.		
Potential delayed effects	: Not available.		
Potential chronic health effe	<u>ects</u>		
Not available.			
Conclusion/Summary [Pro	•	<i>и</i>	
General	•	effects or critical hazards.	
Carcinogenicity	-	effects or critical hazards.	
Mutagenicity	-	effects or critical hazards.	
Reproductive toxicity	: No known significant	effects or critical hazards.	
<b>11.2 Information on other has</b> <b>11.2.1 Endocrine disrupting</b> Not available.			
Conclusion/Summary [Pro	disrupting prop	bes not meet the criteria to be considered as having endocrine perties according to the criteria set out in either Regulation (EC) or Regulation (EC) No 1272/2008.	
<b>11.2.2 Other information</b> Not available.	100. 1907/2000		

Date of issue/Date of revision AQUAPRIMER 2900-02 - BASE T

: 22/05/2025 Date of previous issue

:04/10/2022

# **SECTION 12: Ecological information**

# 12.1 Toxicity

# Product/ingredient name

2-(2-butoxyethoxy)ethanol

2-Butoxyethanol

3-iodo-2-propynyl-butyl carbamate

1,2-benzisothiazol-3(2H)-one

### Result

Acute - LC50 - Fresh water Fish - Bluegill - *Lepomis macrochirus* <u>Size</u>: 33 to 75 mm 1300000 μg/l [96 hours] <u>Effect</u>: Mortality

**Acute - LC50 - Marine water** Fish - Inland silverside - *Menidia beryllina* <u>Size</u>: 40 to 100 mm 1250000 μg/l [96 hours] <u>Effect</u>: Mortality

Acute - LC50 - Marine water Crustaceans - Common shrimp, sand shrimp - *Crangon crangon* 800000 μg/l [48 hours] <u>Effect</u>: Mortality

Acute - LC50 - Fresh water EU Fish - Trout - *Oncorhynchus mykiss* 0.067 mg/l [96 hours]

Acute - NOEC - Fresh water EU Fish - Trout - *Oncorhynchus mykiss* 0.049 mg/l [96 hours]

Acute - EC50 - Fresh water EU Daphnia - Daphnia - *Daphnia magna* 0.16 mg/l [48 hours]

#### Chronic - NOEC - Fresh water EU Daphnia - Daphnia - *Daphnia Magna* 0.05 mg/l [21 days]

Acute - EC50 - Fresh water EU Algae - Algae - *Scenedemus subspicatus* 0.022 mg/l [72 hours]

Acute - LC50 - Fresh water OECD [Fish, Acute Toxicity Test] Fish - Trout - *Onorhynchus Mykiss* 1.9 mg/l [96 hours]

Acute - EC50 OECD 202 [Daphnia sp. Acute Immobilization Test and Reproduction Test] Daphnia - Daphnia - *Daphnia Magna* 3.7 mg/l [48 hours]

Acute - EC50 - Marine water OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - *Skeletonema Costatum* 0.36 mg/l [72 hours]

Acute - NOEC - Marine water OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - Skeletonema Costatum

Date of issue/Date of revision AQUAPRIMER 2900-02 - BASE T : 22/05/2025 Date of previous issue

: 04/10/2022

Version : 2 12/18 Label No : 12/18

# **SECTION 12: Ecological information**

0.15 mg/l [72 hours]

2-Methyl-1,2-benzisothiazol-3(2H)-one

#### Acute - EC50 - Fresh water

US EPA Daphnia - Water flea - *Daphnia magna* <u>Age</u>: <24 hours 0.92 ppm [48 hours] <u>Effect</u>: Intoxication

# Acute - EC50 - Fresh water

US EPA Algae - Green algae - *Pseudokirchneriella subcapitata* 0.22 ppm [96 hours] <u>Effect</u>: Population

### Acute - LC50 - Fresh water

US EPA Fish - Rainbow trout,donaldson trout - *Oncorhynchus mykiss* -Juvenile (Fledgling, Hatchling, Weanling) 0.24 ppm [96 hours] <u>Effect</u>: Mortality

#### Chronic - NOEC

US EPA Fish - Fathead minnow - *Pimephales promelas* 0.16 ppm [32 days]

Conclusion/Summary [Product] : Not available.

#### 12.2 Persistence and degradability

# Product/ingredient name

7,2-benzisothiazol-3(2H)-one

Result

24% [28 days]

#### Conclusion/Summary [Product] : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
了iodo-2-propynyl-butyl carbamate	-	-	Not readily
1,2-benzisothiazol-3(2H)-one	-	-	Inherent

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
2-(2-butoxyethoxy)ethanol	1	-	Low
2-Butoxyethanol	0.81	-	Low
3-iodo-2-propynyl-butyl carbamate	>1	-	Low
1,2-benzisothiazol-3(2H)-one	-	3.2	Low

# 12.4 Mobility in soil

# Soil/water partition coefficient

Product/ingredient name	logKoc	Кос
2-(2-butoxyethoxy)ethanol	1.56	36.5981
2-Butoxyethanol	1.83	67.3685
3-iodo-2-propynyl-butyl carbamate	1.13	13.4558
1,2-benzisothiazol-3(2H)-one	1.86	73.142
2-Methyl-1,2-benzisothiazol-3(2H)-one	1.72	52.5063

Results of PMT and vPvM assessment

2-(2-butoxyethoxy)ethanol			M	· · ·	vPvM	vP	vM
	No	No	No	No	No	No	No
2-Butoxyethanol	No	No	No	No	No	No	No
3-iodo-2-propynyl-butyl carbamate	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
2-Methyl-1,2-benzisothiazol-		No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one 2-Methyl-1,2-benzisothiazol- 3(2H)-one Mobility	No						-

: Not available.

**Conclusion/Summary** 

: The product does not meet the criteria to be considered as a PMT or vPvM.

# 12.5 Results of PBT and vPvB assessment Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	Р	В	Т	vPvB	vP	vB	
<ul> <li>2-(2-butoxyethoxy)ethanol</li> <li>2-Butoxyethanol</li> <li>3-iodo-2-propynyl-butyl</li> </ul>	No No No							
carbamate 1,2-benzisothiazol-3(2H)-one 2-Methyl-1,2-benzisothiazol- 3(2H)-one		No No	No No	No No	No No	No No	No No	

# Regulation (EC) No. 1272/2008 [CLP]

PBT	Р	В	т	vPvB	vP	vB
No	No	No	No	No	No	No
No	No	No	No	No	No	No
No	No	No	No	No	No	No
No	No	No	No	No	No	No
	No	No	No	No	No	No
	No No	No No No No No No	No No No No No No No No No	NoNoNoNoNoNoNoNoNoNoNoNoNoNoNoNo	NoNoNoNoNoNoNoNoNoNoNoNoNoNoNoNoNoNoNoNo	NoNoNoNoNoNoNoNoNoNoNoNoNoNoNoNoNoNoNoNoNoNoNoNoNo

**Conclusion/Summary Regulation (EC) No. 1272/2008** [CLP]

# 12.6 Endocrine disrupting properties

Not available.

**Conclusion/Summary [Product]** 

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

: The product does not meet the criteria to be considered as a PBT or vPvB.

# 12.7 Other adverse effects

No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

13.1 Waste treatment meth	nods			
Product				
Methods of disposal	Disposal of t with the requ any regional products via	irements of environmer local authority requirem a licensed waste dispos the sewer unless fully c	nd any by-products s ntal protection and wa ients. Dispose of sur sal contractor. Waste	I wherever possible. hould at all times comply aste disposal legislation and rplus and non-recyclable e should not be disposed of quirements of all authorities
European waste catalogue (EWC)	: 080111*			
Date of issue/Date of revision	: 22/05/2025	Date of previous issue	: 04/10/2022	Version : 2 14/18

AQUAPRIMER 2900-02 - BASE T

# **SECTION 13: Disposal considerations**

#### **Packaging**

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions :** This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

**14.6 Special precautions for user**: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

#### **14.7 Maritime transport in** : Not relevant/applicable due to nature of the product. bulk according to IMO instruments

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorisation

# Annex XIV

None of the components are listed.

# Substances of very high concern

None of the components are listed.

# Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product/ingredient name		% D	esignation [Usage]		
QUAPRIMER 2900-02 2-(2-butoxyethoxy)ethanol		≥90 3 ≤3 55	5 [Consumer paint]		
Labelling Other EU regulations	:				
Industrial emissions (integrated pollution prevention and control) - Air	: Not listed				
ate of issue/Date of revision	: 22/05/2025	Date of previous	issue : 04/10/2022	Version	
QUAPRIMER 2900-02 - BASI	ΕT			Label No :	12876

SECTION 15: Regulatory information
Industrial emissions : Not listed (integrated pollution prevention and control) - Water
Explosive precursors : Not applicable.
Ozone depleting substances (EU 2024/590) Not listed.
Prior Informed Consent (PIC) (649/2012/EU) Not listed.
Persistent Organic Pollutants Not listed.
Seveso Directive This product is not controlled under the Seveso Directive. International regulations Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.
Montreal Protocol Not listed.
Stockholm Convention on Persistent Organic Pollutants Not listed.
Rotterdam Convention on Prior Informed Consent (PIC) Not listed.
UNECE Aarhus Protocol on POPs and Heavy Metals Not listed.

15.2 Chemical safety	: This product contains substances for which Chemical Safety Assessments are still
assessment	required.

# **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and	: ATE = Acute Toxicity Estimate
acronyms	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
	1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	N/A = Not available
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	SGG = Segregation Group
	vPvB = Very Persistent and Very Bioaccumulative

# Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Aquatic Chronic 3, H412	Calculation method

Full text of abbreviated H statements

: 22/05/2025 Date of previous issue

SECTION 16: Other information		
<b>⊮</b> 301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H331	Toxic if inhaled.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH071	Corrosive to the respiratory tract.	
Full text of cla	Full text of classifications [CLP/GHS]	
Acute Tox. 2	ACUTE TOXICITY - Category 2	

FICULE TOX. Z	ACOTE TOXICITI - Calegoly 2
Acute Tox. 3	ACUTE TOXICITY - Category 3
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Aquatic Chronic 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
Aquatic Chronic 3	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Skin Corr. 1C	SKIN CORROSION/IRRITATION - Category 1C
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1	SKIN SENSITISATION - Category 1
Skin Sens. 1A	SKIN SENSITISATION - Category 1A
STOT RE 1	SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 1
Date of issue/ Date of	: 22/05/2025
revision	
Date of previous issue	• : 04/10/2022
Version	: 2

AQUAPRIMER 2900-02 BASE T

### Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision AQUAPRIMER 2900-02 - BASE T

: 22/05/2025 Date of previous issue

:04/10/2022