Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - Ireland

## **SAFETY DATA SHEET**



AQUAPRIMER 2900-02 - TST 100739 BLACK

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1	Product	identifier	
-----	---------	------------	--

Product name

: AQUAPRIMER 2900-02 - TST 100739 BLACK

**1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use**: Paint.

#### 1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091. e-mail address of person : Prod-safe@teknos.com responsible for this SDS

#### National contact

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

#### 1.4 Emergency telephone number

National advisory body/Poison Centre

- Telephone number
- Emergency medical information: (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland.
   Members of the public Number (8 am-10 pm): +353 (0)1 809 2166 Healthcare professional telephone Number (24hrs): +353 (0)1 809 2566

## **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Aquatic Chronic 3, H412

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements Signal word		No signal word.
Hazard statements	÷	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements		
Prevention	4	P273 - Avoid release to the environment.
Response	4	Not applicable.
Storage	4	Not applicable.
Disposal	:	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	Contains 3-iodo-2-propynyl-butyl carbamate, 1,2-benzisothiazol-3(2H)-one and 2-Methyl-1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Contains biocidal products for dry film and in-can preservation: IPBC and BIT and DTBMA and MBIT. Risk of skin sensitisation.

## **SECTION 2: Hazards identification**

Annex XVII - Restrictions : on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

#### 2.3 Other hazards

Product meets the criteria<br/>for PBT or vPvB according<br/>to Regulation (EC) No.<br/>1907/2006, Annex XIIIThis mixture do<br/>vPvB.Other hazards which do<br/>not result in classification: None known.

: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## **SECTION 3: Composition/information on ingredients**

3.2 Mixtures Product/ingredient name	: Mixture	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
Polymeric alkoxylate	-	≤3	Acute Tox. 4, H302	ATE [Oral] = 500 mg/kg	[1]
2-(2-butoxyethoxy)ethanol	REACH #: 01-2119475104-44 EC: 203-961-6 CAS: 112-34-5 Index: 603-096-00-8	≤3	Eye Irrit. 2, H319	-	[1] [2]
2-Butoxyethanol	REACH #: 01-2119475108-36 EC: 203-905-0 CAS: 111-76-2 Index: 603-014-00-0	<1	Acute Tox. 4, H302 Acute Tox. 3, H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319	ATE [Oral] = 1200 mg/kg ATE [Inhalation (vapours)] = 3 mg/l	[1] [2]
3-iodo-2-propynyl-butyl carbamate	EC: 259-627-5 CAS: 55406-53-6 Index: 616-212-00-7	<1	Acute Tox. 4, H302 Acute Tox. 3, H331 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 1, H372 (larynx) Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 400 mg/kg ATE [Inhalation (dusts and mists)] = 0.67 mg/l M [Acute] = 10 M [Chronic] = 1	[1]
1,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.036	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = $0.21$ mg/l Skin Sens. 1, H317: C $\ge 0.036\%$ M [Acute] = 1 M [Chronic] = 1	[1]
2-Methyl-1,2-benzisothiazol- 3(2H)-one	EC: 695-989-4 CAS: 2527-66-4 Index: 613-336-00-3	<0.0015	Acute Tox. 3, H301 Acute Tox. 4, H312 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	ATE [Oral] = 175 mg/kg ATE [Dermal] = 1100 mg/kg Skin Sens. 1, H317: C ≥ 0.0015% M [Acute] = 1	[1]
Date of issue/Date of revision	: 23/05/2025 Date	e of previous i	ssue : 14/11/2023	Version : 2	2/18

## SECTION 3: Composition/information on ingredients EUH071 See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. <u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

## SECTION 4: First aid measures

4.1 Description of first aid n	neasures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>
Ingestion	<ul> <li>Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.</li> </ul>
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

#### 4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/sym	o <u>toms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
4.3 Indication of any immed	liate medical attention and special treatment needed
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.

## **SECTION 5: Firefighting measures**

: Use an extinguishing agent suitable for the surrounding fire.
: None known.
from the substance or mixture
: In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
<ul> <li>Decomposition products may include the following materials: carbon dioxide carbon monoxide</li> </ul>

#### 5.3 Advice for firefighters

Date of issue/Date of revision	: 23/05/2025	Date of previous issue	: 14/11/2023	Version	:2	3/18
AQUAPRIMER 2900-02 - TST	100739 BLACK			Label No	1128	876

## **SECTION 5: Firefighting measures**

_		-
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	ote	ective equipment and emergency procedures		
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.		
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".		
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.		
6.3 Methods and material for containment and cleaning up				

Small spill	: Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

## **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Date of issue/Date of revision	: 23/05/2025	Date of previous issue	: 14/11/2023	Version	:2	4/18
AQUAPRIMER 2900-02 - 7	TST 100739 BLACK			Label No	: <mark>1</mark> 128	376

## **SECTION 7: Handling and storage**

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 8	Specific	end	use(s)	

Recommendations: Not available.Industrial sector specific: Not available.solutions: Not available.

## **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

#### 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name	Exposure limit values
2-(2-butoxyethoxy)ethanol	NAOSH (Ireland, 4/2024) Notes: EU derived Occupational
	Exposure Limit Values
	OELV 8 hours: 10 ppm.
	OELV 15 minutes: 101.2 mg/m <sup>3</sup> .
	OELV 8 hours: 67.5 mg/m <sup>3</sup> .
	OELV 15 minutes: 15 ppm.
2-Butoxyethanol	<b>NAOSH (Ireland, 4/2024)</b> Absorbed through skin. Notes: EU derived Occupational Exposure Limit Values
	OELV 8 hours: 20 ppm.
	OELV 8 hours: 98 mg/m <sup>3</sup> .
	OELV 15 minutes: 50 ppm.
	OELV 15 minutes: 246 mg/m <sup>3</sup> .

#### **Biological exposure indices**

Product/ingredient	name	Exposure indices
2-Butoxyethanol		<b>NAOSH (Ireland, 1/2011)</b> BMGV: 200 mg/g creatinine, BAA [in urine]. Sampling time: end of shift - As soon as possible after exposure ceases.
Recommended monitoring procedures	European Stan assessment of values and mea atmospheres - of exposure to (Workplace atm for the measure	uld be made to monitoring standards, such as the following: dard EN 689 (Workplace atmospheres - Guidance for the exposure by inhalation to chemical agents for comparison with limit asurement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment chemical and biological agents) European Standard EN 482 mospheres - General requirements for the performance of procedures ement of chemical agents) Reference to national guidance methods for the determination of hazardous substances will also be
DNELs/DMELs		
Product/ingredient name		Result
2-(2-butoxyethoxy)ethanol		<b>DNEL - General population - Long term - Oral</b> 6.25 mg/kg bw/day <u>Effects</u> : Systemic
		DNEL - Workers - Long term - Inhalation 67.5 mg/m³ <u>Effects</u> : Local
		<b>DNEL - Workers - Short term - Inhalation</b> 101.2 mg/m³ <u>Effects</u> : Local
ate of issue/Date of revision	: 23/05/2025 D	ate of previous issue : 14/11/2023 Version : 2 5/18
QUAPRIMER 2900-02 - TST 10	0739 BLACK	Label No :1/12876

## SECTION 8: Exposure controls/personal protection

		•	
24.7 mg/kg bw/davi Banding Systemics DNEL - General population - Long term - Inhalation 60 mg/m <sup>2</sup> Effects: Systemics DNEL - Workers - Long term - Inhalation 90 mg/m <sup>2</sup> Effects: Systemics DNEL - General population - Short term - Inhalation 147 mg/m <sup>2</sup> Effects: Local DNEL - Workers - Short term - Inhalation 147 mg/m <sup>2</sup> Effects: Systemics DNEL - Workers - Short term - Inhalation 246 mg/m <sup>2</sup> Effects: Systemics DNEL - Workers - Short term - Inhalation 246 mg/m <sup>2</sup> Effects: Systemics DNEL - Workers - Short term - Inhalation 246 mg/m <sup>2</sup> Effects: Systemics DNEL - Workers - Short term - Inhalation 0,07 mg/m <sup>2</sup> Effects: Systemics DNEL - Workers - Short term - Inhalation 0,07 mg/m <sup>2</sup> Effects: Systemics DNEL - Workers - Short term - Inhalation 0,07 mg/m <sup>2</sup> Effects: Systemics DNEL - Workers - Short term - Inhalation 0,07 mg/m <sup>2</sup> Effects: Systemics DNEL - Workers - Short term - Inhalation 0,07 mg/m <sup>2</sup> Effects: Systemics DNEL - Workers - Short term - Inhalation 0,07 mg/m <sup>2</sup> Effects: Systemics DNEL - Workers - Short term - Inhalation 0,07 mg/m <sup>2</sup> Effects: Systemics DNEL - Workers - Short term - Inhalation 0,07 mg/m <sup>2</sup> Effects: Systemics DNEL - Workers - Long term - Dermal 0,345 mg/kg bw/day Effects: Systemics DNEL - Workers - Long term - Dermal 0,345 mg/kg bw/day Effects: Systemics DNEL - Workers - Long term - Dermal 0,345 mg/kg bw/day Effects: Systemics DNEL - Workers - Long term - Dermal 0,345 mg/kg bw/day Effects: Systemics DNEL - General population - Long term - Inhalation 0,345 mg/kg bw/day Effects: Systemics DNEL - Workers - Long term - Dermal 0,345 mg/kg bw/day Effects: Systemics DNEL - General population - Long term - Inhalation 0,345 mg/kg bw/day Effects: Systemics DNEL - General population - Long term - Inhalation 0,345 mg/kg bw/day Effects: Systemics DNEL - General population - Long term - Inhalation 0,345 mg/kg bw/day Effects: Systemics DNEL - General population - Long term - Inhalation 0,345 mg/kg bw/day Effects: Systemics DNEL - General	2-Butoxyethanol	6.3 mg/kg bw/day	erm - Oral
SB mg/m <sup>2</sup> Effects: Systemic         DNEL - Workers - Long term - Inhalation       SB mg/m <sup>2</sup> Effects: Weiernic       DNEL - General population - Short term - Inhalation         DNEL - Workers - Short term - Inhalation       240 mg/m <sup>2</sup> Effects: Local       DNEL - Workers - Short term - Inhalation         DNEL - Workers - Short term - Inhalation       240 mg/m <sup>2</sup> Effects: Systemic       DNEL - Workers - Short term - Inhalation         DAG mg/m <sup>2</sup> Effects: Systemic         DNEL - Workers - Short term - Inhalation       026 mg/m <sup>2</sup> 24 mg/m <sup>2</sup> Effects: Systemic         DNEL - Workers - Short term - Inhalation       020 mg/m <sup>2</sup> 25 idodo-2-propynyl-butyl carbamate       DNEL - Workers - Short term - Inhalation         020 mg/m <sup>2</sup> Effects: Systemic         DNEL - Workers - Short term - Inhalation       020 mg/m <sup>2</sup> 12 idodo-2-propynyl-butyl carbamate       DNEL - Workers - Short term - Inhalation         020 mg/m <sup>2</sup> Effects: Systemic         DNEL - Workers - Long term - Inhalation       020 mg/m <sup>2</sup> 12 idods: Local       DNEL - Workers - Long term - Inhalation         12 idogs Widg       Effects: Systemic         DNEL - Workers - Long term - Inhalation       020 mg/m <sup>2</sup> 12 idogs Widg       Effects: Sy		26.7 mg/kg bw/day	term - Oral
98 mg/m <sup>3</sup> Effects: Systemic: DNEL - General population - Short term - Inhalation 147 mg/m <sup>3</sup> Effects: Local DNEL - Workers - Short term - Inhalation 246 mg/m <sup>3</sup> Effects: Local DNEL - Workers - Short term - Inhalation 246 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Short term - Inhalation 002 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Short term - Inhalation 002 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Short term - Inhalation 002 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Short term - Inhalation 002 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Short term - Inhalation 002 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Short term - Inhalation 007 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Inhalation 1.16 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Inhalation 1.26 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Inhalation 1.36 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Inhalation 1.40 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Dermal 2.40 mg/m <sup>4</sup> Effects: Systemic DNEL - Workers - Long term - Dermal 2.40 mg/m <sup>4</sup> Effects: Systemic DNEL - Workers - Long term - Dermal 2.40 mg/m <sup>4</sup> Effects: Systemic DNEL - Workers - Long term - Dermal 2.40 mg/m <sup>4</sup> Effects: Systemic DNEL - Workers - Long term - Dermal 2.40 mg/m <sup>4</sup> Effects: Systemic DNEL - Workers - Long term - Dermal 2.40 mg/m <sup>4</sup> Effects: Systemic DNEL - Workers - Long term - Dermal 2.40 mg/m <sup>4</sup> Effects: Systemic DNEL - General population - Long term - Inhalation 1.2 mg/m <sup>4</sup> Effects: Systemic DNEL - Workers - Long term - Dermal 2.40 mg/m <sup>4</sup> Effects: Systemic DNEL - Workers - Long term - Dermal 2.40 mg/m <sup>4</sup> Effects: Systemic DNEL - Workers - Long term - Dermal 2.40 mg/m <sup>4</sup> Effects: Systemic DNEL - Workers - Long term - Dermal 2.40 mg/m <sup>4</sup> Effects: Systemic DNEL - Workers - Long term - Dermal 2.40 mg/m <sup>4</sup> Effects: Systemic DNEL - Workers - Long term - Dermal 2.40 mg/m <sup>4</sup> Effects: Systemic DNE - Worker - Long term - Dermal 2.40 mg/m <sup>4</sup> Effe		59 mg/m <sup>3</sup>	erm - Inhalation
147 mg/m3         Effects: Local         DNEL - Workers - Short term - Inhalation         240 mg/m3         Effects: Local         DNEL - General population - Short term - Inhalation         240 mg/m3         Effects: Systemic         DNEL - Workers - Short term - Inhalation         240 mg/m3         Effects: Systemic         3-iodo-2-propynyl-bulyl carbamate         3-iodo-2-propynyl-bulyl carbamate         DNEL - Workers - Short term - Inhalation         0.023 mg/m3         Effects: Systemic         DNEL - Workers - Short term - Inhalation         0.023 mg/m3         Effects: Systemic         DNEL - Workers - Short term - Inhalation         0.023 mg/m3         Effects: Local         DNEL - Workers - Long term - Inhalation         1.1 mg/m3         Effects: Local         DNEL - Workers - Long term - Inhalation         1.3 mg/m3 bw/day         Effects: Systemic         DNEL - Workers - Long term - Inhalation         1.3 mg/m3 bw/day         Effects: Systemic         DNEL - Workers - Long term - Dermal         0.34 mg/kg bw/day         Effects: Systemic         DNEL - Morker - Long term - Inhalation		98 mg/m³	ation
246 mg/m <sup>3</sup> Effects: Local DNEL - General population - Short term - Inhalation 26 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Short term - Inhalation 1091 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Short term - Inhalation 0.023 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Short term - Inhalation 0.07 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Short term - Inhalation 0.07 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Short term - Inhalation 1.08 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Inhalation 1.16 mg/m <sup>3</sup> Effects: Local DNEL - Workers - Long term - Inhalation 1.18 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.365 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.365 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.365 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Inhalation 1.2 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Inhalation 1.2 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Inhalation 1.2 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Inhalation 1.2 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Inhalation 1.2 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Inhalation 1.2 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Inhalation 1.2 mg/m <sup>3</sup> Effects: Systemic DNEL - Worker - Long term - Inhalation 1.2 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Inhalation 1.2 mg/m <sup>3</sup> Effects: Systemic DNEL - Worker - Long term - Inhalation 1.2 mg/m <sup>3</sup> Effects: Systemic DNEL - Worker - Long term - Inhalation 1.2 mg/m <sup>3</sup> Effects: Systemic DNEL - Worker - Long term - Inhalation 1.2 mg/m <sup>3</sup> Effects: Systemic DNEL - Worker - Long term - Inhalation 1.2 mg/m <sup>3</sup> Effecter - Systemic DNEL - Wor		147 mg/m <sup>3</sup>	term - Inhalation
426 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Short term - Inhalation 1091 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Inhalation 0.023 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Short term - Inhalation 0.07 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Short term - Inhalation 0.07 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Short term - Inhalation 1.16 mg/m <sup>3</sup> Effects: Local DNEL - Workers - Long term - Inhalation 1.16 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Dermal 2 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Inhalation 1.2 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Inhalation 1.2 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Inhalation 1.2 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Inhalation 1.2 mg/m <sup>3</sup> Effects: Systemic		246 mg/m³	lation
1091 mg/m³ Effects: Systemic         3-iodo-2-propynyl-butyl carbamate       DNEL - Workers - Long term - Inhalation 0.023 mg/m³ Effects: Systemic         DNEL - Workers - Short term - Inhalation 0.07 mg/m³ Effects: Systemic       DNEL - Workers - Short term - Inhalation 0.07 mg/m³ Effects: Systemic         DNEL - Workers - Short term - Inhalation 0.16 mg/m³ Effects: Local       DNEL - Workers - Long term - Inhalation 1.16 mg/m³ Effects: Local         DNEL - Workers - Long term - Inhalation 1.16 mg/m³ Effects: Systemic       DNEL - Workers - Long term - Dermal 2 mg/kg bw/day Effects: Systemic         1,2-benzisothiazol-3(2H)-one       DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic         DNEL - Workers - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic       DNEL - Workers - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic         DNEL - General population - Long term - Inhalation 1.2 mg/m³ Effects: Systemic       DNEL - General population - Long term - Inhalation 1.2 mg/m³ Effects: Systemic         DNEL - General population - Long term - Inhalation 1.2 mg/m³ Effects: Systemic       DNEL - General population - Long term - Inhalation 1.2 mg/m³ Effects: Systemic         DNEL - Workers - Long term - Inhalation       1.2 mg/m³ Effects: Systemic       DNEL - Workers - Long term - Inhalation		426 mg/m <sup>3</sup>	term - Inhalation
0.023 mg/m³ Effects: Systemic         DNEL - Workers - Short term - Inhalation 0.07 mg/m³ Effects: Systemic         DNEL - Workers - Short term - Inhalation 1.16 mg/m³ Effects: Local         DNEL - Workers - Long term - Inhalation 1.16 mg/m³ Effects: Local         DNEL - Workers - Long term - Inhalation 1.16 mg/m³ Effects: Systemic         1,2-benzisothiazol-3(2H)-one         1,2-benzisothiazol-3(2H)-one         DNEL - Workers - Long term - Dermal 2 mg/kg bw/day Effects: Systemic         DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic         DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day Effects: Systemic         DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day Effects: Systemic         DNEL - General population - Long term - Inhalation 1.2 mg/m³ Effects: Systemic         DNEL - General population - Long term - Inhalation 1.2 mg/m³ Effects: Systemic         DNEL - General population - Long term - Inhalation 1.2 mg/m³         Effects: Systemic         DNEL - General population - Long term - Inhalation 1.2 mg/m³ Effects: Systemic         DNEL - Workers - Long term - Inhalation         1.2 mg/m³         Effects: Systemic         DNEL - Workers - Long term - Inhalation         1.2 mg/m³         Effects: Systemic         DNEL - Workers - Long term - Inhalation		1091 mg/m³	lation
0.07 mg/m³ Effects: Systemic         DNEL - Workers - Short term - Inhalation 1.16 mg/m³ Effects: Local         DNEL - Workers - Long term - Inhalation 1.16 mg/m³ Effects: Local         DNEL - Workers - Long term - Inhalation 1.16 mg/m³ Effects: Systemic         DNEL - Workers - Long term - Dermal 2 mg/kg bw/day Effects: Systemic         DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic         DNEL - Workers - Long term - Dermal 0.366 mg/kg bw/day Effects: Systemic         DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day Effects: Systemic         DNEL - General population - Long term - Inhalation 1.2 mg/m³ Effects: Systemic         DNEL - Workers - Long term - Inhalation 1.2 mg/m³         DNEL - Workers - Long term - Inhalation         1.2 mg/m³         Effects: Systemic         DNEL - Workers - Long term - Inhalation         1.2 mg/m³         Effects: Systemic         DNEL - Workers - Long term - Inhalation         1.2 mg/m³         Effects: Systemic         DNEL - Workers - Long term - Inhalation	3-iodo-2-propynyl-butyl carbamate	0.023 mg/m³	ng/m³
1.16 mg/m³         Effects: Local         DNEL - Workers - Long term - Inhalation         1.16 mg/m³         Effects: Local         DNEL - Workers - Long term - Dermal         2 mg/kg bw/day         Effects: Systemic         1,2-benzisothiazol-3(2H)-one         DNEL - General population - Long term - Dermal         0.345 mg/kg bw/day         Effects: Systemic         DNEL - Workers - Long term - Dermal         0.966 mg/kg bw/day         Effects: Systemic         DNEL - General population - Long term - Inhalation         1.2 mg/m³         Effects: Systemic         DNEL - General population - Long term - Inhalation         1.2 mg/m³         Effects: Systemic         DNEL - General population - Long term - Inhalation         1.2 mg/m³         Effects: Systemic         DNEL - Workers - Long term - Inhalation         1.2 mg/m³         Effects: Systemic         DNEL - Workers - Long term - Inhalation         1.2 mg/m³         Effects: Systemic         DNEL - Workers - Long term - Inhalation         2 2005/202       Date of previous issue         2 2005/202       Date of previous issue         2 2005/202       Date of p		0.07 mg/m³	lation
1.16 mg/m³ Effects: Local         DNEL - Workers - Long term - Dermal 2 mg/kg bw/day Effects: Systemic         1,2-benzisothiazol-3(2H)-one         1,2-benzisothiazol-3(2H)-one         DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic         DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day Effects: Systemic         DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day Effects: Systemic         DNEL - General population - Long term - Inhalation 1.2 mg/m³ Effects: Systemic         DNEL - Workers - Long term - Inhalation 1.2 mg/m³ Effects: Systemic         DNEL - Workers - Long term - Inhalation 1.2 mg/m³ Effects: Systemic         DNEL - Workers - Long term - Inhalation 1.2 mg/m³ Effects: Systemic		1.16 mg/m <sup>3</sup>	lation
2 mg/kg bw/day         Effects: Systemic         1,2-benzisothiazol-3(2H)-one         DNEL - General population - Long term - Dermal         0.345 mg/kg bw/day         Effects: Systemic         DNEL - Workers - Long term - Dermal         0.966 mg/kg bw/day         Effects: Systemic         DNEL - General population - Long term - Inhalation         1.2 mg/m³         Effects: Systemic         DNEL - General population - Long term - Inhalation         1.2 mg/m³         Effects: Systemic         DNEL - Workers - Long term - Inhalation         1.2 mg/m³         Effects: Systemic         DNEL - Workers - Long term - Inhalation         1.2 mg/m³         Effects: Systemic         DNEL - Workers - Long term - Inhalation         1.2 mg/m³         Effects: Systemic         DNEL - Workers - Long term - Inhalation         2 205/2025       Date of previous issue         : 14/11/2023       Version       :2		1.16 mg/m³	ation
0.345 mg/kg bw/day Effects: Systemic         DNEL - Workers - Long term - Dermal         0.966 mg/kg bw/day         Effects: Systemic         DNEL - General population - Long term - Inhalation         1.2 mg/m³         Effects: Systemic         DNEL - Workers - Long term - Inhalation         1.2 mg/m³         Effects: Systemic         DNEL - Workers - Long term - Inhalation         1.2 mg/m³         Effects: Systemic         DNEL - Workers - Long term - Inhalation         2005/2025       Date of previous issue         : 14/11/2023       Version         : 23/05/2025       Date of previous issue		2 mg/kg bw/day	ıal
0.966 mg/kg bw/day         Effects: Systemic         DNEL - General population - Long term - Inhalation         1.2 mg/m³         Effects: Systemic         DNEL - Workers - Long term - Inhalation         23/05/2025         Date of issue/Date of revision         : 23/05/2025         Date of previous issue         : 14/11/2023         Version         : 2         6/10	1,2-benzisothiazol-3(2H)-one	0.345 mg/kg bw/day	erm - Dermal
1.2 mg/m³         Effects: Systemic         DNEL - Workers - Long term - Inhalation         Date of issue/Date of revision       : 23/05/2025         Date of previous issue       : 14/11/2023         Version       : 2		0.966 mg/kg bw/day	ıal
Date of issue/Date of revision       : 23/05/2025       Date of previous issue       : 14/11/2023       Version       : 2       6/16		1.2 mg/m <sup>3</sup>	erm - Inhalation
		DNEL - Workers - Long term - Inhal	ation
	Date of issue/Date of revision : 23/05/2025 Date of AQUAPRIMER 2900-02 - TST 100739 BLACK	f previous issue : 14/11/2023	Version : 2 6/18 Label No : 1 2876

6.81 mg/m<sup>3</sup> Effects: Systemic

#### **PNECs**

Not available.

8.2 Exposure controls		
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airbo contaminants.	rne
Individual protection meas	<u>ires</u>	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period Appropriate techniques should be used to remove potentially contaminated cloth Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a ris assessment indicates this is necessary to avoid exposure to liquid splashes, mis gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses w side-shields.	sts,
Skin protection		
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard sho be worn at all times when handling chemical products if a risk assessment indica this is necessary. Considering the parameters specified by the glove manufactu check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.	ates irer,
	Recommendations : Wear suitable gloves tested to EN374.	
	> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm	
	Not recommended polyvinyl alcohol (PVA) gloves	
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	k
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should b approved by a specialist before handling this product.	е
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other import aspects of use.	
	Filter type (spray application): A P	
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation In some cases, fume scrubbers, filters or engineering modifications to the proces equipment will be necessary to reduce emissions to acceptable levels.	

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

Appearance	
Physical state	: Liquid.
Colour	: Black.
Odour	: Slight

Date of issue/Date of revision: 23/05/2025Date of previous issueAQUAPRIMER 2900-02 - TST 100739 BLACK

:14/11/2023

## **SECTION 9: Physical and chemical properties**

Odour threshold	:
Melting point/freezing point	:
Initial boiling point and	1

Not available. - ilahl Nlat

h	Aelting point/freezing point nitial boiling point and poiling range	: Not ava	ailable.			
	Ingredient name		°C	°F	Method	
	water		100	212		

2-(2-butoxyethoxy)ethanol		225 to 227.6	437 to 441.7	
Flammability	: Not ava	ilable.		
Lower and upper explosion limit		Not applicable. Not applicable.		
Flash point	: Closed	cup: >100°C (>2	12°F)	

2

#### Auto-ignition temperature

Ingredient name		°C	°F	Method	
2-(2-butoxyethoxy)ethanol		210	410	DIN 51794	
Decomposition temperature	: Not av		% w/w): 100%]		
рп Viscosity	: Not av		% W/W). 100%]		
Solubility(ies) Not available.	:				
Solubility in water	: Not av	ailable.			

#### Vapour pressure

water

	Va	Vapour Pressure at 20°C			Vapour pressure at 50°C		
ngredient name	mm Hg	kPa	Method	mm Hg	kPa	Method	
water	17.5	2.3					
2-(2-butoxyethoxy)ethanol	0.022	0.0029					

Density	: 1 g/cm <sup>3</sup>
Vapour density	: Not available.
Particle characteristics	
Median particle size	: Not applicable.

#### 9.2 Other information

9.2.1 Information with regar	d to physical hazard classes
Explosive properties	: Not available.
Oxidising properties	: Not available.
9.2.2 Other safety character	istics

Not applicable.

## **SECTION 10: Stability and reactivity**

10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	The product is stable.
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.

Date of issue/Date of revision	: 23/05/2025	Date of previous issue	: 14/11/2023	Version	:2	8/18
AQUAPRIMER 2900-02 -	TST 100739 BLACK			Label No	112	876

<b>SECTION 10: Stabilit</b>	ty and reactivity		
10.4 Conditions to avoid	: No specific data.		
10.5 Incompatible materials	: No specific data.		
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.		
SECTION 11: Toxico	logical informat	ion	
11.1 Information on hazard of	lasses as defined in R	Regulation (EC) No 1272/2008	
Acute toxicity Product/ingredient name 2-(2-butoxyethoxy)ethanol		<mark>Result</mark> Rabbit - Dermal - LD50 2700 mg/kg	
		<b>Rat - Oral - LD50</b> 4500 mg/kg <u>Toxic effects</u> : Behavioral - Tetany Lung, Thorax, or Respiration - Dyspnea Liver - Other changes	
3-iodo-2-propynyl-butyl carba	amate	<b>Rat - Oral - LD50</b> 400 mg/kg	
		<b>Rat - Dermal - LD50</b> >2000 mg/kg	
		Rat - Inhalation - LC50 Dusts and mists 0.763 mg/l [4 hours]	
		Rat - Inhalation - LC50 Dusts and mists 0.67 g/m <sup>3</sup> [4 hours]	
1,2-benzisothiazol-3(2H)-one	9	<b>Rat - Oral - LD50</b> 1020 mg/kg	
Conclusion/Summary [Pr	oduct] : Not availabl	e.	

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
QUAPRIMER 2900-02	45454.5	N/A	N/A	382.7	208.6
Polymeric alkoxylate	500	N/A	N/A	N/A	N/A
2-(2-butoxyethoxy)ethanol	4500	2700	N/A	N/A	N/A
2-Butoxyethanol	1200	N/A	N/A	3	N/A
3-iodo-2-propynyl-butyl carbamate	400	N/A	N/A	N/A	0.67
1,2-benzisothiazol-3(2H)-one	450	N/A	N/A	N/A	0.21
2-Methyl-1,2-benzisothiazol-3(2H)-one	175	1100	N/A	N/A	N/A

## **Skin corrosion/irritation**

Product/ingredient name

2-Butoxyethanol

#### Result

Rabbit - Skin - Mild irritant Amount/concentration applied: 500 mg

1,2-benzisothiazol-3(2H)-one

Human - Skin - Mild irritant Duration of treatment/exposure: 48 hours Amount/concentration applied: 5 %

**Conclusion/Summary [Product]** : Not available.

Date of issue/Date of revision	: 23/05/2025	Date of previous issue	: 14/11/2023
AQUAPRIMER 2900-02 - TST 10	0739 BLACK		

## **SECTION 11: Toxicological information**

Serious eye damage/eye irritation		
Product/ingredient name		Result
2-(2-butoxyethoxy)ethanol		Rabbit - Eyes - Moderate irritant Duration of treatment/exposure: 24 hours Amount/concentration applied: 20 mg
		Rabbit - Eyes - Severe irritant Amount/concentration applied: 20 mg
2-Butoxyethanol		<b>Rabbit - Eyes - Moderate irritant</b> <u>Duration of treatment/exposure</u> : 24 hours <u>Amount/concentration applied</u> : 100 mg
		Rabbit - Eyes - Severe irritant Amount/concentration applied: 100 mg
3-iodo-2-propynyl-butyl carbamate		Rabbit - Eyes - Severe irritant
Conclusion/Summary [Product]	: Not availabl	e.
Respiratory corrosion/irritation Not available.		
Conclusion/Summary [Product]	: Not availabl	e.
Respiratory or skin sensitization		
Product/ingredient name		Result
3-iodo-2-propynyl-butyl carbamate		<b>Guinea pig - skin</b> <u>Result</u> : Not sensitizing
Skin		
Conclusion/Summary [Product]	: Not availabl	e.
Respiratory		
Conclusion/Summary [Product]	: Not availabl	e.
Germ cell mutagenicity		
Product/ingredient name		Result
♂-iodo-2-propynyl-butyl carbamate		<b>In vitro - Bacteria</b> <u>Result</u> : Negative
Conclusion/Summary [Product]	: Not availabl	e.
Carcinogenicity Not available.		
Conclusion/Summary [Product]	: Not availabl	e.
Reproductive toxicity Product/ingredient name		Result

3-iodo-2-propynyl-butyl carba	amate	Rabbit - Female - Oral
		50 mg/kg [7 days per week] [13 days]
		<u>Maternal toxicity</u> : Positive <u>Developmental</u> : Negative
		Rabbit - Female - Oral
		20 mg/kg [7 days per week] [13 days]
		<u>Maternal toxicity</u> : Negative <u>Developmental</u> : Negative
		<u>Developmentai</u> . Negative
Conclusion/Summary [Pr	oduct] : Not availa	ble.
Specific target organ toxici	ty (single exposure)	
Not available.		
Specific target organ toxici	ty (repeated exposur	<u>e)</u>
Product/ingredient name		Result
iodo-2-propynyl-butyl carba	amate	STOT RE 1, H372 (larynx)
Aspiration hazard		
Not available.		
Information on likely routes	s of exposure	
Not available.		
Potential acute health effec	<u>ts</u>	
Eye contact	: No known signific	cant effects or critical hazards.
Inhalation	: No known signific	cant effects or critical hazards.
Skin contact	: No known signific	cant effects or critical hazards.
Ingestion	: No known signific	cant effects or critical hazards.
Symptoms related to the ph	nysical, chemical and	I toxicological characteristics
Eye contact	: No specific data.	
Inhalation	: No specific data.	
Skin contact	: No specific data.	
Ingestion	: No specific data.	
Delayed and immediate effe	ects as well as chron	ic effects from short and long-term exposure
Short term exposure		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Long term exposure		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Potential chronic health eff	<u>ects</u>	
Not available.		
Conclusion/Summary [Pr	-	
General	-	cant effects or critical hazards.
O a materia a second a 14	: INO KNOWN SIGNITIO	cant effects or critical hazards.
Carcinogenicity Mutagenicity	NI- Inc. 199	cant effects or critical hazards.

**11.2.1 Endocrine disrupting properties** Not available.

dis	t] : The product does not meet the criteria to be considered as having endocri disrupting properties according to the criteria set out in either Regulation (I No. 1907/2006 or Regulation (EC) No 1272/2008.		
11.2.2 Other information			
Not available.			
SECTION 12: Ecological infor	mation		
12.1 Toxicity			
Product/ingredient name	Result		
2-(2-butoxyethoxy)ethanol	Acute - LC50 - Fresh water		
	Fish - Bluegill - <i>Lepomis macrochirus</i>		
	Size: 33 to 75 mm		
	1300000 μg/l [96 hours] <u>Effect</u> : Mortality		
2-Butoxyethanol	Acute - LC50 - Marine water		
	Fish - Inland silverside - Menidia beryllina		
	Size: 40 to 100 mm		
	1250000 μg/l [96 hours] <u>Effect</u> : Mortality		
	Acute - LC50 - Marine water		
	Crustaceans - Common shrimp, sand shrimp - Crangon		
	crangon		
	800000 μg/l [48 hours] Effect: Mortality		

Acute - LC50 - Fresh water EU Fish - Trout - Oncorhynchus mykiss

0.067 mg/l [96 hours]

#### Acute - NOEC - Fresh water EU Fish - Trout - Oncorhynchus mykiss 0.049 mg/l [96 hours]

#### Acute - EC50 - Fresh water ΕU Daphnia - Daphnia - Daphnia magna 0.16 mg/l [48 hours]

**Chronic - NOEC - Fresh water** EU Daphnia - Daphnia - Daphnia Magna 0.05 mg/l [21 days]

Acute - EC50 - Fresh water EU Algae - Algae - Scenedemus subspicatus 0.022 mg/l [72 hours]

Acute - LC50 - Fresh water OECD [Fish, Acute Toxicity Test] Fish - Trout - Onorhynchus Mykiss 1.9 mg/l [96 hours]

#### Acute - EC50 OECD 202 [Daphnia sp. Acute Immobilization Test and Reproduction Test] Daphnia - Daphnia - Daphnia Magna

3.7 mg/l [48 hours]

1,2-benzisothiazol-3(2H)-one

3-iodo-2-propynyl-butyl carbamate

: 23/05/2025 Date of previous issue : 14/11/2023

SECTION 12: Ecological informa	ation
	Acute - EC50 - Marine water OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - <i>Skeletonema Costatum</i> 0.36 mg/l [72 hours]
	<b>Acute - NOEC - Marine water</b> OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - <i>Skeletonema Costatum</i> 0.15 mg/l [72 hours]
2-Methyl-1,2-benzisothiazol-3(2H)-one	<b>Acute - EC50 - Fresh water</b> US EPA Daphnia - Water flea - <i>Daphnia magna</i> <u>Age</u> : <24 hours 0.92 ppm [48 hours] <u>Effect</u> : Intoxication
	<b>Acute - EC50 - Fresh water</b> US EPA Algae - Green algae - <i>Pseudokirchneriella subcapitata</i> 0.22 ppm [96 hours] <u>Effect</u> : Population
	<b>Acute - LC50 - Fresh water</b> US EPA Fish - Rainbow trout,donaldson trout - <i>Oncorhynchus mykiss -</i> Juvenile (Fledgling, Hatchling, Weanling) 0.24 ppm [96 hours] <u>Effect</u> : Mortality
	<b>Chronic - NOEC</b> US EPA Fish - Fathead minnow - <i>Pimephales promelas</i> 0.16 ppm [32 days]
Conclusion/Summary [Product] : Not a	vailable.
12.2 Persistence and degradability	
Product/ingredient name	Result

Product/ingredient name

7,2-benzisothiazol-3(2H)-one

EU 24% [28 days]

Conclusion/Summary [Product] : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Interprotect Sector	-	-	Not readily
1,2-benzisothiazol-3(2H)-one	-	-	Inherent

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
(2-butoxyethoxy)ethanol	1	-	Low
2-Butoxyethanol	0.81	-	Low
3-iodo-2-propynyl-butyl carbamate	>1	-	Low
1,2-benzisothiazol-3(2H)-one	-	3.2	Low

#### 12.4 Mobility in soil Soil/water partition coefficient

## **SECTION 12: Ecological information**

V		
Product/ingredient name	logKoc	Кос
2-(2-butoxyethoxy)ethanol	1.56	36.5981
2-Butoxyethanol	1.83	67.3685
3-iodo-2-propynyl-butyl carbamate	1.13	13.4558
1,2-benzisothiazol-3(2H)-one	1.86	73.142
2-Methyl-1,2-benzisothiazol-3(2H)-one	1.72	52.5063

#### **Results of PMT and vPvM assessment**

Product/ingredient name	PMT	Р	Μ	Т	vPvM	vP	vМ
olymeric alkoxylate	No	No	No	No	No	No	No
2-(2-butoxyethoxy)ethanol	No	No	No	No	No	No	No
2-Butoxyethanol	No	No	No	No	No	No	No
-	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
2-Methyl-1,2-benzisòthiázol- 3(2H)-one		No	No	No	No	No	No

**Conclusion/Summary** 

: The product does not meet the criteria to be considered as a PMT or vPvM.

#### 12.5 Results of PBT and vPvB assessment Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB	
Polymeric alkoxylate	No	No	No	No	No	No	No	
2-(2-butoxyethoxy)ethanol	No	No	No	No	No	No	No	
2-Butoxyethanol	No	No	No	No	No	No	No	
3-iodo-2-propynyl-butyl carbamate	No	No	No	No	No	No	No	
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No	
	No	No	No	No	No	No	No	

#### Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
Polymeric alkoxylate	No	No	No	No	No	No	No
2-(2-butoxyethoxy)ethanol	No	No	No	No	No	No	No
2-Butoxyethanol	No	No	No	No	No	No	No
3-iodo-2-propynyl-butyl carbamate	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
2-Methyl-1,2-benzisothiazol- 3(2H)-one	No	No	No	No	No	No	No

**Conclusion/Summary** Regulation (EC) No. 1272/2008 [CLP]

: The product does not meet the criteria to be considered as a PBT or vPvB.

#### **12.6 Endocrine disrupting properties**

Not available.

**Conclusion/Summary [Product]** 

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product	
Methods of disposal	The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
European waste catalogue (EWC)	: 080111*
Packaging	
Methods of disposal	The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

14.6 Special precautions for : user	<b>Transport within user's premises:</b> always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

# **14.7 Maritime transport in** : Not relevant/applicable due to nature of the product. **bulk according to IMO instruments**

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

#### Annex XIV - List of substances subject to authorisation

<u>Annex XIV</u>

None of the components are listed.

## Substances of very high concern

None of the components are listed.

# Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Date of issue/Date of revision	: 23/05/2025	Date of previous issue
AQUAPRIMER 2900-02 - TST 1	00739 BLACK	

: 14/11/2023

Product/ingredient name	%	Designation [Usage]				
AQUAPRIMER 2900-02 2-(2-butoxyethoxy)ethanol	≥90 ≤3	3 55 [Consumer paint]				
Labelling : Other EU regulations						
Industrial emissions : Not list (integrated pollution prevention and control) - Air	ted					
Industrial emissions : Not list (integrated pollution prevention and control) - Water	ted					
Explosive precursors : Not ap	plicable.					
Ozone depleting substances (EU 2024/590)						
Not listed.						
Prior Informed Consent (PIC) (649/20	<u>012/EU)</u>					
Not listed.						
Persistent Organic Pollutants Not listed.						
Seveso Directive This product is not controlled under the International regulations Chemical Weapon Convention List So						
Not listed. Montreal Protocol						
Not listed.						
Stockholm Convention on Persistent Not listed.	Organic Pollut	<u>ants</u>				
Rotterdam Convention on Prior Inform Not listed.	<u>med Consent (</u>	PIC)				
UNECE Aarhus Protocol on POPs and Not listed.	d Heavy Metals					
5.2 Chemical safety : Not ap	plicable.					

## **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and	: ATE = Acute Toxicity Estimate
acronyms	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
-	1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	N/A = Not available
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	SGG = Segregation Group
	vPvB = Very Persistent and Very Bioaccumulative
Procedure used to deriv	e the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Date of issue/Date of revision	: 23/05/2025	Date of previous issue	: 14/11/2023	Version : 2	16/18
AQUAPRIMER 2900-02 - TST 10	00739 BLACK			Label No : <mark>1</mark> 128	76

SECTION 16: Other information				
	Classification	Justification		
Aquatic Chronic 3, H412		Calculation method		
Full text of	abbreviated H statements			
<b>H</b> 301	Toxic if swallowed.			
H302	Harmful if swallowed.			
H312	Harmful in contact with skin.			
11044				

- Causes severe skin burns and eye damage. H314
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- Causes serious eye irritation. H319
- Fatal if inhaled. H330 Toxic if inhaled.
- H331
- Causes damage to organs through prolonged or repeated exposure. H372
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- Harmful to aquatic life with long lasting effects. H412
- EUH071 Corrosive to the respiratory tract.

#### Full text of classifications [CLP/GHS]

Acute Tox. 2	ACUTE TOXICITY - Category 2
Acute Tox. 3	ACUTE TOXICITY - Category 3
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Aquatic Chronic 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
Aquatic Chronic 3	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Skin Corr. 1C	SKIN CORROSION/IRRITATION - Category 1C
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1	SKIN SENSITISATION - Category 1
Skin Sens. 1A	SKIN SENSITISATION - Category 1A
STOT RE 1	SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 1
Date of issue/ Date of revision	: 23/05/2025
Date of previous issue	. 14/11/2023

Date of previous issue	: 14/11/2023
Version	: 2

#### Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.