
Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758

SAFETY DATA SHEET

AQUATOP 2600-24 - NCS S 0502-Y



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Product name

: AQUATOP 2600-24 - NCS S 0502-Y

1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use: Paint.

1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

e-mail address of person : Prod-safe@teknos.com

responsible for this SDS

National contact

Teknos (UK) Limited, 7 Longlands Rd, Bicester, Oxfordshire OX26 5AH, United Kingdom. Tel. +44 (0) 1869 208005.

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number : NHS: 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to UK CLP/GHS Not classified.

The product is not classified as hazardous according to UK CLP Regulation SI 2019/720 as amended. See Section 11 for more detailed information on health effects and symptoms.

| 2.2 Label elements | | |
|--------------------------------|------------------|---|
| Signal word | : 1 | No signal word. |
| Hazard statements | : 1 | No known significant effects or critical hazards. |
| Precautionary statements | | |
| Prevention | : 1 | Not applicable. |
| Response | : 1 | Not applicable. |
| Storage | : 1 | Not applicable. |
| Disposal | : 1 | Not applicable. |
| Supplemental label elements | i 2 1 1 | Contains 1,2-benzisothiazol-3(2H)-one, 2-methyl-2H-isothiazol-3-one, 2-Octyl-2H- isothiazol-3-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) and 2-Methyl- 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Safety data sheet available on request. Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. Contains biocidal products for in-can preservation: BIT and DTBMA and Bronopol and MIT and OIT and MBIT. |

| SECTION 2: Hazards | dentification | |
|---|---|--|
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | : Not applicable. | |
| 2.3 Other hazards | | |
| Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII | : This mixture does not contain any substances that are assessed to be a PBT or a vPvB. | |
| Other hazards which do not result in classification | : None known. | |

SECTION 3: Composition/information on ingredients

| Product/ingredient name | Identifiers | % | Classification | Туре |
|-------------------------|--|-----------|---|---------|
| titanium dioxide | REACH #: 01-2119489379-17 EC: 236-675-5 CAS: 13463-67-7 | ≥10 - ≤25 | Carc. 2, H351 (inhalation) | [1] [*] |
| Propylene glycol | REACH #: 01-2119456809-23 EC: 200-338-0 CAS: 57-55-6 | ≤3 | Not classified. | [2] |
| | | | See Section 16 for the full text of the H statements declared above. | |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[*] The classification as a carcinogen by inhalation applies only to mixtures placed on the market in powder form containing 1% or more of titanium dioxide particles with aerodynamic diameter \leq 10 µm not bound within a matrix.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

| Eye contact | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
|----------------------------|--|
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| Skin contact | : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| Ingestion | : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. |

4.2 Most important symptoms and effects, both acute and delayed <u>Over-exposure signs/symptoms</u>

| Date of issue/Date of revision | : 20/07/2022 | Date of previous issue | : No previous validation | Version : 1 | 2/12 |
|--------------------------------|--------------|------------------------|--------------------------|---------------|------|
| AQUATOP 2600-24 - NCS S 0502 | -Y | | | Label No :383 | 67 |

| SECTION 4: First aid | measures |
|--|---|
| Eye contact | : No specific data. |
| Inhalation | : No specific data. |
| Skin contact | : No specific data. |
| Ingestion | : No specific data. |
| 4.3 Indication of any immedi | ate medical attention and special treatment needed |
| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : No specific treatment. |
| SECTION 5: Firefight | ting measures |
| 5.1 Extinguishing media | |
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : None known. |
| 5.2 Special hazards arising f | rom the substance or mixture |
| Hazards from the substance or mixture | : In a fire or if heated, a pressure increase will occur and the container may burst. |
| Hazardous combustion products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides |
| 5.3 Advice for firefighters | |
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| SECTION 6: Acciden | tal release measures |
| 6.1 Personal precautions, pr | otective equipment and emergency procedures |
| For non-emergency personnel | : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from |

personnelEvacuate surrounding areas. Keep unnecessary and unprotected personnel from
entering. Do not touch or walk through spilt material. Put on appropriate personal
protective equipment.For emergency responders: If specialised clothing is required to deal with the spillage, take note of any

information in Section 8 on suitable and unsuitable materials. See also the

6.2 Environmental precautions : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

information in "For non-emergency personnel".

6.3 Methods and material for containment and cleaning up

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop
up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry
material and place in an appropriate waste disposal container. Dispose of via a
licensed waste disposal contractor.

: 20/07/2022 Date of previous issue

SECTION 6: Accidental release measures

| SECTION 0. Acciu | SECTION 0. Accidental release measures | | | | | |
|---------------------------------|--|--|--|--|--|--|
| Large spill | : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. | | | | | |
| 6.4 Reference to other sections | See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information. | | | | | |

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

| Protective measures | : Put on appropriate personal protective equipment (see Section 8). |
|--|---|
| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations Industrial sector specific solutions : Not available.

sector specific : Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| <u>Occu</u> | pational | exposure | limits |
|-------------|----------|----------|--------|
| | | | |

Propylene glycol

EH40/2005 WELs (United Kingdom (UK), 1/2020).

TWA: 10 mg/m³ 8 hours. Form: Particulate TWA: 474 mg/m³ 8 hours. Form: total vapour and particulates TWA: 150 ppm 8 hours. Form: total vapour and particulates

Recommended monitoring procedures

ring : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

| Product/ingredient name | Туре | Exposure | Value | Population | n Effects |
|--------------------------------|---|-------------------------|----------------------|--------------------|------------------|
| titanium dioxide | DNEL | Long term | 10 mg/m ³ | Workers | Local |
| | | Inhalation | 700 | 0 | Quatantia |
| | DNEL | Long term Oral | 700 mg/kg bw/day | General population | Systemic |
| Propylene glycol | DNEL | Long term Inhalation | 10 mg/m³ | General population | Local |
| | DNEL | Long term Inhalation | 10 mg/m³ | Workers | Local |
| Date of issue/Date of revision | : 20/07/2022 | Date of previous issue | : No prev | ious validation | Version : 1 4/12 |
| AQUATOP 2600-24 - NCS S 0502-` | QUATOP 2600-24 - NCS S 0502-Y Label No :38367 | | | | |

| SECTION 8: Exposure controls/personal protection | | | | | | |
|--|---|--|-------------------------|----------------------|--------------------|----------|
| | Ľ | | Long term Inhalation | 50 mg/m ³ | General population | Systemic |
| | E | | Long term Inhalation | 168 mg/m³ | Workers | Systemic |

PNECs

No PNECs available

| 8.2 Exposure controls | |
|----------------------------------|---|
| Appropriate engineering controls | : Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
| Individual protection meas | ures |
| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. |
| Skin protection | |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. |
| | Recommendations : Wear suitable gloves tested to EN374. |
| | > 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm |
| | Not recommended polyvinyl alcohol (PVA) gloves |
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |
| | Filter type (spray application): A P |
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

| <u>Appearance</u> | |
|--|------------------|
| Physical state | : Liquid. |
| Colour | : Grey. Yellow. |
| Odour | : Slight |
| Odour threshold | : Not available. |
| Melting point/freezing point | : Not available. |
| Initial boiling point and boiling range | : |

| Date of issue/Date of revision | : 20/07/2022 | Date of previous issue | : No previous validation | Version | :1 | 5/12 |
|--------------------------------|--------------|------------------------|--------------------------|----------|-------|------|
| AQUATOP 2600-24 - NCS S 0502 | -Y | | | Label No | :3836 | 7 |

| Ingredient name | °C | °F | Method |
|---|--|------------|--------|
| water | 100 | 212 | |
| Propylene glycol | 188.2 | 370.8 | |
| Flammability (solid, gas) | : Not available. | | |
| Upper/lower flammability or explosive limits | : Lower: Not applica Upper: Not applica | | |
| Flash point | : Closed cup: >100° | C (>212°F) | |
| Auto-ignition temperature | : | | |
| Ingredient name | °C | °F | Method |
| Ethyldiglycol | 204 | 399.2 | |
| Propylene glycol | 371 | 699.8 | |
| Decomposition temperature | : Not available. | | |
| рН | : 8.2 to 8.5 | | |
| Viscosity | : Not available. | | |
| Solubility(ies) | : | | |
| Not available. | | | |
| Solubility in water | : Not available. | | |
| Partition coefficient: n-octanol/ water | : Not applicable. | | |

Vapour pressure

| | V | apour Press | ure at 20°C | V | apour pres | pour pressure at 50°C | |
|-------------------------|-------|-------------|-------------|-------|------------|-----------------------|--|
| Ingredient name | mm Hg | kPa | Method | mm Hg | kPa | Method | |
| water | 23.8 | 3.2 | | | | | |
| Propylene glycol | 0.15 | 0.02 | EU A.4 | | | | |
| Relative density | : Not | available. | | · | | • | |
| Density | : 1.2 | g/cm³ | | | | | |
| /apour density | : Not | available. | | | | | |
| Explosive properties | : Not | available. | | | | | |
| Dxidising properties | : Not | available. | | | | | |
| article characteristics | | | | | | | |
| Median particle size | : Not | applicable. | | | | | |

SECTION 10: Stability and reactivity

| 10.1 Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|--|--|
| 10.2 Chemical stability | : The product is stable. |
| 10.3 Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| 10.4 Conditions to avoid | : No specific data. |
| 10.5 Incompatible materials | : No specific data. |
| 10.6 Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure | | |
|--|--------------------------|---------------|------------------------|----------|--|--|
| Propylene glycol | LD50 Dermal LD50 Oral | Rabbit Rat | 20800 mg/kg 20 g/kg | - | | |
| Conclusion/Summary : Based on available data, the classification criteria are not met. Acute toxicity estimates Conclusion | | | | | | |
| | Route | | ATE valu | he | | |

Not available.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|--------------------------|---------|-------|--------------|-------------|
| titanium dioxide | Skin - Mild irritant | Human | - | 72 hours 300 | - |
| | | | | ug l | |
| Propylene glycol | Eyes - Mild irritant | Rabbit | - | 100 mg | - |
| | Eyes - Mild irritant | Rabbit | - | 24 hours 500 | - |
| | | | | mg | |
| | Skin - Mild irritant | Human | - | 168 hours | - |
| | | | | 500 mg | |
| | Skin - Mild irritant | Woman | - | 96 hours 30 | - |
| | | | | % | |
| | Skin - Moderate irritant | Child | - | 96 hours 30 | - |
| | | | | % C | |
| | Skin - Moderate irritant | Human | - | 72 hours 104 | - |
| | | | | mg I | |

| Conclusion/Summary | : Based on available data, the classification chiena are not met. |
|---------------------------|---|
| Sensitisation | |
| Conclusion/Summary | : Based on available data, the classification criteria are not met. |
| Mutagenicity | |
| Conclusion/Summary | : Based on available data, the classification criteria are not met. |
| Carcinogenicity | |

It has been observed that the carcinogenic hazard of this product arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung.

| Conclusion/Summary | : Based on available data, the classification criteria are not met. |
|------------------------------|---|
| Reproductive toxicity | |
| Conclusion/Summary | : Based on available data, the classification criteria are not met. |
| Teratogenicity | |
| Conclusion/Summary | : Based on available data, the classification criteria are not met. |
| Specific target organ toxici | ty (single exposure) |

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes : Not available.

of exposure

| Potential acute health effects | | | | | |
|--------------------------------|---|--|--|--|--|
| Eye contact | : No known significant effects or critical hazards. | | | | |
| Inhalation | : No known significant effects or critical hazards. | | | | |
| Skin contact | : No known significant effects or critical hazards. | | | | |
| Ingestion | : No known significant effects or critical hazards. | | | | |

SECTION 11: Toxicological information

| Symptoms related to the phy | sical, chemical and toxicological characteristics |
|-------------------------------|---|
| Eye contact | : No specific data. |
| Inhalation | : No specific data. |
| Skin contact | : No specific data. |
| Ingestion | : No specific data. |
| | |
| Delayed and immediate effect | ts as well as chronic effects from short and long-term exposure |
| <u>Short term exposure</u> | |
| Potential immediate | : Not available. |
| effects | |
| Potential delayed effects | : Not available. |
| Long term exposure | |
| Potential immediate | : Not available. |
| effects | |
| Potential delayed effects | |
| Potential chronic health effe | <u>cts</u> |
| Not available. | |
| Conclusion/Summary | : Not available. |
| General | : No known significant effects or critical hazards. |
| Carcinogenicity | : No known significant effects or critical hazards. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Reproductive toxicity | : No known significant effects or critical hazards. |
| | |

Other information : Not available.

SECTION 12: Ecological information

12.1 Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|--|--|----------|
| titanium dioxide | Acute LC50 3 mg/l Fresh water | Crustaceans - Water flea - Ceriodaphnia dubia - Neonate | 48 hours |
| | Acute LC50 6.5 mg/l Fresh water | Daphnia - Water flea - Daphnia pulex - Neonate | 48 hours |
| | Acute LC50 >1000000 μg/l Marine water | Fish - Mummichog - Fundulus heteroclitus | 96 hours |
| Propylene glycol | Acute EC50 19300 mg/l Fresh water | Algae - Algae | 96 hours |
| | Acute EC50 43500 mg/l Fresh water | Daphnia - Daphnia - Daphnia magna | 48 hours |
| | Acute LC50 18340000 µg/l Fresh water | Crustaceans - Water flea - Ceriodaphnia dubia | 48 hours |
| | Acute LC50 40613 mg/l Fresh water | Fish - Trout - Oncorhynchus mykiss | 96 hours |

Conclusion/Summary : Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

| Conclusion/Summary | : This product has not been tested for biodegradation. | | |
|-------------------------|--|------------|------------------|
| Product/ingredient name | Aquatic half-life | Photolysis | Biodegradability |
| Propylene glycol | - | - | Readily |

12.3 Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | | Potential | |
|--------------------------------|--------------|------------------------|--------------------------|----------------|------|
| Propylene glycol | -1.07 | - | | low | |
| Date of issue/Date of revision | : 20/07/2022 | Date of previous issue | : No previous validation | n Version :1 8 | 3/12 |
| AQUATOP 2600-24 - NCS S 0502-Y | | | Label No :38367 | | |

SECTION 12: Ecological information

12.4 Mobility in soil

| Soil/water partition | : Not available. |
|----------------------|------------------|
| coefficient (Koc) | |
| Mobility | : Not available. |

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 13: Disposal considerations

| 13.1 Waste treatment metho | ods |
|-----------------------------------|---|
| Product | |
| Methods of disposal | : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. |
| Hazardous waste | Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC. |
| European waste catalogue (EWC) | : 080112 |
| Packaging | |
| Methods of disposal | : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. |
| Special precautions | : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. |

SECTION 14: Transport information

| | ADR/RID | ADN | IMDG | IATA |
|------------------------------------|----------------|----------------|----------------|----------------|
| 14.1 UN number | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| 14.2 UN proper shipping name | - | - | - | - |
| 14.3 Transport hazard class(es) | - | - | - | - |
| 14.4 Packing group | - | - | - | - |
| 14.5 Environmental hazards | No. | No. | No. | No. |

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

SECTION 14: Transport information

14.7 Transport in bulk according to IMO instruments : Not relevant/applicable due to nature of the product.

SECTION 15: Regulatory information

| 15.1 Safety, health and enviro | onmental regula | ations/legislation spe | cific for the substance of | r mixture | |
|---|--------------------------|---------------------------|----------------------------|---------------|----------|
| UK (GB) /REACH Annex XIV - List of substar | ices subject to | authorisation | | | |
| Annex XIV | | autionsation | | | |
| None of the components a | re listed. | | | | |
| Substances of very high o | concern | | | | |
| None of the components a | | | | | |
| Ozone depleting substance Not listed. | <u>es</u> | | | | |
| Prior Informed Consent (PI Not listed. | <u>C)</u> | | | | |
| Persistent Organic Pollutat Not listed. | <u>nts</u> | | | | |
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | : Not applicat | le. | | | |
| Seveso Directive | | | | | |
| This product is not controlled EU regulations | under the Seves | so Directive. | | | |
| Industrial emissions (integrated pollution prevention and control) - Air | : Not listed | | | | |
| Industrial emissions (integrated pollution prevention and control) - Water | : Not listed | | | | |
| International regulations Chemical Weapon Conventi Not listed. | <u>on List Schedu</u> | iles I, II & III Chemical | <u>s</u> | | |
| Montreal Protocol Not listed. | | | | | |
| Stockholm Convention on P Not listed. | <u>ersistent Orga</u> | <u>nic Pollutants</u> | | | |
| Rotterdam Convention on P Not listed. | rior Informed C | <u>Consent (PIC)</u> | | | |
| UNECE Aarhus Protocol on Not listed. | POPs and Hea | <u>vy Metals</u> | | | |
| 15.2 Chemical safety assessment | : This product required. | t contains substances fo | or which Chemical Safety , | Assessments a | re still |
| Date of issue/Date of revision | : 20/07/2022 | Date of previous issue | : No previous validation | Version :1 | 10/12 |

SECTION 16: Other information

| Indicates information that | these shares of from providually issued version | | | |
|--|--|--|--|--|
| Indicates information that has changed from previously issued version. | | | | |
| Abbreviations and acronyms | : ATE = Acute Toxicity Estimate GB CLP = UK CLP (EC No 1272/2008) on the Classification, Labelling and Packaging of Substances and Mixtures as amended by (EU Exit) Regulations 2019 No. 720 and amendments DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = GB CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative | | | |
| Procedure used to derive the | ha classification | | | |

Procedure used to derive the classification

Not classified.

Full text of abbreviated H statements

| H351 S | cted of causing cancer. | | |
|--------------------------------|---|--|--|
| Full text of classif | ications | | |
| Carc. 2 | CARCINOGENICITY - Category 2 | | |
| Date of issue/ Dat revision | e of : 20/07/2022 | | |
| Date of previous i | ssue : No previous validation | | |
| Version | 1 AQUATOP 2600-24 NCS S 0502-Y NCS S 0502-Y | | |

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision : 2 AQUATOP 2600-24 - NCS S 0502-Y

: 20/07/2022 Date of previous issue