# Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - Malta

# **SAFETY DATA SHEET**



AQUATOP 2600-82 - RAL 9001

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier Product name

: AQUATOP 2600-82 - RAL 9001

**1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use**: Paint.

### 1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

e-mail address of person : Prod-safe@teknos.com

responsible for this SDS

### **National contact**

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

### 1.4 Emergency telephone number

### National advisory body/Poison Centre

 Telephone number
 : Malta Competition and Consumer Affairs Authority (MCCAA): +356 2395 2000

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Sens. 1, H317

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

Hazard pictograms



Signal word	: Warning
Hazard statements	: H317 - May cause an allergic skin reaction.
Precautionary statements	
Prevention	: P280 - Wear protective gloves. P261 - Avoid breathing vapour.
Response	<ul> <li>▶302 + P352 - IF ON SKIN: Wash with plenty of water.</li> <li>P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention.</li> <li>P362 + P364 - Take off contaminated clothing and wash it before reuse.</li> </ul>
Storage	: Not applicable.
Disposal	: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous ingredients	: Contains: adipohydrazide; 1,2-benzisothiazol-3(2H)-one; 2-methyl-2H-isothiazol- 3-one and reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

# SECTION 2: Hazards identification

Supplemental label elements	:	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. Contains biocidal products for in-can preservation: BIT and DTBMA and MIT and Bronopol and OIT and MBIT.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	:	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do	:	None known.

not result in classification

# **SECTION 3: Composition/information on ingredients**

Image:	onc.	Specific Conc.	Classification	0/	: Mixture	3.2 Mixtures
01-2119489379-17       EC: 236-675-5       CAS: 13463-67-7       (inhalation)       ATE [Oral]         2-Butoxyethanol       REACH #: 01-2119475108-36       <1       Acute Tox. 4, H302 Acute Tox. 3, H331       ATE [Oral]         adipohydrazide       REACH #: 01-2119962900-36       <0.3       Skin Sens. 1, H317 Aquatic Chronic 2, H411       -         1,2-benzisothiazol-3(2H)- one       EC: 220-120-9       <0.36       Acute Tox. 4, H302 Acute Tox. 2, H330       ATE [Oral] mg/kg         2-methyl-2H-isothiazol-3(2H)- one       EC: 220-120-9       <0.036       Acute Tox. 4, H302 Acute Tox. 2, H330       ATE [Inhal (dusts and 9 0.21 mg/kg         2-methyl-2H-isothiazol-3(2H)- one       EC: 220-239-6       <0.01       Acute Tox. 3, H301 Acute Tox. 3, H317       ATE [Oral] mg/kg         2-methyl-2H-isothiazol- 3-one       EC: 220-239-6       <0.01       Acute Tox. 3, H301 Acute Tox. 3, H317       ATE [Oral] mg/kg         3-one       EC: 220-239-6       <0.01       Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 3, H311 Acute Tox. 3, H317       ATE [Oral] mg/kg         3-one       EC: 220-239-6       <0.01       Acute Tox. 3, H301 Acute Tox. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Acute Tox. 2, H330       ATE [Oral] mg/kg         3-one       EC: 20-239-6       <0.01       Acute Tox. 3, H301 Acute Tox. 2, H317       Atte [Oral] mg/kg         3-one       EC: 20-23		Limits, M-factors	Classification	%	Identifiers	Product/ingredient name
01-2119475108-36       Acute Tox. 3, H331       mg/kg         adipohydrazide       REACH #:       Skin Irrit. 2, H315       Yapuatic Chronic 2, H411         1,2-benzisothiazol-3(2H)-       EC: 220-120-9       Acute Tox. 4, H302       Acute Tox. 2, H330         1,2-benzisothiazol-3(2H)-       EC: 220-120-9       Acute Tox. 2, H315       -         2-methyl-2H-isothiazol-3(2H)-       EC: 220-120-9       Acute Tox. 2, H316       Mg/kg         2-methyl-2H-isothiazol-3(2H)-       EC: 220-120-9       Acute Tox. 2, H317       Atte [Oral]         3-one       EC: 220-239-6       Acute Tox. 3, H311       Atte [Inhal]         2-methyl-2H-isothiazol-       EC: 220-239-6       Acute Tox. 3, H301       ATE [Oral]         3-one       EC: 220-239-6       Acute Tox. 3, H301       ATE [Oral]         3-one       EC: 220-239-6       Acute Tox. 3, H301       ATE [Oral]         3-one       EC: 220-239-6       Acute Tox. 3, H301       ATE [Oral]         3-one       EC: 220-239-6       Acute Tox. 3, H311       Acute Tox. 3, H311         3-one       Index: 613-326-00-9       Acute Tox. 3, H311       Acute Tox. 3, H311         3-one       EC: 20-239-6       Acute Tox. 3, H311       Acute Tox. 3, H314       ATE [Inhal]         3-one       EC: 20-20-24       Inde	[1]	-		≥10 - ≤25	01-2119489379-17 EC: 236-675-5	Manium dioxide
01-2119962900-36       Aquatic Chronic 2, H411         1,2-benzisothiazol-3(2H)- one       EC: 220-120-9       <0.036	ation	ATE [Oral] = 1200 mg/kg ATE [Inhalation (vapours)] = 3 mg	Acute Tox. 3, H331 Skin Irrit. 2, H315	<1	01-2119475108-36 EC: 203-905-0 CAS: 111-76-2	2-Butoxyethanol
one       CAS: 2634-33-5 Index: 613-088-00-6       Acute Tox. 2, H330       mg/kg         Acute Tox. 2, H330       Mg/kg         Skin Irrit. 2, H315       EIndex: 613-088-00-6         Skin Irrit. 2, H315       Eye Dam. 1, H318         Skin Sens. 1A, H317       Aquatic Acute 1, H400         Aquatic Chronic 1, H410       Kin Sens. 1A, H317         Aquatic Chronic 1, H410       Kin Sens. 1A, H317         Sone       EC: 220-239-6         CAS: 2682-20-4       Acute Tox. 3, H301         Index: 613-326-00-9       Acute Tox. 2, H330         Skin Corr. 1B, H314       Eye Dam. 1, H318         Skin Sens. 1A, H317       Acute Tox. 2, H330         Acute Tox. 2, H330       ATE [Oral]         M [Chronic       ATE [Inhal         (dusts and       Bye Dam. 1, H318         Skin Corr. 1B, H314       Bye Dam. 1, H318         Skin Sens. 1A, H317       Acute Tox. 3, H301         ATE [Inhal       (dusts and         Eye Dam. 1, H318       Skin Sens. 1A, H317         Aquatic Chronic 1,       H410         Eye Dam. 1, H318       C ≥ 0.0015         Kin Sens. 1A, H317       Kin Sens.         Acute Tox. 3, H301       ATE [Inhal         (dusts and       C ≥ 0.0015         <	[1]	-	Aquatic Chronic 2,	≤0.3	01-2119962900-36 EC: 213-999-5	adipohydrazide
3-one       CAS: 2682-20-4 Index: 613-326-00-9       Acute Tox. 3, H311 Acute Tox. 2, H330       mg/kg ATE [Derm Skin Corr. 1B, H314         Skin Corr. 1B, H314 Eye Dam. 1, H318       300 mg/kg         Skin Sens. 1A, H317       ATE [Inhal (dusts and Aquatic Acute 1, H400         Aquatic Chronic 1, H410       Skin Sens. C ≥ 0.0015         EUH071       M [Acute] = M [Chronic         reaction mass of: 5-chloro-       EC: 911-418-6	ation mists)] 1, H317: 6 = 1	ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)) = 0.21 mg/l Skin Sens. 1, H37 $C \ge 0.036\%$ M [Acute] = 1 M [Chronic] = 1	Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1,	<0.036	CAS: 2634-33-5	
	nal] = ation mists)] 1, H317: 5% = 10	ATE [Oral] = 100 mg/kg ATE [Dermal] = 300 mg/kg ATE [Inhalation (dusts and mists)] = 0.11 mg/l Skin Sens. 1, H37 $C \ge 0.0015\%$ M [Acute] = 10 M [Chronic] = 1	Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	<0.01	CAS: 2682-20-4	
, , , , , , , , , , , , , , , , , , , ,	= 53 mg/ [1]	ATE [Oral] = 53 m kg	Acute Tox. 3, H301 Acute Tox. 2, H310	<0.001	EC: 911-418-6 CAS: 55965-84-9	reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-
		Version : Label No :9	sue : 21/11/2023	e of previous is		

SECTION 3: Compo					1
3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:1)	Index: 613-167-00-5		Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071	ATE [Dermal] = 50 mg/kg ATE [Inhalation (vapours)] = 0.5 mg/l Skin Corr. 1C, H314: $C \ge 0.6\%$ Eye Dam. 1, H318: $C \ge 0.6\%$ Eye Irrit. 2, H319: 0.06% $\le C < 0.6\%$ Skin Sens. 1, H317: $C \ge 0.0015\%$ M [Acute] = 100 M [Chronic] = 100	
2-Octyl-2H-isothiazol-3-one	EC: 247-761-7 CAS: 26530-20-1 Index: 613-112-00-5	<0.001	Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071 See Section 16 for the full text of the H statements declared above.	ATE [Oral] = 125 mg/kg ATE [Dermal] = 311  mg/kg ATE [Inhalation (dusts and mists)] = 0.27 mg/l Skin Sens. 1, H317: C $\geq$ 0.0015% M [Acute] = 100 M [Chronic] = 100	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

### Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[\*] The classification as a carcinogen by inhalation applies only to mixtures placed on the market in powder form containing 1% or more of titanium dioxide particles with aerodynamic diameter  $\leq$  10 µm not bound within a matrix.

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

## **SECTION 4: First aid measures**

Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### 4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms		
Eye contact	: No specific data.	
Inhalation	: No specific data.	
Skin contact	: Adverse symptoms may include the following: irritation redness	
Ingestion	: No specific data.	

# 4.3 Indication of any immediate medical attention and special treatment needed Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Specific treatments : No specific treatment.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising f	om the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	ective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	ontainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information

## **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

Date of issue/Date of revision AQUATOP 2600-82 - RAL 9001

# **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
P-Butoxyethanol	<b>EU OEL (Europe, 1/2022)</b> Absorbed through skin. TWA 8 hours: 20 ppm. TWA 8 hours: 98 mg/m <sup>3</sup> . STEL 15 minutes: 50 ppm. STEL 15 minutes: 246 mg/m <sup>3</sup> .

#### **Biological exposure indices**

Product/ingredient	name	Exposure indices				
No exposure indices known.						
Recommended monitoring procedures	European Stand assessment of values and mea atmospheres - of exposure to o (Workplace atm for the measure	Id be made to monitoring standards, such as the following: dard EN 689 (Workplace atmospheres - Guidance for the exposure by inhalation to chemical agents for comparison w asurement strategy) European Standard EN 14042 (Workpla Guide for the application and use of procedures for the asse chemical and biological agents) European Standard EN 482 hospheres - General requirements for the performance of pro- ement of chemical agents) Reference to national guidance methods for the determination of hazardous substances will a	ace ssment ocedures			
DNELs/DMELs						
Product/ingredient name		Result				
Manium dioxide		DNEL - General population - Long term - Inhalation 28 µg/m³ <u>Effects</u> : Local	1			
		<b>DNEL - Workers - Long term - Inhalation</b> 170 μg/m³ <u>Effects</u> : Local				
2-Butoxyethanol		<b>DNEL - General population - Long term - Oral</b> 6.3 mg/kg bw/day <u>Effects</u> : Systemic				
		<b>DNEL - General population - Short term - Oral</b> 26.7 mg/kg bw/day <u>Effects</u> : Systemic				
		<b>DNEL - General population - Long term - Inhalation</b> 59 mg/m <sup>3</sup> <u>Effects</u> : Systemic	1			
		<b>DNEL - Workers - Long term - Inhalation</b> 98 mg/m <sup>3</sup> <u>Effects</u> : Systemic				
		<b>DNEL - General population - Short term - Inhalatio</b> 147 mg/m³ <u>Effects</u> : Local	n			
		<b>DNEL - Workers - Short term - Inhalation</b> 246 mg/m³ <u>Effects</u> : Local				
		<b>DNEL - General population - Short term - Inhalatio</b> 426 mg/m <sup>3</sup>	n			
Date of issue/Date of revision	: 12/06/2025 Da	te of previous issue : 21/11/2023 Version : 2	6/19			

# **SECTION 8: Exposure controls/personal protection**

	•····· þ· • • • • • • •
	Effects: Systemic
	DNEL - Workers - Short term - Inhalation 1091 mg/m <sup>3</sup> Effects: Systemic
adipohydrazide	DNEL - Workers - Long term - Inhalation 17.5 mg/m³ <u>Effects</u> : Systemic
1,2-benzisothiazol-3(2H)-one	DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day <u>Effects</u> : Systemic
	<b>DNEL - Workers - Long term - Dermal</b> 0.966 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - General population - Long term - Inhalation 1.2 mg/m <sup>3</sup> Effects: Systemic
	<b>DNEL - Workers - Long term - Inhalation</b> 6.81 mg/m <sup>3</sup> <u>Effects</u> : Systemic
2-methyl-2H-isothiazol-3-one	<b>DNEL - General population - Long term - Inhalation</b> 0.021 mg/m <sup>3</sup> <u>Effects</u> : Local
	<b>DNEL - Workers - Long term - Inhalation</b> 0.021 mg/m³ <u>Effects</u> : Local
	<b>DNEL - General population - Long term - Oral</b> 0.027 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - General population - Short term - Inhalation 0.043 mg/m <sup>3</sup> Effects: Local
	DNEL - Workers - Short term - Inhalation 0.043 mg/m³ <u>Effects</u> : Local
	<b>DNEL - General population - Short term - Oral</b> 0.053 mg/kg bw/day <u>Effects</u> : Systemic
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	DNEL - General population - Long term - Inhalation 0.02 mg/m³ <u>Effects</u> : Local
	<b>DNEL - Workers - Long term - Inhalation</b> 0.02 mg/m³ <u>Effects</u> : Local
	<b>DNEL - General population - Short term - Inhalation</b> 0.04 mg/m <sup>3</sup> <u>Effects</u> : Local

DNEL - Workers - Short term - Inhalation 0.04 mg/m<sup>3</sup> Effects: Local

: 12/06/2025 Date of previous issue

: 21/11/2023

21/11/2023

## **SECTION 8: Exposure controls/personal protection**

**DNEL - General population - Long term - Oral** 0.09 mg/kg bw/day <u>Effects</u>: Systemic

**DNEL - General population - Short term - Oral** 0.11 mg/kg bw/day <u>Effects</u>: Systemic

#### **PNECs**

Not available.

8.2 Exposure controls					
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.			
Individual protection meas	<u>ures</u>				
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.			
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.			
Skin protection					
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.			
		Recommendations : Wear suitable gloves tested to EN374.			
		> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm			
		Not recommended polyvinyl alcohol (PVA) gloves			
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.			
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.			
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.			
		Filter type (spray application): A P			
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.			

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Colour	: White to yellowish. [Light]
Odour	: Slight
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and	:
boiling range	

Ingredient name	°C	°F	Method
water	100	212	
Ethyldiglycol	196	384.8	

F	a	m	m	a	bi	lity	1

: Not available.

Lower and upper explosion	: Lower: Not applicable.
limit	Upper: Not applicable.
Flash point	: Closed cup: >100°C (>212°F)

Auto-ignition temperature

Ingredient name	°C	°F	Method
<mark>,</mark> €thyldiglycol	204	399.2	

Decomposition temperature pH Viscosity Solubility(ies)	<ul> <li>Not available.</li> <li>8 to 8.5 [Conc. (% w/w): 100%]</li> <li>Not available.</li> </ul>
Not available.	<b>N 1 1 1</b>
Solubility in water	: Not available.
Partition coefficient: n-octanol/ water	: Not applicable.

2

2

### Vapour pressure

	Va	Vapour Pressure at 20°C			Vapour pressure at 50°C		
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method	
water	17.5	2.3					
Ethyldiglycol	0.14	0.019					
Relative density	: Not	available.		·			
Donoitu	. 10	a/am3					

Density	: 1.2 g/cm <sup>3</sup>
Vapour density	: Not available.
Particle characteristics	
Median particle size	: Not applicable.

9.2.1 Information with regard to physical hazard	l classes
--	-----------

- **Explosive properties** : Not available.
- Oxidising properties : Not available.

### 9.2.2 Other safety characteristics

Not applicable.

SECTION 10: Stability and reactivity				
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.			
10.2 Chemical stability	: The product is stable.			
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.			
10.4 Conditions to avoid	: No specific data.			
10.5 Incompatible materials	: No specific data.			
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.			

# **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined	in Regulation (EC) No 1272/2008
Acute toxicity	
Product/ingredient name	Result
7,2-benzisothiazol-3(2H)-one	<b>Rat - Oral - LD50</b> 1020 mg/kg
2-methyl-2H-isothiazol-3-one	<b>Rat - Inhalation - LC50 Dusts and mists</b> 0.11 mg/l [4 hours]
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	<b>Rat - Oral - LD50</b> 53 mg/kg <u>Toxic effects</u> : Behavioral - Somnolence (general depressed activity) Behavioral - Ataxia Lung, Thorax, or Respiration - Respiratory depression
2-Octyl-2H-isothiazol-3-one	<b>Rat - Oral - LD50</b> 550 mg/kg
	<b>Rabbit - Dermal - LD50</b> 690 mg/kg

### Conclusion/Summary [Product] : Not available.

### Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
AQUATOP 2600-82	N/A	N/A	N/A	453.5	N/A
2-Butoxyethanol	1200	N/A	N/A	3	N/A
1,2-benzisothiazol-3(2H)-one	450	N/A	N/A	N/A	0.21
2-methyl-2H-isothiazol-3-one	100	300	N/A	N/A	0.11
reaction mass of: 5-chloro-2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1)	53	50	N/A	0.5	N/A
2-Octyl-2H-isothiazol-3-one	125	311	N/A	N/A	0.27

### Skin corrosion/irritation

Product/ingredient name

Result

: 12/06/2025 Date of previous issue

: 21/11/2023

SECTION 11: Toxicological informat	Human - Skin - Mild irritant
manium dioxide	Duration of treatment/exposure: 72 hours
	<u>Amount/concentration applied</u> : 300 ug l
2-Butoxyethanol	Rabbit - Skin - Mild irritant
	Amount/concentration applied: 500 mg
1,2-benzisothiazol-3(2H)-one	Human - Skin - Mild irritant
	<u>Duration of treatment/exposure</u> : 48 hours Amount/concentration applied: 5 %
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and	Human - Skin - Severe irritant Amount/concentration applied: 0.01 %
2-methyl-2H-isothiazol-3-one [EC no.	Amounized centration applied. 0.01 %
220-239-6] (3:1)	
Conclusion/Summary [Product] : Not availabl	e.
Sorious and domage/ave irritation	
Serious eye damage/eye irritation Product/ingredient name	Result
Z-Butoxyethanol	Rabbit - Eyes - Moderate irritant
	<u>Duration of treatment/exposure</u> : 24 hours <u>Amount/concentration applied</u> : 100 mg
	Rabbit - Eyes - Severe irritant Amount/concentration applied: 100 mg
2-Octyl-2H-isothiazol-3-one	Rabbit - Eyes - Severe irritant Amount/concentration applied: 100 mg
Conclusion/Summary [Product] : Not availabl	e.
,	
Respiratory corrosion/irritation	
Not available.	
Conclusion/Summary [Product] : Not availabl	e.
Respiratory or skin sensitization	
Not available.	
Skin	
Conclusion/Summary [Product] : Not availabl	e.
Descientem	
Respiratory Conclusion/Summary [Product] : Not availabl	e.
Germ cell mutagenicity	
Not available.	
Conclusion/Summary [Product] : Not availabl	e.
Carcinogenicity	
	f this product arises when respirable dust is inhaled in quantiti
leading to significant impairment of particle clearance	
Not available.	
Conclusion/Summary [Product] : Not availabl	

**Conclusion/Summary [Product]** : Not available.

Date of issue/Date of revision	: 12/06/2025	Date of previous issue	: 21/11/2023	Version :	2 <b>11/19</b>
AQUATOP 2600-82 - RAL 9001				Label No :9	2690

# **SECTION 11: Toxicological information**

### **Reproductive toxicity**

Not available.

**Conclusion/Summary [Product]** : Not available.

### Specific target organ toxicity (single exposure) Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard	
Not available.	
Information on likely routes	of exposure
Not available.	
Potential acute health effect	<u>is</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the ph	ysical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
Delayed and immediate effe	cts as well as chronic effects from short and long-term exposure
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	ects
Not available.	
Conclusion/Summary [Pro	oduct] : Not available.
General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.
11.2 Information on other ha	zards
11.2.1 Endocrine disrupting	properties
Not available.	
Conclusion/Summary [Pro	oduct] : The product does not meet the criteria to be considered as having endocrine

**Conclusion/Summary [Product]** : The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

Date of issue/Date of revision	: 12/06/2025	Date of previous issue	: 21/11/2023	Version	:2	12/19
AQUATOP 2600-82 - RAL 9001				Label No	<mark>9</mark> 269	C

# **SECTION 11: Toxicological information**

### 11.2.2 Other information

Not available.

# **SECTION 12: Ecological information**

2.1 Toxicity	
Product/ingredient name titanium dioxide	Result Acute - LC50 - Marine water Fish - Mummichog - <i>Fundulus heteroclitus</i>
	>1000000 μg/l [96 hours] <u>Effect</u> : Mortality
	<b>Acute - LC50 - Fresh water</b> Crustaceans - Water flea - <i>Ceriodaphnia dubia</i> - Neonate <u>Age</u> : <24 hours 3 mg/l [48 hours]
	Effect: Mortality
2-Butoxyethanol	<b>Acute - LC50 - Marine water</b> Fish - Inland silverside - <i>Menidia beryllina</i> <u>Size</u> : 40 to 100 mm 1250000 μg/l [96 hours] <u>Effect</u> : Mortality
	<b>Acute - LC50 - Marine water</b> Crustaceans - Common shrimp, sand shrimp - <i>Crangon</i> <i>crangon</i> 800000 μg/l [48 hours] <u>Effect</u> : Mortality
1,2-benzisothiazol-3(2H)-one	<b>Acute - LC50 - Fresh water</b> OECD [Fish, Acute Toxicity Test] Fish - Trout - <i>Onorhynchus Mykiss</i> 1.9 mg/l [96 hours]
	<b>Acute - EC50</b> OECD 202 [Daphnia sp. Acute Immobilization Test and Reproduction Test] Daphnia - Daphnia - <i>Daphnia Magna</i> 3.7 mg/l [48 hours]
	<b>Acute - EC50 - Marine water</b> OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - <i>Skeletonema Costatum</i> 0.36 mg/l [72 hours]
	<b>Acute - NOEC - Marine water</b> OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - <i>Skeletonema Costatum</i> 0.15 mg/l [72 hours]
2-methyl-2H-isothiazol-3-one	Acute - EC50 - Fresh water US EPA
	Daphnia - Water flea - <i>Daphnia magna</i> <u>Age</u> : <24 hours 0.18 ppm [48 hours] <u>Effect</u> : Intoxication
	<b>Acute - LC50 - Fresh water</b> US EPA Fish - Rainbow trout,donaldson trout - <i>Oncorhynchus myki</i> <u>Weight</u> : 0.73 g 0.07 ppm [96 hours] <u>Effect</u> : Mortality

: 12/06/2025 Date of previous issue

: 21/11/2023

SECTION 12: Ecological informati	on
2-Octyl-2H-isothiazol-3-one	Acute - EC50 - Fresh water US EPA Daphnia - Water flea - <i>Daphnia magna</i> <u>Age</u> : <24 hours 107 ppb [48 hours] Effect: Intoxication
	Acute - LC50 - Fresh water US EPA Fish - Rainbow trout,donaldson trout - <i>Oncorhynchus mykiss</i> <u>Weight</u> : 0.7 g 47 ppb [96 hours] <u>Effect</u> : Mortality
	<b>Chronic - NOEC - Fresh water</b> US EPA Daphnia - Water flea - <i>Daphnia magna</i> 74 ppb [21 days] <u>Effect</u> : No Effect Coded
	<b>Chronic - NOEC</b> US EPA Fish - Fathead minnow - <i>Pimephales promelas</i> 8.5 ppb [35 days] <u>Effect</u> : Growth
Conclusion/Summary [Product] : Not avai	lable.
<b>12.2 Persistence and degradability</b> <b>Product/ingredient name</b> <b>7</b> ,2-benzisothiazol-3(2H)-one	<mark>Result</mark> EU 24% [28 days]
Conclusion/Summary [Product] : Not avai	ilable.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
7,2-benzisothiazol-3(2H)-one	-	-	Inherent

### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
2-Butoxyethanol	0.81	-	Low
1,2-benzisothiazol-3(2H)-one	-	3.2	Low
2-Octyl-2H-isothiazol-3-one	2.45	-	Low

### 12.4 Mobility in soil

### Soil/water partition coefficient

Product/ingredient name	logKoc	Кос
2-Butoxyethanol	1.83	67.3685
adipohydrazide	1.74	55.2165
1,2-benzisothiazol-3(2H)-one	1.86	73.142
2-methyl-2H-isothiazol-3-one	1.74	54.9187
2-Octyl-2H-isothiazol-3-one	2.85	706.605

### Results of PMT and vPvM assessment

# SECTION 12: Ecological information

Product/ingredient name	PMT	Ρ	Μ	Т	vPvM	vP	vM
titanium dioxide	No	No	No	No	No	No	No
2-Butoxyethanol	No	No	No	No	No	No	No
adipohydrazide	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
2-methyl-2H-isothiazol-3-one	No	No	No	No	No	No	No
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	No	No	No	No	No	No	No
2-Octyl-2H-isothiazol-3-one	No	No	No	No	No	No	No

Mobility

**Conclusion/Summary** 

: Not available.

: The product does not meet the criteria to be considered as a PMT or vPvM.

### 12.5 Results of PBT and vPvB assessment Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	Р	В	Т	vPvB	vP	vB
titanium dioxide	No	No	No	No	No	No	No
2-Butoxyethanol	No	No	No	No	No	No	No
adipohydrazide	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
2-methyl-2H-isothiazol-3-one		No	No	No	No	No	No
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	No	No	No	No	No	No	No
2-Octyl-2H-isothiazol-3-one	No	No	No	No	No	No	No

### Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB	
titanium dioxide	No	No	No	No	No	No	No	
2-Butoxyethanol	No	No	No	No	No	No	No	
adipohydrazide	No	No	No	No	No	No	No	
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No	
2-methyl-2H-isothiazol-3-one		No	No	No	No	No	No	
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	No	No	No	No	No	No	No	
2-Octyl-2H-isothiazol-3-one	No	No	No	No	No	No	No	

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP] : The product does not meet the criteria to be considered as a PBT or vPvB.

### **12.6 Endocrine disrupting properties**

Not available.

```
Conclusion/Summary [Product]
```

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

### 12.7 Other adverse effects

No known significant effects or critical hazards.

Date of issue/Date of revision	: 12/06/2025	Date of previous issue	: 21/11/2023	Version : 2	15/19
AQUATOP 2600-82 - RAL 9001				Label No :9269	0

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product	
Methods of disposal	The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
European waste catalogue (EWC)	080112
Packaging	
Methods of disposal	The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

<b>14.6 Special precautions for</b> :	Transport within user's premises: always transport in closed containers that are
user	upright and secure. Ensure that persons transporting the product know what to do in
	the event of an accident or spillage.

#### 14.7 Maritime transport in : Not relevant/applicable due to nature of the product. bulk according to IMO instruments

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

### Annex XIV - List of substances subject to authorisation

**Annex XIV** 

None of the components are listed.

### Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Date of issue/Date of revision	: 12/06/2025	Date of previous issue
AQUATOP 2600-82 - RAL 9001		

: 21/11/2023

Version : 2 16/19 Label No : 92690

Product/ingredient nam	10	%	Designation [Usage]
AQUATOP 2600-82		≥90	3
Labelling	:		
ther EU regulations			
Industrial emissions (integrated pollution prevention and control) Air	: Not listed		
Industrial emissions (integrated pollution prevention and control) Water	: Not listed		
Explosive precursors	: Not applicab	le.	
Ozone depleting substa	nces (EU 2024/590	<u>))</u>	
Not listed.			
Prior Informed Consent	(PIC) (649/2012/EU	<u>(ר</u>	
Not listed.			
Persistent Organic Pollu Not listed.	<u>itants</u>		
Seveso Directive This product is not contro nternational regulations themical Weapon Conve			Chemicals
Not listed.			
Iontreal Protocol Not listed.			
tockholm Convention o Not listed.	<u>n Persistent Orga</u> i	nic Pollutant	<u>'s</u>
otterdam Convention o	n Prior Informed C	onsent (PIC	<u>)</u>
Not listed.	on POPs and Heav	/y Metals	
	on i or 3 and nea		
Not listed.			

n (EC) No.

Date of issue/Date of revision	: 12/06/2025	Date of previous issue	: 21/11/2023	Version : 2	17/19
AQUATOP 2600-82 - RAL 9001				Label No :9269	0

### **SECTION 16: Other information**

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Skin Sens. 1, H317	Calculation method

### Full text of abbreviated H statements

Г	
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

#### Full text of classifications [CLP/GHS]

Acute Tox. 2	ACUTE TOXICITY - Category 2
Acute Tox. 3	ACUTE TOXICITY - Category 3
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Aquatic Chronic 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
Carc. 2	CARCINOGENICITY - Category 2
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Skin Corr. 1	SKIN CORROSION/IRRITATION - Category 1
Skin Corr. 1B	SKIN CORROSION/IRRITATION - Category 1B
Skin Corr. 1C	SKIN CORROSION/IRRITATION - Category 1C
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1	SKIN SENSITISATION - Category 1
Skin Sens. 1A	SKIN SENSITISATION - Category 1A
Date of issue/ Date of	: 12/06/2025
revision	
Date of previous issue	e : 21/11/2023
Version	: 2

#### Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision AQUATOP 2600-82 - RAL 9001