Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - United Kingdom: Northern Ireland

# **SAFETY DATA SHEET**



AQUATOP VIRTA 22 - RAL 7021

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	

: AQUATOP VIRTA 22 - RAL 7021

**1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use**: Paint.

#### 1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

e-mail address of person : Prod-safe@teknos.com

## responsible for this SDS

National contact

Teknos Ireland Limited, 52 Ballymoughan Road, Magherafelt, BT45 6HN, UK. Tel. +44 (0) 2879 301 472.

#### **1.4 Emergency telephone number**

National advisory body/Poison Centre

Telephone number : NHS: 111

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Product definition : Mixture <u>Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]</u> Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	signal word.	
Hazard statements	known significant effects or critical hazards.	
Precautionary statements		
Prevention	applicable.	
Response	applicable.	
Storage	applicable.	
Disposal	applicable.	
Supplemental label elements	ntains adipohydrazide and 1,2-benzisothiazol-3(2H)-one. May produce an ction. ety data sheet available on request.	n allergic
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and		

#### 2.3 Other hazards

articles

## **SECTION 2: Hazards identification**

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII Other hazards which do

: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

: None known.

not result in classification

### **SECTION 3: Composition/information on ingredients**

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
2-(2-butoxyethoxy)ethanol	REACH #: 01-2119475104-44 EC: 203-961-6 CAS: 112-34-5 Index: 603-096-00-8	≤3	Eye Irrit. 2, H319	-	[1] [2]
adipohydrazide	REACH #: 01-2119962900-36 EC: 213-999-5 CAS: 1071-93-8	<1	Skin Sens. 1, H317 Aquatic Chronic 2, H411	-	[1]
1,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.036	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = $0.21$ mg/l Skin Sens. 1, H317: $C \ge 0.036\%$ M [Acute] = 1 M [Chronic] = 1	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Eye contact	-	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	-	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

Date of issue/Date of revision	: 30/05/2025	Date of previous issue	: 02/11/2023	Version	:2	2/15
AQUATOP VIRTA 22 - RAL 7021				Label No	: <mark>1</mark> 136	650

## **SECTION 4: First aid measures**

#### **4.2 Most important symptoms and effects, both acute and delayed**

#### Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.

### 5.2 Special hazards arising from the substance or mixture

one opeonal nazarao anomg n	
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

chemical incidents.

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up

Small spill: Stop leak if without risk. Move containers from spill area. Absorb with an inert<br/>material and place in an appropriate waste disposal container. Dispose of via a<br/>licensed waste disposal contractor.

3/15

Date of issue/Date of revision	: 30/05/2025	Date of previous issue	: 02/11/2023	Version	:2	3/1
AQUATOP VIRTA 22 - RAL 7021				Label No :	1136	50

### **SECTION 6: Accidental release measures**

Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e. g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

Recommendations: Not available.Industrial sector specific: Not available.solutions

### **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

#### 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name	Exposure limit values
2-(2-butoxyethoxy)ethanol	EH40/2005 WELs (United Kingdom (UK), 1/2020)
	TWA 8 hours: 10 ppm. TWA 8 hours: 67.5 mg/m <sup>3</sup> . STEL 15 minutes: 15 ppm. STEL 15 minutes: 101.2 mg/m <sup>3</sup> .

#### **Biological exposure indices**

Product/ingredient name		Exposure indices		
No exposure indices known.				
Recommended monitoring procedures : Reference shou European Stand assessment of e values and mea atmospheres - C of exposure to c (Workplace atm		build be made to monitoring standards, such as the following: ndard EN 689 (Workplace atmospheres - Guidance for the f exposure by inhalation to chemical agents for comparison with limit easurement strategy) European Standard EN 14042 (Workplace - Guide for the application and use of procedures for the assessment o chemical and biological agents) European Standard EN 482 mospheres - General requirements for the performance of procedures rement of chemical agents) Reference to national guidance		

Date of issue/Date of revision	: 30/05/2025	Date of previous issue	: 02/11/2023	Version	:2	4/15
AQUATOP VIRTA 22 - RAL 7021				Label No	: <mark>1</mark> 136	50

## SECTION 8: Exposure controls/personal protection

	documents for methods for the determination of hazardous substances will also be required.		
DNELs/DMELs			
Product/ingredient name	Result		
2-(2-butoxyethoxy)ethanol	<b>DNEL - General population - Long term - Oral</b> 6.25 mg/kg bw/day <u>Effects</u> : Systemic		
	<b>DNEL - Workers - Long term - Inhalation</b> 67.5 mg/m³ <u>Effects</u> : Local		
	DNEL - Workers - Short term - Inhalation 101.2 mg/m³ <u>Effects</u> : Local		
adipohydrazide	<b>DNEL - Workers - Long term - Inhalation</b> 17.5 mg/m³ <u>Effects</u> : Systemic		
1,2-benzisothiazol-3(2H)-one	<b>DNEL - General population - Long term - Dermal</b> 0.345 mg/kg bw/day <u>Effects</u> : Systemic		
	<b>DNEL - Workers - Long term - Dermal</b> 0.966 mg/kg bw/day <u>Effects</u> : Systemic		
	<b>DNEL - General population - Long term - Inhalation</b> 1.2 mg/m <sup>3</sup> <u>Effects</u> : Systemic		
	DNEL - Workers - Long term - Inhalation 6.81 mg/m <sup>3</sup> <u>Effects</u> : Systemic		

### **PNECs**

Not available.

8.2 Exposure controls	
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection meas	<u>ures</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
	Recommendations : Wear suitable gloves tested to EN374.
	> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm
Date of issue/Date of revision	: 30/05/2025 Date of previous issue : 02/11/2023 Version : 2 5/15

Date of issue/Date of revision	: 30/05/2025	Date of previous issue	: 02/11/2023	Version	:2	5/15
AQUATOP VIRTA 22 - RAL 7021				Label No	11365	50

## **SECTION 8: Exposure controls/personal protection**

		Not recommended polyvinyl alcohol (PVA) gloves			
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.			
Other skin protection	:	ppropriate footwear and any additional skin protection measures should be elected based on the task being performed and the risks involved and should be pproved by a specialist before handling this product.			
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.			
		Filter type (spray application): A P			
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.			

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

Appearance	
Physical state	: Liquid.
Colour	: Dark grey.
Odour	: Slight
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	:

Ingredient name	°C	°F	Method
water	100	212	
2-(2-butoxyethoxy)ethanol	225 to 227.6	437 to 441.7	

Flammability	: Not available.
Lower and upper explosion limit	: Lower: Not applicable. Upper: Not applicable.
Flash point	: Closed cup: >100°C (>212°F)
Auto-ignition temperature	

#### Auto-ignition temperature

Ingredient name	°C	°F	Method
24(2-butoxyethoxy)ethanol	210	410	DIN 51794

Decomposition temperature	: Not available.
рН	: ❷ to 8.5 [Conc. (% w/w): 100%]
Viscosity	: Not available.
Solubility(ies)	:
Not available.	
Solubility in water	: Not available.
Partition coefficient: n-octanol/ water	: Not applicable.
Vapour pressure	:

	Va	apour Pres	sure at 20°C	V	Vapour pressure at 50°C		
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method	
water	17.5	2.3					
2-(2-butoxyethoxy)ethanol	0.022	0.0029					
Relative density	: Not	available.		ı			
Density	: 1.1	g/cm³					
Vapour density	: Not	available.					
Particle characteristics							
Median particle size	: Not	applicable.					
0.0 Other information							
9.2 Other information	d to physic	al hazard					
9.2.1 Information with regare Explosive properties		available.	ciasses				
Oxidising properties		available.					
9.2.2 Other safety character		avaliable.					
Not applicable.	istics						
SECTION 10: Stabilit	ty and re	eactivity	1				
10.1 Reactivity	: No spe	cific test dat	ta related to react	ivity available fo	or this produ	ict or its ingredier	
10.2 Chemical stability	: The pro	oduct is stat	ole.				
10.2 Dessibility of	. Under r	a armal a ana	litions of storage (	and upp horar	louo rocotio	no will not occur	
10.3 Possibility of hazardous reactions	: Under r	iormai conc	litions of storage a	and use, hazard	ious reactio	ons will not occur.	
10.4 Conditions to avoid	: No spe	cific data.					
10.5 Incompatible materials	: No spe	cific data.					
10.6 Hazardous			litions of storage a	and use, hazaro	lous decom	position products	
decomposition products	should	not be prod	uced.				
SECTION 11: Toxico	logical i	nformat	tion				
11.1 Information on hazard c	•			No 1272/2008			
Acute toxicity							
Product/ingredient name			Result				
2-(2-butoxyethoxy)ethanol			Rabbit - Derm	al - LD50			
			2700 mg/kg				

2700 mg/kg

Rat - Oral - LD50 4500 mg/kg <u>Toxic effects</u>: Behavioral - Tetany Lung, Thorax, or Respiration - Dyspnea Liver - Other changes

1,2-benzisothiazol-3(2H)-one

Rat - Oral - LD50 1020 mg/kg

Conclusion/Summary [Product] : Not available.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalatio (dusts and mist (mg/l)
QUATOP VIRTA 22 2-(2-butoxyethoxy)ethanol 1,2-benzisothiazol-3(2H)-one	N/A 4500 450	N/A 2700 N/A	N/A N/A N/A	713.4 N/A N/A	N/A N/A 0.21
Skin corrosion/irritation	Devel				
Product/ingredient name 7,2-benzisothiazol-3(2H)-one	Duration of	<b>Skin - Mild irr</b> f treatment/ex ncentration a	<u>(posure</u> : 48 ho	ours	
Conclusion/Summary [Product] : Not ava	ailable.				
Serious eye damage/eye irritation					
Product/ingredient name	Result				
2-(2-butoxyethoxy)ethanol	Duration of		<b>ate irritant</b> ( <u>posure</u> : 24 ho <u>pplied</u> : 20 mg		
		yes - Severe ncentration a	<b>irritant</b> pplied: 20 mg		
Conclusion/Summary [Product] : Not ava	ailable.				
Respiratory corrosion/irritation Not available.					
Conclusion/Summary [Product] : Not ava	ailable.				
Respiratory or skin sensitization Not available.					
Skin Conclusion/Summary [Product] : Not ava	ailable.				
Respiratory Conclusion/Summary [Product] : Not ava	ailable.				
<mark>Germ cell mutagenicity</mark> Not available.					
Conclusion/Summary [Product] : Not ava	ailable.				
Carcinogenicity					
Not available.					
Conclusion/Summary [Product] : Not ava	ailable.				
Reproductive toxicity Not available.					

Conclusion/Summary [Pro	oduct] : Not available.
Specific target organ toxicit	y (single exposure)
Not available.	
Specific target organ toxicit	y (repeated exposure)
Not available.	
Aspiration hazard	
Not available.	
Information on likely routes	of exposure
Not available.	
Potential acute health effec	ts
Eye contact	No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the ph	ysical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Delayed and immediate effe	cts as well as chronic effects from short and long-term exposure
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	ects
Not available.	
Conclusion/Summary [Pro	
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

Not available.

**Conclusion/Summary [Product]** : The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

#### 11.2.2 Other information

Not available.

: 30/05/2025 Date of previous issue :02/11/2023

## **SECTION 12: Ecological information**

12.1 Toxicity	
Product/ingredient name	Result
2-(2-butoxyethoxy)ethanol	<b>Acute - LC50 - Fresh water</b> Fish - Bluegill - <i>Lepomis macrochirus</i> <u>Size</u> : 33 to 75 mm 1300000 μg/l [96 hours] <u>Effect</u> : Mortality
1,2-benzisothiazol-3(2H)-one	<b>Acute - LC50 - Fresh water</b> OECD [Fish, Acute Toxicity Test] Fish - Trout - <i>Onorhynchus Mykiss</i> 1.9 mg/l [96 hours]
	<b>Acute - EC50</b> OECD 202 [Daphnia sp. Acute Immobilization Test and Reproduction Test] Daphnia - Daphnia - <i>Daphnia Magna</i> 3.7 mg/l [48 hours]
	<b>Acute - EC50 - Marine water</b> OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - <i>Skeletonema Costatum</i> 0.36 mg/l [72 hours]
	<b>Acute - NOEC - Marine water</b> OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - <i>Skeletonema Costatum</i> 0.15 mg/l [72 hours]
Conclusion/Summary [Product] : M	ot available.
12.2 Persistence and degradability	

#### **Product/ingredient name**

7,2-benzisothiazol-3(2H)-one

Result EU 24% [28 days]

## Conclusion/Summary [Product] : Not available.

Product/ingredient name Aquatic half-life Photo	otolysis	Biodegradability
7.2-benzisothiazol-3(2H)-one   -		Inherent

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
2-(2-butoxyethoxy)ethanol	1	-	Low
1,2-benzisothiazol-3(2H)-one	-	3.2	Low

#### 12.4 Mobility in soil

#### Soil/water partition coefficient

Product/ingredient name	logKoc	Кос
<ul> <li>(2-butoxyethoxy)ethanol adipohydrazide</li> <li>1,2-benzisothiazol-3(2H)-one</li> </ul>	1.56 1.74 1.86	36.5981 55.2165 73.142

#### Results of PMT and vPvM assessment

Product/ingredient name	PMT	Р	М	Т	vPvM	vP	vM
<ul> <li>2-(2-butoxyethoxy)ethanol adipohydrazide</li> <li>1,2-benzisothiazol-3(2H)-one</li> </ul>	No No No	No No No	No No No	No No No	No No No	No No No	No No No
Mobility	: Not available.						

: Not available.

Date of issue/Date of revision

: 30/05/2025 Date of previous issue

:02/11/2023

Version : 2 10/15 Label No : 113650

AQUATOP VIRTA 22 - RAL 7021

## **SECTION 12: Ecological information**

**Conclusion/Summary** 

: The product does not meet the criteria to be considered as a PMT or vPvM.

#### 12.5 Results of PBT and vPvB assessment Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	Ρ	В	т	vPvB	vP	vB
2-(2-butoxyethoxy)ethanol	No	No	No	No	No	No	No
adipohydrazide	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
Regulation (EC) No. 1272/20	08 [CLP]						
Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
2-(2-butoxyethoxy)ethanol	No	No	No	No	No	No	No
adipohydrazide	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
Conclusion/Summary	:	The produc	t does not n	neet the crite	eria to be cons	idered as a	PBT or vPv

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP]

#### 12.6 Endocrine disrupting properties

Not available.

**Conclusion/Summary** [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Product	
Methods of disposal	The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
European waste catalogue (EWC)	: 080112
Packaging	
Methods of disposal	The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

: 30/05/2025 Date of previous issue

SECTION 14: Transport information							
	ADR/RID	ADN	IMDG	ΙΑΤΑ			
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.			
14.2 UN proper shipping name	-	-	-	-			
14.3 Transport hazard class(es)	-	-	-	-			
14.4 Packing group	-	-	-	-			
14.5 Environmental hazards	No.	No.	No.	No.			

: Not relevant/applicable due to nature of the product.

14.6 Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

# SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

#### Substances of very high concern

None of the components are listed.

# Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product/ingredient name		%	Designation [Usage]	
2-(2-butoxyethoxy)ethanol		≤3	55 [Consumer paint]	
Labelling	:	I		
Other EU regulations				
Industrial emissions (integrated pollution prevention and control) - Air	: Not listed			
Industrial emissions (integrated pollution prevention and control) - Water	: Not listed			
Explosive precursors	: Not applic	able.		
Ozone depleting substanc	<u>es (EU 2024/</u>	<u>590)</u>		
Not listed.				
Prior Informed Consent (P Not listed.	<u>PIC) (649/2012</u>	<u>/EU)</u>		

## **SECTION 15: Regulatory information**

Persistent Organic Pollutants Not listed.

#### **Seveso Directive**

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### **Montreal Protocol**

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

15.2 Chemical safety	: This product contains substances for which Chemical Safety Assessments are still
assessment	required.

## **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group USD = Very Demintert and Very Bioaccumulative</li> </ul>
	vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

#### Full text of abbreviated H statements

1000	
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Full text of classifications [CLP/GHS]

## **SECTION 16: Other information**

Kcute Tox. 2	ACUTE TOXICITY - Category 2
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Aquatic Chronic 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1	SKIN SENSITISATION - Category 1
Skin Sens. 1A	SKIN SENSITISATION - Category 1A
Date of issue/ Date of revision	: 30/05/2025
Date of previous issue	• : 02/11/2023
Version	: 2

#### Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision AQUATOP VIRTA 22 - RAL 7021 : 30/05/2025 Date of previous issue

:02/11/2023

 Version
 : 2
 15/15

 Label No
 : 13650