Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

# **SAFETY DATA SHEET**

DRYWOOD OPTI-JOINT XP II



## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Product name

: DRYWOOD OPTI-JOINT XP II

**1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use**: Paint.

#### 1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

e-mail address of person : Prod-safe@teknos.com

#### responsible for this SDS National contact

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

#### 1.4 Emergency telephone number

#### National advisory body/Poison Centre

Telephone number: In an emergency, call 112

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Product definition : Mixture <u>Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]</u> Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
General	<ul> <li>P103 - Read carefully and follow all instructions.</li> <li>P102 - Keep out of reach of children.</li> <li>P101 - If medical advice is needed, have product container or label at hand.</li> </ul>
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	:
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.

: 25/07/2022 Date of previous issue

## **SECTION 2: Hazards identification**

#### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII : This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do : None known. not result in classification

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures : Mixture Specific Conc. **Product/ingredient name Identifiers** % Classification Type Limits, M-factors and ATEs Hydrocarbons, C11-C14, n-≤3 Asp. Tox. 1, H304 REACH #: [1] EUH066 alkanes, isoalkanes, cyclics, 01-2119456620-43 <2% EC: 926-141-6 aromaticshydrocarbons trimethoxyvinylsilane REACH #: ≤3 Flam. Liq. 3, H226 ATE [Inhalation [1] 01-2119513215-52 Acute Tox. 4, H332 (vapours)] = 11 mg/ EC: 220-449-8 CAS: 2768-02-7 See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. Type

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

4.1 Description of first aid m	neasures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Date of issue/Date of revision	: 25/07/2022	Date of previous issue	:06/07/2022	Version	:1.01	2/12
DRYWOOD OPTI-JOINT XP II				Label No	37547	7

SECTION 4: First aid	measures	
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	
Specific treatments	: No specific treatment.	
SECTION 5: Firefigh	ing measures	
5.1 Extinguishing media		
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.	
Unsuitable extinguishing media	: None known.	
5.2 Special hazards arising	rom the substance or mixture	
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.	
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides	
5.3 Advice for firefighters		
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incide there is a fire. No action shall be taken involving any personal risk or without suitable training.	nt i
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection chemical incidents.	

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures	
For non-emergency personnel	:	No action shall be taken involving any personal risk or wi Evacuate surrounding areas. Keep unnecessary and un entering. Do not touch or walk through spilt material. Pu protective equipment.	protected personnel from
For emergency responders	:	If specialised clothing is required to deal with the spillage information in Section 8 on suitable and unsuitable mater information in "For non-emergency personnel".	
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact w and sewers. Inform the relevant authorities if the produc pollution (sewers, waterways, soil or air).	
6.3 Methods and material for	co	ntainment and cleaning up	
Small spill	:	Stop leak if without risk. Move containers from spill area up if water-soluble. Alternatively, or if water-insoluble, at material and place in an appropriate waste disposal cont licensed waste disposal contractor.	osorb with an inert dry
Large spill	:	Stop leak if without risk. Move containers from spill area water courses, basements or confined areas. Wash spil treatment plant or proceed as follows. Contain and colle combustible, absorbent material e.g. sand, earth, vermic and place in container for disposal according to local reg licensed waste disposal contractor.	lages into an effluent oct spillage with non- sulite or diatomaceous earth
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal pr See Section 13 for additional waste treatment information	
Date of issue/Date of revision		: 25/07/2022 Date of previous issue : 06/07/2022	Version : 1.01 3/12
DRYWOOD OPTI-JOINT XP II			Label No :37547

## **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

#### 7.3 Specific end use(s)

Recommendations

: Not available.

Industrial sector specific solutions

## cific : Not available.

### **SECTION 8: Exposure controls/personal protection**

required.

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

#### 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name No exposure limit value known.		Exposure limit values		
procedures atm of th prot the	osphere or biologi e ventilation or ot ective equipment. ollowing: Europe	s ingredients with exposure limits, personal, workplace ical monitoring may be required to determine the effectiveness her control measures and/or the necessity to use respiratory Reference should be made to monitoring standards, such as an Standard EN 689 (Workplace atmospheres - Guidance for posure by inhalation to chemical agents for comparison with		

limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482

(Workplace atmospheres - General requirements for the performance of procedures

documents for methods for the determination of hazardous substances will also be

for the measurement of chemical agents) Reference to national guidance

#### **DNELs/DMELs**

Product/ingredient name	Туре	Exposure	Value	Population	Effects
trimethoxyvinylsilane	DNEL	Long term Oral	0.3 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0.3 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0.69 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	1.04 mg/m <sup>3</sup>	General population	Systemic
	DNEL	Long term Inhalation	4.9 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Short term Dermal	26.9 mg/ kg bw/day	General population	Systemic
	DNEL	Short term	93.4 mg/m <sup>3</sup>		Systemic
e of issue/Date of revision : 2	5/07/2022	Date of previous issue	: 06/07/2	022	Version : 1.01 4/12
YWOOD OPTI-JOINT XP II				L	abel No :37547

<b>_</b>			•	personal pr		<u>.</u>	-				
				Inhalation		population					
PNECs											
No PNECs available											
.2 Exposure controls											
Appropriate engineering controls	:	Good ( contar	-		uld be sufficient	t to control worker exp	posure to airborne				
Individual protection measu	ures										
Hygiene measures	:	before Approj Wash	eating oriate t contar	, smoking and ι techniques shou	sing the lavator d be used to re before reusing.	after handling chemic ry and at the end of th move potentially cont Ensure that eyewas location.	e working period. aminated clothing				
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.									
Skin protection											
Hand protection	:		n at al	ll times when ha		lying with an approve products if a risk ass					
Body protection	:	being	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.								
Other skin protection	:	selecte	ed bas		eing performed	n protection measures and the risks involve s product.					
Respiratory protection	:	approp	riate s tory p	standard or certil rotection program	ication. Respir	ure, select a respirate ators must be used a per fitting, training, ar	ccording to a				
Environmental exposure controls	:	ensure In som	they of the	comply with the es, fume scrubb	equirements of ers, filters or en	equipment should be environmental protect gineering modification sions to acceptable le	ction legislation. ns to the process				

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

or mornation on subic physic		mour prope			
<u>Appearance</u>					
Physical state	: Liquid.				
Colour	: Various	5			
Odour	: Slight				
Odour threshold	: Not ava	ailable.			
Melting point/freezing point	: Not ava	ailable.			
Initial boiling point and boiling range	:				
Ingredient name		°C	°F	Method	
water		100	212		
trimethoxyvinylsilane		123	253.4	DIN 51751	
Flammability	: Not ava	ailable.	ŀ	· · · · ·	
Lower and upper explosion limit		Not applica Not applica			
Date of issue/Date of revision	: 25/07/2022	Date of pre	evious issue	: 06/07/2022	Version : 1.01 5/12
DRYWOOD OPTI-JOINT XP II					Label No :37547

## **SECTION 9: Physical and chemical properties**

÷.

2

### Flash point

	Closed cup				Open cup		
Ingredient name	°C	°F	Method	°C	°F	Method	
Hydrocarbons, C11-C14, n- alkanes,isoalkanes, cyclics, <2% aromaticshydrocarbons	>70	>158					

#### Auto-ignition temperature

Ingredient name		°C	°F	Method	
trimethoxyvinylsilane		224	435.2	ASTM E 659	
Decomposition temperature	: Not av	/ailable.	ł		
ЪН	: Not av	/ailable.			
/iscosity	: Not av	/ailable.			
Solubility(ies) Not available.	:				
Solubility in water	: Not av	/ailable.			
Partition coefficient: n-octanol/ vater	: Not ap	oplicable.			
/apour pressure	:				

	Va	Vapour Pressure at 20°C		V	Vapour press	
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	23.8	3.2				
trimethoxyvinylsilane	8.93	1.2	EU A.4			
Relative density	: Not	available.				
Density	: 1.1	g/cm³				
Vapour density	: Not	available.				
Explosive properties	: Not	available.				
Oxidising properties	: Not	available.				
Particle characteristics						
Median particle size	: Not	applicable.				

SECTION 10: Stability and reactivity			
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.		
10.2 Chemical stability	: The product is stable.		
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.		
10.4 Conditions to avoid	: No specific data.		
10.5 Incompatible materials	: No specific data.		
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.		

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

**Conclusion/Summary** 

: Based on available data, the classification criteria are not met.

#### Acute toxicity estimates

Route	ATE value
Inhalation (vapours)	550 mg/l

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
trimethoxyvinylsilane	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
	Skin - Mild irritant	Rabbit	-	mg 24 hours 500 mg	-
Conclusion/Summary	: Based on available data, the	L classification cl	riteria are	-	
<u>Sensitisation</u>					
Conclusion/Summary	: Based on available data, the	classification c	riteria are	not met.	
Mutagenicity					
Conclusion/Summary	: Based on available data, the	classification c	riteria are	not met.	
Carcinogenicity					
<b>Conclusion/Summary</b>	: Based on available data, the	classification c	riteria are	not met.	
Reproductive toxicity					
Conclusion/Summary	: Based on available data, the	classification c	riteria are	not met.	
Teratogenicity					
Conclusion/Summary	: Based on available data, the	classification c	riteria are	not met.	
Specific target organ toxicit	<u>y (single exposure)</u>				
Not available.					

#### Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Product/ingredient name	Result
Hydrocarbons, C11-C14, n-alkanes,isoalkanes, cyclics, <2% aromaticshydrocarbons	ASPIRATION HAZARD - Category 1

#### Information on likely routes : Not available.

of exposure

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure Short term exposure

:06/07/2022

## **SECTION 11: Toxicological information**

Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	ects
Not available.	
Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

11.2 Information	on other	hazards
------------------	----------	---------

<b>11.2.1 Endocrine disrupting properties</b>
Not available.
11.2.2 Other information

Not available.

## **SECTION 12: Ecological information**

12.1 Toxicity	
<b>Conclusion/Summary</b>	: Based on available data, the classification criteria are not met.
12.2 Persistence and degra	dability
<b>Conclusion/Summary</b>	: This product has not been tested for biodegradation.

#### 12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil	
Soil/water partition	: Not available.
coefficient (Koc)	
Mobility	: Not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### 12.6 Endocrine disrupting properties

Not available.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

13.1 Waste treatment metho	ods
<u>Product</u>	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	<ul> <li>Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.</li> </ul>
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

```
14.7 Maritime transport in
bulk according to IMO
instruments
```

: Not relevant/applicable due to nature of the product.

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

#### Annex XIV - List of substances subject to authorisation

#### **Annex XIV**

None of the components are listed.

#### Substances of very high concern

None of the components are listed.

: 25/07/2022 Date of previous issue :06/07/2022

## **SECTION 15: Regulatory information**

SECTION 15: Regulatory information
Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Other EU regulations
Industrial emissions : Not listed (integrated pollution prevention and control) - Air
Industrial emissions : Not listed (integrated pollution prevention and control) - Water
Ozone depleting substances (1005/2009/EU) Not listed.
Prior Informed Consent (PIC) (649/2012/EU) Not listed.
Persistent Organic Pollutants Not listed.
Seveso Directive         This product is not controlled under the Seveso Directive.         National regulations         International regulations         Chemical Weapon Convention List Schedules I, II & III Chemicals         Not listed.
Montreal Protocol Not listed.
Stockholm Convention on Persistent Organic Pollutants Not listed.
Rotterdam Convention on Prior Informed Consent (PIC) Not listed.
UNECE Aarhus Protocol on POPs and Heavy Metals Not listed.

15.2 Chemical safety :	This product contains substances for which Chemical Safety Assessments are still
assessment	required.

## **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available</li> <li>PBT = Persistent, Bioaccumulative and Toxic</li> <li>PNEC = Predicted No Effect Concentration</li> <li>RRN = REACH Registration Number</li> <li>SGG = Segregation Group</li> <li>vPvB = Very Persistent and Very Bioaccumulative</li> </ul>
-------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Date of issue/Date of revision	: 25/07/2022	Date of previous issue	:06/07/2022	Version	: 1.01	10/12
DRYWOOD OPTI-JOINT XP II				Label No	37547	7

## **SECTION 16: Other information**

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

#### Full text of abbreviated H statements

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H332	Harmful if inhaled.
EUH066	Repeated exposure may cause skin dryness or cracking.

#### Full text of classifications [CLP/GHS]

Asp. Tox. 1	ACUTE TOXICITY - Category 4 ASPIRATION HAZARD - Category 1 FLAMMABLE LIQUIDS - Category 3
Date of issue/ Date of revision	: 25/07/2022
Date of previous issue	e : 06/07/2022
Version	: 1.01

#### Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision DRYWOOD OPTI-JOINT XP II : 25/07/2022 Date of previous issue