SAFETY DATA SHEET



JRM-EDGES - All variants

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1	Product identifier	
P	roduct name	

: 🖟 M-EDGES - All variants

1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use: Paint.

1.3 Details of the supplier of the safety data sheet

reknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

e-mail address of person : Prod-safe@teknos.com

```
responsible for this SDS
```

National contact

reknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number : In an emergency, call 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Sens. 1, H317 Aquatic Chronic 3, H412

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



Signal word	Warning	
Hazard statements	₩317 - May cause an allergic skin reaction. H412 - Harmful to aquatic life with long lasting effects.	
Precautionary statements		
Prevention	 P280 - Wear protective gloves. P273 - Avoid release to the environment. P261 - Avoid breathing vapour. 	
Response	₱302 + P352 - IF ON SKIN: Wash with plenty of water. P362 + P364 - Take off contaminated clothing and wash it before reuse.	
Storage	Not applicable.	
Disposal	₱501 - Dispose of contents and container in accordance with all local, regio national and international regulations.	nal,

SECTION 2: Hazards identification

Hazardous ingredients	: Contains: 3-iodo-2-propynyl-butyl carbamate; 4,5-dichloro-2-octyl-2H-isothiazol- 3-one; 2-methyl-2H-isothiazol-3-one and 1,2-benzisothiazol-3(2H)-one
Supplemental label elements	: ₩arning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. Contains biocidal products for dry film and in-can preservation: IPBC and DCOIT and MIT and BIT and C(M)IT/MIT (3:1) and OIT. Risk of skin sensitisation.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:
2.3 Other hazards	
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	: In this mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do	: None known.

not result in classification

SECTION 3: Composition/information on ingredients

Iffanium dioxide REA 01-2: EC: 2 S-iodo-2-propynyl-butyl EC: 2 carbamate CAS (Z)-9-Octadecen-1-ol EC: 4 ethoxylated EA: 4	tifiers CH #: 119489379-17 236-675-5 : 13463-67-7	<mark>%</mark> ≥10 - ≤25	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
01-2 EC: 2 CAS3-iodo-2-propynyl-butyl carbamateEC: 2 CAS Index(Z)-9-Octadecen-1-ol ethoxylatedEC: 4 CAS	119489379-17 236-675-5	≥10 - ≤25	Carc 2 H351		
(Z)-9-Octadecen-1-ol EC: 4 ethoxylated CAS	. 13403-07-7		(inhalation)	-	[1] [*]
ethoxylated CAS	259-627-5 : 55406-53-6 x: 616-212-00-7	≤0.2	Acute Tox. 4, H302 Acute Tox. 3, H331 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 1, H372 (larynx) Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 400 mg/kg ATE [Inhalation (dusts and mists)] = 0.67 mg/l M [Acute] = 10 M [Chronic] = 1	[1]
	500-016-2 : 9004-98-2	≤0.3	Skin Irrit. 2, H315 Aquatic Acute 1, H400	M [Acute] = 1	[1]
isothiazol-3-one CAS	264-843-8 : 64359-81-5 x: 613-335-00-8	≤0.022	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071	ATE [Oral] = 567 mg/kg ATE [Inhalation (dusts and mists)] = 0.16 mg/l Skin Corr. 1, H314: $C \ge 5\%$ Skin Irrit. 2, H315: 0.025% $\le C < 5\%$ Eye Dam. 1, H318: $C \ge 3\%$ Eye Irrit. 2, H319: 0.025% $\le C < 3\%$ Skin Sens. 1, H317: $C \ge 0.0015\%$ M [Acute] = 100 M [Chronic] = 100	[1]
Date of issue/Date of revision	: 25/07/2025 Dat	e of previous is	sue : 04/12/2020	Version : 2	2/24

2-methyl-2H-isothiazol-	EC: 220-239-6	<0.01	Acute Tox. 3, H301	ATE [Oral] = 100	[1]
3-one	CAS: 2682-20-4 Index: 613-326-00-9		Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071	mg/kg ATE [Dermal] = 300 mg/kg ATE [Inhalation (dusts and mists)] = 0.11 mg/l Skin Sens. 1, H317: C $\geq 0.0015\%$ M [Acute] = 10 M [Chronic] = 1	
1,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	≤0.01	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = 0.21 mg/l Skin Sens. 1, H317: C $\geq 0.036\%$ M [Acute] = 1 M [Chronic] = 1	[1]
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:1)	EC: 911-418-6 CAS: 55965-84-9 Index: 613-167-00-5	<0.001	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071	ATE [Oral] = 53 mg/ kg ATE [Dermal] = 50 mg/kg ATE [Inhalation (vapours)] = 0.5 mg/l Skin Corr. 1C, H314: $C \ge 0.6\%$ Eye Dam. 1, H318: $C \ge 0.6\%$ Eye Irrit. 2, H319: $0.06\% \le C < 0.6\%$ Skin Sens. 1, H317: $C \ge 0.0015\%$ M [Acute] = 100 M [Chronic] = 100	
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

Substance classified with a health or environmental hazard

[*] The classification as a carcinogen by inhalation applies only to mixtures placed on the market in powder form containing 1% or more of titanium dioxide particles with aerodynamic diameter \leq 10 µm not bound within a matrix.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

SECTION 4: First aid measures

SECTION 4. First an	u measures
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact	: 📈 specific data.
Inhalation	: 📈 specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: F reat symptomatically. Contact poison treatment specialist immediately if large
	quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	: $ u$ se an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising	from the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides

5.3 Advice for firefighters

Date of issue/Date of revision	: 25/07/2025	Date of previous issue	:04/12/2020	Version : 2 4	1/24
RM-EDGES - All variants				Label No : 126450)

SECTION 5: Firefighting measures

 for fire-fighters special protective equipment for fire-fighters there is a fire. No action shall be taken involving any personal risk or without suitable training. Fre-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for 		
equipment for fire-fighters breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for	 -	
	 :	breathing apparatus (SCBA) with a full face-piece operated in positive pressure

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	tective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: F specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
6.2 Mothods and material for	containment and cleaning up

6.3 Methods and material for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Fating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Date of issue/Date of revision	: 25/07/2025	Date of previous issue	:04/12/2020	Version : 2	5/24
RM-EDGES - All variants				Label No : 1/264	50

SECTION 7: Handling and storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations Industrial sector specific solutions

: Not available.

: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
2-methyl-2H-isothiazol-3-one reaction mass of: 5-chloro-2-methyl-	Regulation on Limit Values - MAC (Austria, 12/2024) [5-Chlor- 2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-di- hydroisothiazol-3-on (Gemisch im Verhältnis 3:1)] Skin sensitiser. TWA 8 hours: 0.05 mg/m ³ . Regulation on Limit Values - MAC (Austria, 12/2024) [5-Chlor-
4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-di- hydroisothiazol-3-on (Gemisch im Verhältnis 3:1)] Skin sensitiser. TWA 8 hours: 0.05 mg/m ³ .
No exposure limit value known.	
riodo-2-propynyl-butyl carbamate	 TRGS 900 OEL (Germany, 6/2024) Skin sensitiser. PEAK 15 minutes: 0.116 mg/m³. PEAK 15 minutes: 0.01 ppm. TWA 8 hours: 0.058 mg/m³. TWA 8 hours: 0.005 ppm. DFG MAC-values list (Germany, 7/2024) Develop C. Skin sensitiser. PEAK 15 minutes: 0.116 mg/m³ 4 times per shift [Interval: 1 hour]. PEAK 15 minutes: 0.01 ppm 4 times per shift [Interval: 1 hour]. TWA 8 hours: 0.005 ppm.
2-methyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one No exposure limit value known. No exposure limit value known. No exposure limit value known.	DFG MAC-values list (Germany, 7/2024) Skin sensitiser. DFG MAC-values list (Germany, 7/2024) Skin sensitiser.

JRM-EDGES - All variants

Label No :1/26450

SECTION 8: Exposure controls/p	ersonal protection
No exposure limit value known.	
Peaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Regulation of the Minister of Family, Labor and Social Policy of June 12, 2018 on the maximum permissible concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286) (Poland, 7/2024) Absorbed through skin. TWA 8 hours: 0.2 mg/m ³ . STEL 15 minutes: 0.4 mg/m ³ .
No exposure limit value known.	
No exposure limit value known.	
No exposure limit value known.	
Fiodo-2-propynyl-butyl carbamate	Regulation on protection of workers from the risks related to exposure to chemical substances at work (Slovenia, 4/2024) KTV 15 minutes: 0.01 ppm 4 times per shift [time between two exposure events at this concentration must be at least 60 minutes]. TWA 8 hours: 0.005 ppm. KTV 15 minutes: 0.116 mg/m ³ 4 times per shift [time between two exposure events at this concentration must be at least 60 minutes]. TWA 8 hours: 0.058 mg/m ³ .
No exposure limit value known.	
No exposure limit value known.	
͡ 3 -iodo-2-propynyl-butyl carbamate	SUVA (Switzerland, 1/2025) Sensitiser. STEL 15 minutes: 0.24 mg/m ³ . Form: vapour and aerosols. STEL 15 minutes: 0.02 ppm. Form: vapour and aerosols. TWA 8 hours: 0.01 ppm. Form: vapour and aerosols. TWA 8 hours: 0.12 mg/m ³ . Form: vapour and aerosols.
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	SUVA (Switzerland, 1/2025) Sensitiser. STEL 15 minutes: 0.4 mg/m³. Form: Inhalable fraction. TWA 8 hours: 0.2 mg/m³. Form: Inhalable fraction.
No exposure limit value known.	

Biological exposure indices

Product/ingredient name			Exposure indic	ces	
No exposure indices known.					
No exposure indices known.					
No exposure indices known.					
No exposure indices known.					
No exposure indices known.					
No exposure indices known.					
No exposure indices known.					
No exposure indices known.					
No exposure indices known.					
No exposure indices known.					
No exposure indices known.					
Date of issue/Date of revision :	25/07/2025	Date of previous issue	: 04/12/2020	Version : 2	7/24
RM-EDGES - All variants				Label No :1/26	6450

SECTION 8: Exposure	controls/pe	ersonal protect	ion	
No exposure indices known.		_		
No exposure indices known.				
No exposure indices known.				
No exposure indices known.				
No exposure indices known.				
•				
No exposure indices known.				
No exposure indices known.				
No exposure indices known.				
No exposure indices known.				
No exposure indices known.				
No exposure indices known.				
No exposure indices known.				
No exposure indices known.				
No exposure indices known.				
No exposure indices known.				
No exposure indices known.				
No exposure indices known.				
No exposure indices known.				
No exposure indices known.				
No exposure indices known.				
No exposure indices known.				
Recommended monitoring : procedures	European Stand assessment of e values and mea atmospheres - (of exposure to c (Workplace atm for the measure	Surement strategy) E Guide for the applicati chemical and biologica cospheres - General re ment of chemical age	ace atmospheres - G n to chemical agents European Standard I on and use of proce al agents) European equirements for the ents) Reference to r	Suidance for the s for comparison with limit EN 14042 (Workplace edures for the assessment n Standard EN 482 performance of procedures
DNELs/DMELs	,			
Product/ingredient name		Result		
Manium dioxide		DNEL - Genera 28 μg/m³ <u>Effects</u> : Local	al population - Lon	g term - Inhalation
		DNEL - Worke 170 μg/m³ <u>Effects</u> : Local	rs - Long term - Inł	nalation
3-iodo-2-propynyl-butyl carbam	ate	DNEL - Worke 0.023 mg/m³ <u>Effects</u> : System	rs - Long term - Inł iic	nalation
		DNEL - Worke 0.07 mg/m³ <u>Effects</u> : System	r s - Short term - Inl iic	halation
		DNEL - Worke 1.16 mg/m³ <u>Effects</u> : Local	rs - Short term - Inl	halation
		DNEL - Worke	rs - Long term - Inł	nalation
Date of issue/Date of revision	: 25/07/2025 Da	te of previous issue	: 04/12/2020	Version : 2 8/24

CTION 8: Exposure controls	1.16 mg/m ³
	Effects: Local
	DNEL - Workers - Long term - Dermal 2 mg/kg bw/day <u>Effects</u> : Systemic
Z)-9-Octadecen-1-ol ethoxylated	DNEL - General population - Long term - Oral 2.5 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - General population - Long term - Inhalation 6.53 mg/m ³ <u>Effects</u> : Systemic
	DNEL - Workers - Long term - Inhalation 37 mg/m ³ <u>Effects</u> : Systemic
	DNEL - General population - Long term - Dermal 125 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - Workers - Long term - Dermal 350 mg/kg bw/day <u>Effects</u> : Systemic
-methyl-2H-isothiazol-3-one	DNEL - General population - Long term - Inhalation 0.021 mg/m ³ <u>Effects</u> : Local
	DNEL - Workers - Long term - Inhalation 0.021 mg/m ³ <u>Effects</u> : Local
	DNEL - General population - Long term - Oral 0.027 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - General population - Short term - Inhalatio 0.043 mg/m ³ <u>Effects</u> : Local
	DNEL - Workers - Short term - Inhalation 0.043 mg/m³ <u>Effects</u> : Local
	DNEL - General population - Short term - Oral 0.053 mg/kg bw/day <u>Effects</u> : Systemic
,2-benzisothiazol-3(2H)-one	DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - General population - Long term - Inhalation 1.2 mg/m ³ <u>Effects</u> : Systemic
	DNEL - Workers - Long term - Inhalation 6.81 mg/m ³ <u>Effects</u> : Systemic

SECTION 8: Exposure controls/personal protection

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) **DNEL - General population - Long term - Inhalation** 0.02 mg/m³ <u>Effects</u>: Local

DNEL - Workers - Long term - Inhalation 0.02 mg/m³ <u>Effects</u>: Local

DNEL - General population - Short term - Inhalation 0.04 mg/m³ Effects: Local

DNEL - Workers - Short term - Inhalation 0.04 mg/m³ Effects: Local

DNEL - General population - Long term - Oral 0.09 mg/kg bw/day <u>Effects</u>: Systemic

DNEL - General population - Short term - Oral 0.11 mg/kg bw/day <u>Effects</u>: Systemic

PNECs

Not available.

8.2 Exposure controls Appropriate engineering controls	: Sood general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection meas	<u>sures</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
	Recommendations : Wear suitable gloves tested to EN374.
	> 8 hours (breakthrough time): Mitrile gloves. thickness > 0.3 mm
	Not recommended polyvinyl alcohol (PVA) gloves
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Date of issue/Date of revision	: 25/07/2025 Date of previous issue : 04/12/2020 Version : 2 10/24
PRM-EDGES - All variants	Label No :1/26450

SECTION 8: Exposure controls/personal protection

•	· · ·
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
	Filter type (spray application): 🛛 📈 P
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

ŝ,

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: 🗾 quid.
Colour	: 🔽 arious
Odour	: 🕅ight
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	:

Ingredient name	°C	°F	Method
water	100	212	

Flammability	:	Not avai	ilable.			
Lower and upper explosion limit	:		Not applicable. Not applicable.			
Flash point	:	Closed of	Ølosed cup: >100°C (>212°F)			
Auto-ignition temperature	:	Not avai	ilable.			
Decomposition temperature	:	Not avai	ilable.			
рН	:	<mark>8</mark> .5 to 9.	1			
Viscosity	:	Not avai	ilable.			
Solubility(ies)	:					
Not available.						
Solubility in water	:	<mark>M</mark> ot avai	ilable.			
Partition coefficient: n-octanol/ water	:	Not app	licable.			

Vapour pressure

	Va	Vapour Pressure at 20°C			Vapour pressure at 50°C		
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method	
water	17.5	2.3					
Tributyl O-acetylcitrate	0.00037	0.000049					
Relative density	: Not	available.	ł				
Density	: 1.2	g/cm³					
/apour density	: Not	available.					
Particle characteristics							
Median particle size	: Not	applicable.					
ate of issue/Date of revision	: 25/07/2	2025 Date of	previous issue	: 04/12/2020		Version : 2	11/

RM-EDGES - All variants

SECTION 9: Physical and chemical properties

9.2 Other information

9.2.1 Information with regard to physical hazard classes

- **Explosive properties** : Not available.
- **Oxidising properties** : Not available.

9.2.2 Other safety characteristics

Not applicable.

....

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: Phe product is stable.
10.3 Possibility of hazardous reactions	: Inder normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: No specific data.
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity	
Product/ingredient name Product/ingredient name Product/ingredient name	<mark>Result</mark> Rat - Oral - LD50 400 mg/kg
	Rat - Dermal - LD50 >2000 mg/kg
	Rat - Inhalation - LC50 Dusts and mists 0.763 mg/l [4 hours]
	Rat - Inhalation - LC50 Dusts and mists 0.67 g/m ³ [4 hours]
4,5-dichloro-2-octyl-2H-isothiazol-3-one	Rat - Oral - LD50 1585 mg/kg OECD [Acute Oral Toxicity]
	Rabbit - Dermal - LD50 >652 mg/kg OECD [Acute Dermal Toxicity]
	Rat - Male, Female - Inhalation - LC50 Dusts and mists 0.26 mg/l [4 hours] OECD [Acute Inhalation Toxicity]
2-methyl-2H-isothiazol-3-one	Rat - Inhalation - LC50 Dusts and mists 0.11 mg/l [4 hours]
1,2-benzisothiazol-3(2H)-one	Rat - Oral - LD50 1020 mg/kg
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no.	Rat - Oral - LD50 53 mg/kg <u>Toxic effects</u> : Behavioral - Somnolence (general depressed

: 25/07/2025 Date of previous issue

SECTION 11: Toxicological information

220-239-6] (3:1)

activity) Behavioral - Ataxia Lung, Thorax, or Respiration - Respiratory depression

Conclusion/Summary [Product] : Not available.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
M-EDGES	N/A	N/A	N/A	N/A	339.4
3-iodo-2-propynyl-butyl carbamate	400	N/A	N/A	N/A	0.67
4,5-dichloro-2-octyl-2H-isothiazol-3-one	567	N/A	N/A	N/A	0.16
2-methyl-2H-isothiazol-3-one	100	300	N/A	N/A	0.11
1,2-benzisothiazol-3(2H)-one	450	N/A	N/A	N/A	0.21
reaction mass of: 5-chloro-2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1)	53	50	N/A	0.5	N/A

Skin	corrosion/irritatio	n
		_

Product/ingredient name

titanium dioxide

Result

Human - Skin - Mild irritant Duration of treatment/exposure: 72 hours Amount/concentration applied: 300 ug I

Rabbit - Skin - Moderate irritant

Human - Skin - Severe irritant

(Z)-9-Octadecen-1-ol ethoxylated

. . .

1,2-benzisothiazol-3(2H)-one

Human - Skin - Mild irritant Duration of treatment/exposure: 48 hours Amount/concentration applied: 5 %

Amount/concentration applied: 0.01 %

Duration of treatment/exposure: 24 hours Amount/concentration applied: 500 mg

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Conclusion/Summary [Product] : Not available.

Serious eye damage/eye irritation	
Product/ingredient name	Result
β -iodo-2-propynyl-butyl carbamate	Rabbit - Eyes - Severe irritant
(Z)-9-Octadecen-1-ol ethoxylated	Rabbit - Eyes - Moderate irritan

Rabbit - Eyes - Moderate irritant Amount/concentration applied: 100 uL

Conclusion/Summary [Product] : Not available.

Respiratory corrosion/irritation Not available.

Conclusion/Summary [Product] : Not available.

Respiratory or skin sensitization

Product/ingredient name

iodo-2-propynyl-butyl carbamate

Result

Guinea pig - skin Result: Not sensitizing

Date of issue/Date of revision

: 25/07/2025 Date of previous issue

:04/12/2020

SECTION 11: Toxicological information

S	ki	n	

Conclusion/Summary [Product] : Not available.

Respiratory

Conclusion/Summary [Product] : Not available.

Germ cell mutagenicity **Product/ingredient name**

Result

3-iodo-2-propynyl-butyl carbamate

In vitro - Bacteria Result: Negative

Conclusion/Summary [Product] : Not available.

Carcinogenicity

It has been observed that the carcinogenic hazard of this product arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. Not available.

Conclusion/Summary [Product] : Not available.

Reproductive toxicity Product/ingredient name 3-iodo-2-propynyl-butyl carbamate

Result

Rabbit - Female - Oral 50 mg/kg [7 days per week] [13 days] Maternal toxicity: Positive **Developmental: Negative**

Rabbit - Female - Oral 20 mg/kg [7 days per week] [13 days] Maternal toxicity: Negative **Developmental:** Negative

Conclusion/Summary [Product] : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure) **Product/ingredient name** Result **3**-iodo-2-propynyl-butyl carbamate

STOT RE 1, H372 (larynx)

14/24

Aspiration hazard		
Not available.		
Information on likely route	s of exposure	
Not available.		
Potential acute health effe	<u>cts</u>	
Eye contact	: 📈 known significant effects or critical hazards.	
Inhalation	: 📈 known significant effects or critical hazards.	
Skin contact	: May cause an allergic skin reaction.	
Ingestion	: No known significant effects or critical hazards.	
Symptoms related to the p	hysical, chemical and toxicological characteristics	
Eye contact	: No specific data.	
Inhalation	: No specific data.	
Date of issue/Date of revision	: 25/07/2025 Date of previous issue : 04/12/2020	Version : 2 14
RM-EDGES - All variants		Label No : 1/26450

SECTION 11: Toxicological information

Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: 📈 o specific data.
Delayed and immediate effe	cts as well as chronic effects from short and long-term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	ects
Not available.	
Conclusion/Summary [Pro	oduct] : Not available.
General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: 📈 known significant effects or critical hazards.
Mutagenicity	: 📈 known significant effects or critical hazards.
Reproductive toxicity	: 📈 known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

Conclusion/Summary [Product] : The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

Product/ingredient name	Result
Manium dioxide	Acute - LC50 - Marine water Fish - Mummichog - <i>Fundulus heteroclitus</i> >1000000 μg/l [96 hours] <u>Effect</u> : Mortality
	Acute - LC50 - Fresh water Crustaceans - Water flea - <i>Ceriodaphnia dubia</i> - Neonate <u>Age</u> : <24 hours 3 mg/l [48 hours] <u>Effect</u> : Mortality
3-iodo-2-propynyl-butyl carbamate	Acute - LC50 - Fresh water EU Fish - Trout - <i>Oncorhynchus mykiss</i> 0.067 mg/l [96 hours]
	Acute - NOEC - Fresh water EU Fish - Trout - <i>Oncorhynchus mykiss</i> 0.049 mg/l [96 hours]
	Acute - EC50 - Fresh water EU Daphnia - Daphnia - <i>Daphnia magna</i>

: 25/07/2025 Date of previous issue

:04/12/2020

SECTION 42, Ecologia	alinform	ation
SECTION 12: Ecologica		0.16 mg/l [48 hours]
		Chronic - NOEC - Fresh water EU Daphnia - Daphnia - <i>Daphnia Magna</i> 0.05 mg/l [21 days]
		Acute - EC50 - Fresh water EU Algae - Algae - <i>Scenedemus subspicatus</i> 0.022 mg/l [72 hours]
4,5-dichloro-2-octyl-2H-isothiazo	l-3-one	Acute - EC50 - Fresh water Algae - Green algae - <i>Pseudokirchneriella subcapitata</i> 0.003 mg/l [72 hours] <u>Effect</u> : Population
		Acute - EC50 - Fresh water Daphnia - Water flea - <i>Daphnia magna</i> 0.001 mg/l [48 hours] <u>Effect</u> : Intoxication
		Acute - LC50 - Fresh water US EPA Fish - Rainbow trout,donaldson trout - <i>Oncorhynchus mykiss</i> <u>Weight</u> : 1.2 g 2.7 ppb [96 hours] <u>Effect</u> : Mortality
		Chronic - NOEC US EPA Fish - Rainbow trout,donaldson trout - <i>Oncorhynchus mykiss</i> 0.56 ppb [97 days] <u>Effect</u> : Growth
		Chronic - NOEC - Marine water OECD Algae - Diatom - <i>Nitzschia pungens</i> 19.789 μg/l [96 hours] <u>Effect</u> : Population
2-methyl-2H-isothiazol-3-one		Acute - EC50 - Fresh water US EPA Daphnia - Water flea - <i>Daphnia magna</i> <u>Age</u> : <24 hours 0.18 ppm [48 hours] <u>Effect</u> : Intoxication
		Acute - LC50 - Fresh water US EPA Fish - Rainbow trout,donaldson trout - <i>Oncorhynchus mykiss</i> <u>Weight</u> : 0.73 g 0.07 ppm [96 hours] <u>Effect</u> : Mortality
1,2-benzisothiazol-3(2H)-one		Acute - LC50 - Fresh water OECD [Fish, Acute Toxicity Test] Fish - Trout - <i>Onorhynchus Mykiss</i> 1.9 mg/l [96 hours]
		Acute - EC50 OECD 202 [Daphnia sp. Acute Immobilization Test and Reproduction Test] Daphnia - Daphnia - <i>Daphnia Magna</i> 3.7 mg/l [48 hours]
<i>Date of issue/Date of revision</i> JRM-EDGES - All variants	: 25/07/2025	Date of previous issue : 04/12/2020 Version : 2 16/2 Label No : 1/2 6450 1/2

Acute - EC50 - Marine water

OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - Skeletonema Costatum 0.36 mg/l [72 hours]

Acute - NOEC - Marine water

days]

OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - Skeletonema Costatum 0.15 mg/l [72 hours]

Conclusion/Summary [Product] : Not available.

12.2 Persistence and degradability	
Product/ingredient name	Result
7,2-benzisothiazol-3(2H)-one	EU 24% [28

Conclusion/Summary [Product] : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
了iodo-2-propynyl-butyl carbamate	-	-	Not readily
1,2-benzisothiazol-3(2H)-one	-	-	Inherent

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
iodo-2-propynyl-butyl carbamate	>1	-	Low
1,2-benzisothiazol-3(2H)-one	-	3.2	Low

12.4 Mobility in soil

Soil/water partition coefficient

Product/ingredient name	logKoc	Кос
 J³-iodo-2-propynyl-butyl carbamate 4,5-dichloro-2-octyl-2H-isothiazol-3-one 2-methyl-2H-isothiazol-3-one 1,2-benzisothiazol-3(2H)-one 	1.1 3.4 1.7 1.9	13.4558 2562.01 54.9187 73.142

Results of PMT and vPvM assessment

Product/ingredient name	PMT	Р	Μ	т	vPvM	vP	vM
titanium dioxide	No	No	No	No	No	No	No
3-iodo-2-propynyl-butyl carbamate	No	No	No	No	No	No	No
(Z)-9-Octadecen-1-ol ethoxylated	No	No	No	No	No	No	No
4,5-dichloro-2-octyl-2H- isothiazol-3-one	No	No	No	No	No	No	No
2-methyl-2H-isothiazol-3-one	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	No	No	No	No	No	No	No

Conclusion/Summary

: Not available.

: The product does not meet the criteria to be considered as a PMT or vPvM.

SECTION 12: Ecological information

12.5 Results of PBT and vPvB assessment Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
titanium dioxide	No	No	No	No	No	No	No
3-iodo-2-propynyl-butyl carbamate	N/A	N/A	N/A	Yes	N/A	N/A	N/A
(Z)-9-Octadecen-1-ol ethoxylated	No	N/A	N/A	No	N/A	N/A	N/A
4,5-dichloro-2-octyl-2H- isothiazol-3-one	N/A	N/A	N/A	Yes	N/A	N/A	N/A
2-methyl-2H-isothiazol-3-one	No	N/A	N/A	No	N/A	N/A	N/A
1,2-benzisothiazol-3(2H)-one	No	N/A	No	No	No	N/A	No
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	No	N/A	N/A	No	N/A	N/A	N/A

Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
titanium dioxide	No	No	No	No	No	No	No
3-iodo-2-propynyl-butyl carbamate	No	No	No	No	No	No	No
(Z)-9-Octadecen-1-ol ethoxylated	No	No	No	No	No	No	No
4,5-dichloro-2-octyl-2H- isothiazol-3-one	No	No	No	No	No	No	No
2-methyl-2H-isothiazol-3-one	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	No	No	No	No	No	No	No

: The product does not meet the criteria to be considered as a PBT or vPvB. **Conclusion/Summary Regulation (EC) No. 1272/2008** [CLP]

12.6 Endocrine disrupting properties

Not available.

```
Conclusion/Summary [Product]
```

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

18/24

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations 13.1 Waste treatment methods **Product** Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Date of issue/Date of revision : 25/07/2025 Date of previous issue :04/12/2020 Version : 2 Label No : 1/26450 **J**RM-EDGES - All variants

SECTION 13: Disposal considerations

•	
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
European waste catalogue (EWC)	: 🛿 80111*, 200127*
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated
14.2 UN proper shipping name				
14.3 Transport hazard class(es)				7
14.4 Packing group				
14.5 Environmental hazards	No.	N o.	No.	No.

14.6 Special precautions for user: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

: Not relevant/applicable due to nature of the product.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

ŝ

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product/ingredient name	%	Designation [Usage]
RM-EDGES	≥90	3

Labelling

Other EU regulations

SECTION 15: Regulatory information

(integrated pollution prevention and control) - Air	: Not listed			
Industrial emissions (integrated pollution prevention and control) - Water	: Not listed			
Explosive precursors	: Not applica	blo		
Ozone depleting substanc				
Not listed.		<u></u>		
Prior Informed Consent (P	IC) (649/2012/I	<u>EU)</u>		
Not listed.				
Persistent Organic Polluta Not listed.	<u>nts</u>			
Seveso Directive				
This product is not controlled	d under the Sev	veso Directive.		
lational regulations				
<u>Austria</u>				
Limitation of the use of organic solvents	: Permitted.			
<u>Belgium</u>				
Czech Republic				
Storage code	: 🕅			
<u>Denmark</u>				
Fire class	: 📈-1			
Executive Order No. 1795/	<u>2015</u>			
Ingredient name			Annex I Section A	Annex I Section B
ti ťanium dioxide			Listed	-
MAL-code	: 00-1			
			ork involving coded p	
Protection based on MAL		is apply to the use of per		
Protection based on MAL	stipulation General: (coveralls/p clothes do shield mus		sonal protective equip I work that may result in worn when soiling is so against contact with the spattering if a full mask	oment: a soiling. Apron/ great that regular wor e product. A face a is not required. In thi
Protection based on MAL	stipulation General: (coveralls/p clothes do shield mus case, other In all spray respiratory	IS apply to the use of per Gloves must be worn for al rotective clothing must be not adequately protect skir t be worn in work involving	sonal protective equip I work that may result in worn when soiling is so against contact with th spattering if a full mask protection is not requir re is return spray, the fo	oment: great that regular wor e product. A face is not required. In thi ed.
Protection based on MAL	stipulation General: (coveralls/p clothes do shield mus case, other In all spray respiratory appropriate	Biggin and the second provide the second provide the second protect of the second protect skirt is a second protect skirt is a second protect skirt is a second protect in the second protect in the second protect is a second protect in the second protect in the second protect is a second protect of the second protect in the second protect is a second protect of the second protect is a second protect of the second protect is a second protect of the second prot	sonal protective equip I work that may result in worn when soiling is so against contact with the spattering if a full mask protection is not requir re is return spray, the fo tors/apron/coveralls/pro	oment: great that regular wor e product. A face is not required. In thi ed. blowing must be worn tective clothing as
Protection based on MAL	stipulation General: (coveralls/p clothes do shield mus case, other In all spray respiratory appropriate	Biggin and the second provide the second provide the second protect of the second protect skirt is a second protect skirt is a second protect skirt is a second protect in the second protect in the second protect is a second protect in the second protect in the second protect is a second protect of the second protect in the second protect is a second protect of the second protect is a second protect of the second protect is a second protect of the second prot	sonal protective equip I work that may result in worn when soiling is so against contact with the spattering if a full mask protection is not requir re is return spray, the fo tors/apron/coveralls/pro	oment: great that regular wor e product. A face is not required. In thi ed. blowing must be worn tective clothing as
Protection based on MAL	stipulation General: (coveralls/p clothes do shield mus case, other In all spray respiratory appropriate MAL-code: Applicatio spray zone - Arm prote	Gloves must be worn for al rotective clothing must be not adequately protect skir t be worn in work involving recommended use of eye ing operations in which the protection and arm protect or as instructed. 00-1 n: When spraying in existing.	sonal protective equip I work that may result in worn when soiling is so against contact with th spattering if a full mask protection is not requir re is return spray, the fo tors/apron/coveralls/pro	oment: a soiling. Apron/ great that regular wor e product. A face a is not required. In thi ed. ollowing must be worn tective clothing as operator is outside th
Protection based on MAL	stipulation General: (coveralls/p clothes do shield mus case, other In all spray respiratory appropriate MAL-code: Applicatio spray zone - Arm prote During all s operator is or booth.	Gloves must be worn for al rotective clothing must be not adequately protect skir t be worn in work involving recommended use of eye ing operations in which the protection and arm protect or as instructed. 00-1 n: When spraying in exist cortain must be worn.	sonal protective equip I work that may result in worn when soiling is so against contact with the spattering if a full mash protection is not requir re is return spray, the for tors/apron/coveralls/pro-	oment: a soiling. Apron/ great that regular wor e product. A face a is not required. In thi ed. ollowing must be worn tective clothing as operator is outside th

SECTION 15: Regulatory information

	r	ack trolleys, e	tc, must be equippe	ens that are temporari d with a mechanical ex g through workers' inh	khaust system to	
	١			d surfaces, a mask wit ction must be worn. W		
	(Caution The	regulations contain c	other stipulations in ad	dition to the above	Ð.
	,	See Regulatio	ons.			
Restrictions on use	_	_		rs below 18 years of a	ide. See the Natio	nal
				Executive Order regard		
List of undesirable substances	: 1	Not listed				
Carcinogenic waste				: Contains a substance gislation on cancer risk		egulated
Finland						
<u>France</u>						
Reinforced medical surveillance			1977 determining th illance: not applicable	e list of activities whic e	h require reinforce	ed
<u>Germany</u>						
Storage class (TRGS 510)	:	Ю				
Hazardous incident ordina	<u>ance</u>					
This product is not controlle			ny Hazardous Incide	ent Ordinance.		
Hazard class for water	: (3				
Technical instruction on a	air qu	ality control	(TA Luft)			
Number [Class]		Descriptior	1			%
5.2.5 5.2.5 [I] 5.2.7.2		Total dust Organic sul Organic sul Poorly degr substances	bstances radable, easily accur	nulating and highly to	tic organic	50.9 3.7 0.73 0.13
ΑΟΧ			ontains organically b	ound halogens and ca	n contribute to the	e AOX
Italy						
D.Lgs. 152/06	: 1	ot determine	d.			
Netherlands						
Water Discharge Policy (ABM)			aquatic organisms, r Decontamination effo	may have long-term ha ort: A	azardous effects i	n aquatio
<u>Norway</u>						
<u>Sweden</u>						
<u>Switzerland</u>						
VOC content	:	zxempt.				
nternational regulations						
Chemical Weapon Convent Not listed.	tion L	<u>.ist Schedule</u>	<u>s I, II & III Chemica</u>	<u>ls</u>		
Aontreal Protocol						
Not listed.						
Stockholm Convention on	Porei	stent Organi				
Not listed.	1 613	Stent Organi	<u>o i unutanto</u>			

SECTION 15: Regulatory information

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

15.2	Chemical	safety
asse	ssment	

: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group
	SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Skin Sens. 1, H317	Calculation method
Aquatic Chronic 3, H412	Calculation method

Full text of abbreviated H statements

H 301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Full text of classifications [CLP/GHS]

TIC HAZARD - Category 1 ATIC HAZARD - Category 1 ATIC HAZARD - Category 3 / 2 IRRITATION - Category 1
TIC HAZARD - Category 1 ATIC HAZARD - Category 1 ATIC HAZARD - Category 3 / 2 IRRITATION - Category 1
ATIC HAZARD - Category 1 ATIC HAZARD - Category 3 / 2 IRRITATION - Category 1
ATIC HAZARD - Category 1 ATIC HAZARD - Category 3 / 2 IRRITATION - Category 1
ATIC HAZARD - Category 3 / 2 IRRITATION - Category 1
RRITATION - Category 1
N - Category 1
N - Category 1B
N - Category 1C
N - Category 2
bry 1
pry 1A
) 90

SECTION 16: Other information				
STOT RE 1	SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 1			
Date of issue/ Date of revision	: 25/07/2025			
Date of previous issue	• : 04/12/2020			
Version	: 2			
	JRM-EDGES	M variants		

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision ↓ RM-EDGES - All variants : 25/07/2025 Date of previous issue

:04/12/2020

 Version
 : 2
 24/24

 Label No
 : 1/26450