

Reviewed on: 30/06/2021 Printing date: 30/06/2021

	lentification of the substance/mixture an	d of the company
	ndertaking	
• 1.1 Product ide	ntifier	
 Trade name: MOTIVO COLO 	RATO 2070	
Article number / 257500	Safety Data Sheet:	
 1.2 Relevant ide 	ntified uses of the substance or mixture and uses advised a e substance / the preparation	against
 1.3 Details of th Manufacturer/St Teknos AG Industriestrasse LI-9487 Gamprii T +423 375 94 0 F +423 375 94 9 	7 n-Bendern 0	
	ion obtainable from:	
 1.4 Emergency 		
Swiss Toxicolog	ical Information Centre, CH-8032 Zürich Emergency telepho	one: +41 (0)44 251 51 51 (Internationa
	azards identification	
 Void 2.2 Label eleme Labelling accord Hazard pictogra Void Signal word Void Hazard stateme EUH208 Contain 3-one, reaction 1 no. 247-500-7] a 1). May produce EUH210 Safety 2.3 Other hazard 	ing to Regulation (EC) No 1272/2008 ns hts hs 1,2-benzisothiazol-3(2H)-one, 2-methyl-2H-isothiazol- nass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC nd2- methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3: an allergic reaction. data sheet available on request.	
ECTION 03: C	composition/information on ingredients	
Description:	haracterization: Mixtures ances listed below with nonhazardous additions.	
 Dangerous com CAS Number 	ponents:	%
2634-33-5	1,2-benzisothiazol-3(2H)-one	⁷ ° 0,0015- 0,50
	EC number: 220-120-9	
	Eye Dam. 1 - H318; Acute Tox. 4	
	- H302, Skin Irrit. 2 - H315, Skin Sens. 1 - H317; 🚸 Aquatic Acute 1 - H400	

Page : 2 / 8 MATERIAL SAFETY DATA SHEET according to 1907/2006/EC, Article 31



3998912

Reviewed on: 30/06/2021 Printing date: 30/06/2021

PRODUCT :	MOTIVO COLORATO 2070	
		(continued of page 1)
55965-84-9	reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC no. 220-239- 6] (3: 1) ♦ Skin Corr. 1C - H314, Eye Dam. 1 -	0,00-0,0015
	H318; 🔶 Acute Tox. 3 - H301, Acute Tox. 2 - H310, Acute Tox. 2 - H330; 🗘 Skin Sens. 1A - H317; 🔖 Aquatic Acute 1 -	
111-76-2	H400, Aquatic Chronic 1 - H410 2-butoxyethanol EC number: 203-905-0 Record number 01-2119475108-36 ① Acute Tox. 4 - H302, Acute Tox. 4 -	1,00- 5,00
112-34-5	H312, Acute Tox. 4 - H332, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319 2-(2-butoxyethoxy)ethanol EC number: 203-961-6 Record number 01-2119475104-44	1,00- 5,00
04500.04.0	Eye Irrit. 2 - H319	0.0045 0.50
34590-94-8	Dipropylene glycol monomethyl ether EC number: 252-104-2 Record number 01-2119450011-60 substance with a Community workplace exposure limit.	0,0015- 0,50
2682-20-4	2-methyl-2H-isothiazol-3-one EC number: 220-239-6	0,00-0,0015
 Additional is For the work 	H400, Aquatic Chronic 1 - H410 <i>nformation:</i> ding of the listed risk phrases refer to section 16.	

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water.
- After swallowing: Do not induce vomiting; call for medical help immediately.
- Information for doctor:

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.



Reviewed on: 30/06/2021 Printing date: 30/06/2021

	(continued of page 2
ECTIONO	5: Firefighting measures
	uishing media extinguishing agents:
CO2, pow	der or water spray. Fight larger fires with water spray or alcohol resistant foam.
 5.2 Speci 	al hazards arising from the substance or mixture
	of toxic gases is possible during heating or in case of fire.
 5.3 Advid Protective 	e for firefighters
	piratory protective device.
	ale explosion gases or combustion gases.
	I information
Collect cc	ngered receptacles with water spray. ntaminated fire fighting water separately. It must not enter the sewage system.
	naminated me lighting water separately. It must not enter the sewage system.
ECTION (6: Accidental release measures
	nal precautions, protective equipment and emergency procedures
	ective equipment. Keep unprotected persons away.
	equate ventilation precautions:
	by product to reach sewage system or any water course.
Inform res	pective authorities in case of seepage into water course or sewage system.
	seepage into the ground inform responsible authorities.
	plenty of water. gas release or seepage into the ground inform responsible authorities.
	w to enter sewers/ surface or ground water.
• 6.3 Metho	ds and material for containment and cleaning up:
	h liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
	ence to other sections on 7 for information on safe handling.
	on 8 for information on personal protection equipment.
	on 13 for disposal information.
	7. Handling and storage
ECTION 0	7: <u>Handling and storage</u>
ECTION 0	
 Handling 7.1 Preca 	utions for safe handling
 Handling 7.1 Preca Open and 	utions for safe handling handle receptacle with care.
 Handling 7.1 Preca Open and Informatic 	utions for safe handling handle receptacle with care. n about fire - and explosion protection:
 Handling 7.1 Preca Open and Informatic 	utions for safe handling handle receptacle with care.
 Handling 7.1 Preca Open and Informatic Prevent in 7.2 Condi 	utions for safe handling handle receptacle with care. n about fire - and explosion protection:
 Handling 7.1 Preca Open and Informatic Prevent ir 7.2 Condi Storage: 	utions for safe handling handle receptacle with care. n about fire - and explosion protection: npact and friction. tions for safe storage, including any incompatibilities
 Handling 7.1 Preca Open and Informatic Prevent ir 7.2 Condi Storage: Requirem 	utions for safe handling handle receptacle with care. n about fire - and explosion protection: npact and friction. tions for safe storage, including any incompatibilities ents to be met by storerooms and receptacles:
 Handling 7.1 Preca Open and Informatic Prevent ir 7.2 Condi Storage: Requirem Store only 	utions for safe handling handle receptacle with care. n about fire - and explosion protection: npact and friction. tions for safe storage, including any incompatibilities ents to be met by storerooms and receptacles: in the original receptacle.
 Handling 7.1 Preca Open and Informatic Prevent ir 7.2 Conditional Storage: Requirem Store only Informatic 	utions for safe handling handle receptacle with care. n about fire - and explosion protection: npact and friction. tions for safe storage, including any incompatibilities ents to be met by storerooms and receptacles: in the original receptacle. n about storage in one common storage facility:
 Handling 7.1 Preca Open and Informatic Prevent ir 7.2 Condi Storage: Requirem Store only Informatic Not require 	utions for safe handling handle receptacle with care. n about fire - and explosion protection: npact and friction. tions for safe storage, including any incompatibilities ents to be met by storerooms and receptacles: in the original receptacle. n about storage in one common storage facility:
 Handling 7.1 Preca Open and Informatic Prevent ir 7.2 Condi Storage: Requirem Store only Informatic Not requir Further in Protect free 	utions for safe handling handle receptacle with care. n about fire - and explosion protection: hpact and friction. tions for safe storage, including any incompatibilities ents to be met by storerooms and receptacles: in the original receptacle. n about storage in one common storage facility: ed. formation about storage conditions: im frost.
 Handling 7.1 Preca Open and Informatic Prevent ir 7.2 Condi Storage: Requirem Store onlio Not requir Further in Protect fro Store in c 	utions for safe handling handle receptacle with care. n about fire - and explosion protection: spact and friction. tions for safe storage, including any incompatibilities ents to be met by storerooms and receptacles: in the original receptacle. n about storage in one common storage facility: ed. formation about storage conditions: im frost. pol, dry conditions in well sealed receptacles.
 Handling 7.1 Preca Open and Informatic Prevent ir 7.2 Condi Storage: Requirem Store only Informatic Not requir Further in Protect fro Store in c Protect fro 	utions for safe handling handle receptacle with care. n about fire - and explosion protection: hpact and friction. tions for safe storage, including any incompatibilities ents to be met by storerooms and receptacles: in the original receptacle. n about storage in one common storage facility: ed. formation about storage conditions: im frost.

(continued on page 4)



Reviewed on: 30/06/2021 Printing date: 30/06/2021

PRODUCT :	MOTIVO COLORATO	2070	
	_		(continued of page 3)
SECTION 08	: Exposure contro	ols/personal protection	
 8.1 Control Ingredients 111-76-2 		quire monitoring at the workplace:	
НТР	•		
She	ort-term value	250	mg/m3
		50	ppm
Loi	ng-term value	98	mg/m3
		20	ppm
iho			
112-34-5	2-(2-butoxyethoxy	y)ethanol	
HTP			
Loi	ng-term value	68	mg/m3
		10	ppm
34590-94-8 HTP	Dipropylene glyco	ol monomethyl ether	
Loi	ng-term value	310	mg/m3
		50	ppm
 General pro The usual p Do not eat o Be sure to o <i>Respiratory</i> <i>Protection o</i> preparation preparation of diffusion Material of o The selection varies from the glove m Penetration The exact b observed. The determ Therefore a <i>Eye protect</i> 	rotective equipment: tective and hygienic measures are recautionary measures are or drink while working. elean skin thoroughly after y protection: Suitable respira of hands: The glove materia Due to missing tests no re (the chemical mixture. Sele and the degradation Imper gloves on of the suitable gloves do manufacturer to manufactu aterial can not be calculate time of glove material reak through time has to be ined penetration times account	e to be adhered to when handling cher work and before breaks. atory protective device recommended. al has to be impermeable and resistant ecommendation to the glove material of ection of the glove material on conside vious gloves wes not only depend on the material, b urer. As the product is a preparation of ed in advance and has therefore to be e found out by the manufacturer of the ording to EN 374 part III are not perfor hich corresponds to 50% of the penet	t to the product/ the substance/ the can be given for the product/ the eration of the penetration times, rates ut also on further marks of quality and f several substances, the resistance of checked prior to the application. e protective gloves and has to be rmed under practical conditions.
	: Physical and che on basic physical and ch		
Colour:		According to product specifica	

Characteristic Characteristic

20 °C 8,0 - 9,0

(continued on page 5)

Odour:



Reviewed on: 30/06/2021 Printing date: 30/06/2021

PRODUCT: MOTIVO COLORATO 2070 (continued of page 4) Change in condition 0°C Melting point/freezing point: 100 °C Initial boiling point and boiling range: Flash point: Not applicable. Flammability (solid, gas): Not applicable. Ignition temperature: Undetermined. **Decomposition temperature:** Not determined. Not determined Auto-ignition temperature: **Explosive properties:** Not determined. **Explosion limits:** Lower: Not determined. Not determined. Upper: 23,0000 mbar Vapour pressure: at 20 °C Density: 1,1900 g/cm3 Solubility in / Miscibility with Not determined. water: Viscosity: Not determined. 23 °C 30 s DIN 6 mm 20 at 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

• 10.1 Reactivity

- No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions
- No dangerous reactions known.
- 10.4 Conditions to avoid
- No further relevant information available.
- 10.5 Incompatible materials:
- No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity
- LD/LC50 values relevant for classification:
- 108-01-0 2-dimethylaminoethanol

Oral, LD50: 2000 mg/kg (rat) Dermal, LD50: 1370 mg/kg (Rabbit) Inhalative, LC50/4h: 3,25 mg/l (mouse) Oral, LD50: 1746 mg/kg (rat) Oral, LD50: 1414 mg/kg (guinea Pig) Dermal, LD50: 2000 mg/kg (rat) Dermal, LD50: 1000 mg/kg (Rabbit) Dermal, LD50: 2000 mg/kg (guinea Pig) Oral, LD50: 5660 mg/kg (rat) Dermal, LD50: 4000 mg/kg (Rabbit) Oral, LD50: >2000 mg/kg (rat) Oral, LD50: 5135 mg/kg (rat) Dermal, LD50: >19000 mg/kg (Rabbit) Oral, LD50: >2000 mg/kg (rat) Dermal, LD50: >10000 mg/kg (Rabbit) Oral, LD50: >20000 mg/kg (rat) Oral, LD50: 5135 mg/kg (rat) Dermal, LD50: >19000 mg/kg (Rabbit) Oral, LD50: >20000 mg/kg (rat) Dermal, LD50: >10000 mg/kg (Rabbit) Inhalative, LC50/4h: >6,82 mg/l (rat)

111-76-22-butoxyethanol112-34-52-(2-butoxyethoxy)ethanol50-00-0formaldehyde

- 34590-94-8 Dipropylene glycol monomethyl ether
- 13463-67-7 titanium dioxide
- Primary irritant effect:



Reviewed on: 30/06/2021 Printing date: 30/06/2021

PRODUCT: MOTIVO COLORATO 2070 (continued of page 5) · Skin corrosion/irritation No irritant effect. Serious eye damage/irritation No irritating effect. Respiratory or skin sensitisation No sensitising effects known. Additional toxicological information: The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version. SECTION 12: Ecological information • 12.1 Toxicity Aquatic toxicity: No further relevant information available. 12.2 Persistence and degradability No further relevant information available. · Behaviour in environmental systems: 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. Additional ecological information: General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Other adverse effects No further relevant information available. SECTION 13: Disposal considerations · 13.1 Waste treatment methods · European and swiss waste code 08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS 08 01 wastes from MFSU and removal of paint and varnish 08 01 19 aqueous suspensions containing paint or varnish containing organic solvents or other hazardous substances Uncleaned packaging: Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

• 14.1 UN-Number	
ADR	Void
IMDG	Void
IATA	Void
14 O LINI muamau ahimmin	

14.2 UN proper shipping name



Reviewed on: 30/06/2021 Printing date: 30/06/2021

	(continued of page
ADR	Void
IMDG	Void
IATA	Void
	sport hazard class(es)
Class	Void
IMDG	
Class	Void
ΙΑΤΑ	
Class	Void
• 14.4 Pacl	king group
ADR	Void
IMDG	Void
ΙΑΤΑ	Void
Not applic • 14.7 Tran Not applic	asport in bulk according to Annex II of MARPOL73/78 and the IBC Code cable. rt/Additional information:
SECTION 1	5: Regulatory information
 REGULA 	ety, health and environmental regulations/legislation specific for the substance or mixture TION (EC) No 1907/2006 ANNEX XVII ions of restriction: 55

- Technical instructions (air): •
- Class Share in % Ι

• Waterhazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

nelevani pinas	
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

(continued on page 8)

^{2,97}



3998912

Reviewed on: 30/06/2021 Printing date: 30/06/2021

	(continued of page 7
 Departme 	nt issuing MSDS:
	nt protection department.
	ons and acronyms:
	ord européen sur le transport des marchandises dangereuses par Route (European Agreement
	the International Carriage of Dangerous Goods by Road)
	ement international concernant le transport des marchandises dangereuses par chemin de fer
	ns Concerning the International Transport of Dangerous Goods by Rail)
	In a conserve a server
	national Air Transport Association
	rnational Civil Aviation Organisation
	ally Harmonised System of Classification and Labelling of Chemicals
	European Inventory of Existing Commercial Chemical Substances
	European List of Notified Chemical Substances
	nical Abstracts Service (division of the American Chemical Society)
	al concentration. 50 percent
	al dose, 50 percent
	stent, Bioaccumulative and Toxic
	Persistent and very Bioaccumulative
	pared to the previous version altered.