Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

# SAFETY DATA SHEET



**TAPETTIPOHJAMAALI - All variants** 

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

## **1.1 Product identifier**

: TAPETTIPOHJAMAALI - All variants **Product name** 

1.2 Relevant identified uses of the substance or mixture and uses advised against **Product use** : Paint.

#### 1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091. e-mail address of person : Prod-safe@teknos.com responsible for this SDS

#### **National contact**

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

#### 1.4 Emergency telephone number

National advisory body/Poison Centre
--------------------------------------

**Telephone number** : In an emergency, call 112

#### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	<ul> <li>Contains 1,2-benzisothiazol-3(2H)-one and reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. Safety data sheet available on request. Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. Contains biocidal products for in-can preservation: BIT and NaPT and EGForm and C(M)IT/MIT (3:1).</li> </ul>
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:
Date of issue/Date of revision	: 25/02/2025 Date of previous issue : 14/09/2022 Version : 5 1/19

**TAPETTIPOHJAMAALI - All variants** 

## **SECTION 2: Hazards identification**

#### 2.3 Other hazards

Product meets the criteria	This mixture does not contain any substances that are assessed to be a PBT or a
for PBT or vPvB according	vPvB.
to Regulation (EC) No.	

1907/2006, Annex XIII Other hazards which do : None known. not result in classification

## SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
titanium dioxide	REACH #: 01-2119489379-17 EC: 236-675-5 CAS: 13463-67-7	≤10	Carc. 2, H351 (inhalation)	-	[1] [*]
1,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.036	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = $0.21$ mg/l Skin Sens. 1, H317: C $\geq 0.036\%$ M [Acute] = 1 M [Chronic] = 1	[1]
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:1)	EC: 911-418-6 CAS: 55965-84-9 Index: 613-167-00-5	<0.0015	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071 See Section 16 for the full text of the H statements declared	ATE [Oral] = 53 mg/ kg ATE [Dermal] = 50 mg/kg ATE [Inhalation (vapours)] = 0.5 mg/l Skin Corr. 1C, H314: $C \ge 0.6\%$ Eye Dam. 1, H318: $C \ge 0.6\%$ Eye Irrit. 2, H319: $0.06\% \le C < 0.6\%$ Skin Sens. 1, H317: $C \ge 0.0015\%$ M [Acute] = 100 M [Chronic] = 100	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. Type

[1] Substance classified with a health or environmental hazard

[\*] The classification as a carcinogen by inhalation applies only to mixtures placed on the market in powder form containing 1% or more of titanium dioxide particles with aerodynamic diameter  $\leq$  10 µm not bound within a matrix. Occupational exposure limits, if available, are listed in Section 8.

## SECTION 4: First aid measures

4.1 Description of first aid measures			
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.		
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.		
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>		
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.		
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.		

4.2 Most important symptoms and effects, both acute and delayed
Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	1	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising fi	ron	the substance or mixture
Hazards from the substance or mixture	1	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
5.3 Advice for firefighters		
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

: 25/02/2025 Date of previous issue

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	tective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e. g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

## **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

: 25/02/2025 Date of previous issue

## **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

#### 8.1 Control parameters

**Occupational exposure limits** 

Product/ingredient name	Exposure limit values
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Regulation on Limit Values - MAC (Austria, 4/2021) [5-Chlor- 2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-di- hydroisothiazol-3-on (Gemisch im Verhältnis 3:1)] Skin sensitiser. TWA 8 hours: 0.05 mg/m <sup>3</sup> .
No exposure limit value known.	
1,2-benzisothiazol-3(2H)-one	DFG MAC-values list (Germany, 7/2023) Skin sensitiser.
No exposure limit value known.	
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	<b>SUVA (Switzerland, 1/2024)</b> Sensitiser. STEL 15 minutes: 0.4 mg/m <sup>3</sup> . Form: Inhalable fraction. TWA 8 hours: 0.2 mg/m <sup>3</sup> . Form: Inhalable fraction.
No exposure limit value known.	

: 25/02/2025 Date of previous issue

: 14/09/2022

Product/ingredient	name	Exposure indices
No exposure indices known.		
Recommended monitoring procedures	European Stand assessment of of values and mea atmospheres - ( of exposure to of (Workplace atm for the measure	I Ild be made to monitoring standards, such as the following: dard EN 689 (Workplace atmospheres - Guidance for the exposure by inhalation to chemical agents for comparison with limit isurement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment chemical and biological agents) European Standard EN 482 nospheres - General requirements for the performance of procedure ement of chemical agents) Reference to national guidance
	documents for r required.	methods for the determination of hazardous substances will also be
DNELs/DMELs	required.	
Product/ingredient name		Result

Date of issue/Date of revision: 2TAPETTIPOHJAMAALI - All variants

: 25/02/2025 Date of previous issue

:14/09/2022

 Version
 : 5
 6/19

 Label No
 : 3/8732

DNEL - Workers - Long term - Inhalation 170 µg/m³ Effects: Local         1.2-benzisothiazol-3(2H)-one       DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic         DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day Effects: Systemic       DNEL - General population - Long term - Inhalation 1.2 mg/m³ Effects: Systemic         DNEL - Workers - Long term - Inhalation 1.2 mg/m³ Effects: Systemic       DNEL - General population - Long term - Inhalation 0.81 mg/m³ Effects: Systemic         DNEL - Workers - Long term - Inhalation 0.220-239-6] (3:1)       DNEL - General population - Long term - Inhalation 0.02 mg/m³ Effects: Local         DNEL - Workers - Long term - Inhalation 0.02 mg/m³ Effects: Local       DNEL - General population - Long term - Inhalation 0.02 mg/m³ Effects: Local         DNEL - General population - Short term - Inhalation 0.04 mg/m³ Effects: Local       DNEL - General population - Short term - Inhalation 0.04 mg/m³ Effects: Local         DNEL - General population - Long term - Oral 0.11 mg/kg bw/day Effects: Systemic       DNEL - General population - Long term - Oral 0.11 mg/kg bw/day Effects: Systemic         NECS Not available.       : Good general ventilation should be sufficient to control worker exposure to aird controls	titanium dioxide	<b>DNEL - General population - Long term - Inhalation</b> 28 μg/m³ <u>Effects</u> : Local
0.345 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Inhalation 1.2 mg/m <sup>3</sup> Effects: Systemic DNEL - Workers - Long term - Inhalation 6.81 mg/m <sup>3</sup> Effects: Systemic DNEL - General population - Long term - Inhalation 0.02 mg/m <sup>3</sup> Effects: Local DNEL - General population - Long term - Inhalation 0.02 mg/m <sup>3</sup> Effects: Local DNEL - General population - Long term - Inhalation 0.02 mg/m <sup>3</sup> Effects: Local DNEL - General population - Short term - Inhalation 0.04 mg/m <sup>3</sup> Effects: Local DNEL - General population - Short term - Inhalation 0.04 mg/m <sup>3</sup> Effects: Local DNEL - General population - Long term - Oral 0.04 mg/m <sup>3</sup> Effects: Systemic DNEL - General population - Long term - Oral 0.04 mg/m <sup>3</sup> Effects: Systemic DNEL - General population - Long term - Oral 0.04 mg/m <sup>3</sup> Effects: Systemic DNEL - General population - Long term - Oral 0.04 mg/m <sup>3</sup> Effects: Systemic DNEL - General population - Long term - Oral 0.04 mg/m <sup>3</sup> Effects: Systemic DNEL - General population - Long term - Oral 0.04 mg/m <sup>3</sup> Effects: Systemic DNEL - General population - Long term - Oral 0.04 mg/m <sup>3</sup> Effects: Systemic DNEL - General population - Long term - Oral 0.04 mg/m <sup>3</sup> Effects: Systemic DNEL - General population - Long term - Oral 0.04 mg/m <sup>3</sup> Effects: Systemic DNEL - General population - Long term - Oral 0.11 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Oral 0.11 mg/kg bw/day Effects: Systemic		170 µg/m³
0.966 mg/kg bw/day Effects: Systemic         DNEL - General population - Long term - Inhalation 1.2 mg/m³ Effects: Systemic         DNEL - Workers - Long term - Inhalation 6.81 mg/m³ Effects: Systemic         DNEL - General population - Long term - Inhalation 0.02 mg/m³ Effects: Local         DNEL - Workers - Long term - Inhalation 0.02 mg/m³ Effects: Local         DNEL - Workers - Long term - Inhalation 0.02 mg/m³ Effects: Local         DNEL - Workers - Long term - Inhalation 0.02 mg/m³ Effects: Local         DNEL - Workers - Long term - Inhalation 0.04 mg/m³ Effects: Local         DNEL - Workers - Short term - Inhalation 0.04 mg/m³ Effects: Local         DNEL - Workers - Short term - Inhalation 0.04 mg/m³ Effects: Local         DNEL - General population - Short term - Inhalation 0.04 mg/m³ Effects: Local         DNEL - General population - Long term - Oral 0.09 mg/kg bw/day Effects: Systemic         DNEL - General population - Short term - Oral 0.11 mg/kg bw/day Effects: Systemic         NECS Not available.         ? Exposure controls porporpriate engineering ontrols       : Good general ventilation should be sufficient to control worker exposure to aird contaminants.	1,2-benzisothiazol-3(2H)-one	0.345 mg/kg bw/day
1.2 mg/m³ Effects: Systemic         DNEL - Workers - Long term - Inhalation 6.81 mg/m³ Effects: Systemic         DNEL - General population - Long term - Inhalation 0.02 mg/m³ Effects: Local         DNEL - Workers - Long term - Inhalation 0.02 mg/m³ Effects: Local         DNEL - Workers - Long term - Inhalation 0.02 mg/m³ Effects: Local         DNEL - Workers - Long term - Inhalation 0.02 mg/m³ Effects: Local         DNEL - Workers - Short term - Inhalation 0.04 mg/m³ Effects: Local         DNEL - Workers - Short term - Inhalation 0.04 mg/m³ Effects: Local         DNEL - Workers - Short term - Inhalation 0.04 mg/m³ Effects: Local         DNEL - Workers - Short term - Inhalation 0.04 mg/m³ Effects: Local         DNEL - General population - Long term - Oral 0.09 mg/kg bw/day Effects: Systemic         DNEL - General population - Long term - Oral 0.11 mg/kg bw/day Effects: Systemic         NECS Not available.         Exposure controls         Exposure controls         propriate engineering ontrols		0.966 mg/kg bw/day
6.81 mg/m³ Effects: Systemic         eaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 220-239-6] (3:1)       DNEL - General population - Long term - Inhalation 0.02 mg/m³ Effects: Local         DNEL - Workers - Long term - Inhalation 0.02 mg/m³ Effects: Local       DNEL - Workers - Long term - Inhalation 0.02 mg/m³ Effects: Local         DNEL - Workers - Short term - Inhalation 0.04 mg/m³ Effects: Local       DNEL - Workers - Short term - Inhalation 0.04 mg/m³ Effects: Local         DNEL - Workers - Short term - Inhalation 0.04 mg/m³ Effects: Local       DNEL - General population - Long term - Oral 0.09 mg/kg bw/day Effects: Systemic         DNEL - General population - Long term - Oral 0.09 mg/kg bw/day Effects: Systemic       DNEL - General population - Short term - Oral 0.11 mg/kg bw/day Effects: Systemic         NECs Not available.       : Cood general ventilation should be sufficient to control worker exposure to aird contaminants.		1.2 mg/m <sup>3</sup>
4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no.       0.02 mg/m³ Effects: Local         DNEL - Workers - Long term - Inhalation 0.02 mg/m³ Effects: Local       0.02 mg/m³ Effects: Local         DNEL - General population - Short term - Inhalation 0.04 mg/m³ Effects: Local       0.04 mg/m³ Effects: Local         DNEL - Workers - Short term - Inhalation 0.04 mg/m³ Effects: Local       0.04 mg/m³ Effects: Local         DNEL - General population - Short term - Inhalation 0.04 mg/m³ Effects: Local       0.09 mg/kg bw/day         DNEL - General population - Long term - Oral 0.09 mg/kg bw/day Effects: Systemic       0.01 mg/kg bw/day Effects: Systemic         NECs Not available.       * Cood general ventilation should be sufficient to control worker exposure to aird contaminants.		6.81 mg/m <sup>3</sup>
0.02 mg/m³         Effects: Local         DNEL - General population - Short term - Inhalation         0.04 mg/m³         Effects: Local         DNEL - Workers - Short term - Inhalation         0.04 mg/m³         Effects: Local         DNEL - Workers - Short term - Inhalation         0.04 mg/m³         Effects: Local         DNEL - General population - Long term - Oral         0.09 mg/kg bw/day         Effects: Systemic         DNEL - General population - Short term - Oral         0.11 mg/kg bw/day         Effects: Systemic         NECS         Not available.         Exposure controls         ppropriate engineering         : Good general ventilation should be sufficient to control worker exposure to aird contaminants.	1-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no.	0.02 mg/m <sup>3</sup>
0.04 mg/m <sup>3</sup> Effects: Local DNEL - Workers - Short term - Inhalation 0.04 mg/m <sup>3</sup> Effects: Local DNEL - General population - Long term - Oral 0.09 mg/kg bw/day Effects: Systemic DNEL - General population - Short term - Oral 0.11 mg/kg bw/day Effects: Systemic NECs Not available. Exposure controls propriate engineering ontrols : Good general ventilation should be sufficient to control worker exposure to aird contaminants.		0.02 mg/m³
0.04 mg/m³         Effects: Local         DNEL - General population - Long term - Oral         0.09 mg/kg bw/day         Effects: Systemic         DNEL - General population - Short term - Oral         0.11 mg/kg bw/day         Effects: Systemic         NECs         Not available.         Exposure controls         ppropriate engineering         : Good general ventilation should be sufficient to control worker exposure to aird contaminants.		0.04 mg/m <sup>3</sup>
0.09 mg/kg bw/day <u>Effects</u> : Systemic <b>DNEL - General population - Short term - Oral</b> 0.11 mg/kg bw/day <u>Effects</u> : Systemic <u>NECs</u> Not available. <b>Exposure controls</b> propriate engineering ontrols <b>:</b> Good general ventilation should be sufficient to control worker exposure to airly contaminants.		0.04 mg/m³
0.11 mg/kg bw/day <u>Effects</u> : Systemic Not available. <b>Exposure controls</b> propriate engineering ontrols <b>Contaminants</b> .		0.09 mg/kg bw/day
Not available.         Exposure controls         ppropriate engineering ontrols         : Good general ventilation should be sufficient to control worker exposure to airly contaminants.		0.11 mg/kg bw/day
<ul> <li>ppropriate engineering : Good general ventilation should be sufficient to control worker exposure to airly contaminants.</li> </ul>		
	ppropriate engineering : Good general	•
	ndividual protection measures	

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products,<br/>before eating, smoking and using the lavatory and at the end of the working period.<br/>Appropriate techniques should be used to remove potentially contaminated clothing.<br/>Wash contaminated clothing before reusing. Ensure that eyewash stations and<br/>safety showers are close to the workstation location.

 Date of issue/Date of revision
 : 25/02/2025
 Date of previous issue
 : 14/09/2022
 Version
 : 5
 7/19

 TAPETTIPOHJAMAALI - All variants
 Label No: 38732

## **SECTION 8: Exposure controls/personal protection**

Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
	Recommendations : Wear suitable gloves tested to EN374.
	> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm
	Not recommended polyvinyl alcohol (PVA) gloves
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
	Filter type (spray application): A P
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

Appearance			
Physical state	:	Liquid.	
Colour	:	Various	
Odour	:	Slight	
Odour threshold	:	Not ava	ilable.
Melting point/freezing point	:	Not ava	ilable.
Initial boiling point and boiling range	:		
Ingredient name			°C

Ingredient name		°C	°F	Method		
water		100	212			
silicon dioxide		2230	4046			
Flammability	: Not ava	ilable.	ł			-
Lower and upper explosion imit		Not applica Not applica				
Flash point	: Closed	cup: >100°	C (>212°F)			
Auto-ignition temperature	: Not ava	ilable.				
Decomposition temperature	: Not ava	ilable.				
рΗ	: 8.5 to 9	.1				
/iscosity	: Not ava	ilable.				
Solubility(ies)	:					
Not available.						
Solubility in water	: Not ava	ilable.				
ate of issue/Date of revision	: 25/02/2025	Date of pre	evious issue	: 14/09/2022	Version : 5	8/19

## **SECTION 9: Physical and chemical properties**

ŝ

Partition coefficient: n-octanol/ : Not applicable. water

#### Vapour pressure

	Vap	Vapour Pressure at 20°C			Vapour pressure at 50°		
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method	
water	17.5	2.3					
Relative density	: Not a	vailable.	<b> </b>				
Density	: 1.4 g	/cm³					
Vapour density	: Not a	vailable.					
Particle characteristics							
Median particle size	: Not a	pplicable.					
2 Other information							
9.2.1 Information with reg	ard to physica	l hazard o	classes				
Explosive properties	: Not a	vailable.					
Oxidising properties	: Not a	vailable.					
9.2.2 Other safety charact	eristics						

Not applicable.

SECTION 10: Stability and reactivity						
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.					
10.2 Chemical stability	: The product is stable.					
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.					
10.4 Conditions to avoid	: No specific data.					
10.5 Incompatible materials	: No specific data.					
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.					

## **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicityResultProduct/ingredient nameResult1,2-benzisothiazol-3(2H)-oneRat - Oral - LD50<br/>1020 mg/kgreaction mass of: 5-chloro-2-methyl-<br/>4-isothiazolin-3-one [EC no. 247-500-7] and<br/>2-methyl-2H-isothiazol-3-one [EC no.<br/>220-239-6] (3:1)Rat - Oral - LD50<br/>53 mg/kg<br/>Toxic effects: Behavioral - Somnolence (general depressed<br/>activity) Behavioral - Ataxia Lung, Thorax, or Respiration -<br/>Respiratory depression

Conclusion/Summary [Product] : Not available.

Acute toxicity estimates

Date of issue/Date of revision: 25/0TAPETTIPOHJAMAALI - All variants

: 25/02/2025 Date of previous issue

: 14/09/2022

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists (mg/l)
1,2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro-2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1)	450 53	N/A 50	N/A N/A	N/A 0.5	0.21 N/A
Skin corrosion/irritation					
Product/ingredient name	Result				
titanium dioxide	Duration o		r <b>itant</b> ( <u>posure</u> : 72 ho ( <u>pplied</u> : 300 uç		
1,2-benzisothiazol-3(2H)-one	Duration o	Skin - Mild iri f treatment/ex oncentration a	<u>kposure</u> : 48 ho	ours	
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		Skin - Severe	e <b>irritant</b> pplied: 0.01 %	Ď	
Conclusion/Summary [Product] : Not availab	le.				
Serious eye damage/eye irritation					
Not available.					
Conclusion/Summary [Product] : Not availab	le.				
Respiratory corrosion/irritation					
Not available.					

Respiratory or skin sensitization

Not available.

Skin Conclusion/Summary [Product] : Not available.

Respiratory Conclusion/Summary [Product] : Not available.

#### Germ cell mutagenicity

Not available.

Conclusion/Summary [Product] : Not available.

#### **Carcinogenicity**

It has been observed that the carcinogenic hazard of this product arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. Not available.

 Date of issue/Date of revision
 ::

 TAPETTIPOHJAMAALI - All variants

: 25/02/2025 Date of previous issue

:14/09/2022

## **SECTION 11: Toxicological information**

Conclusion/Summary [Product] : Not available.

#### **Reproductive toxicity**

Not available.

**Conclusion/Summary [Product]** : Not available.

#### Specific target organ toxicity (single exposure) Not available.

Specific target organ toxicity (repeated exposure) Not available.

Aspiration hazard							
Not available.							
Information on likely routes	of exp	<u>osure</u>					
Not available.							
Potential acute health effect							
Eye contact			•		ritical hazards.		
Inhalation	: No	known s	ignificant e	effects or c	ritical hazards.		
Skin contact	: No	known s	ignificant e	effects or c	ritical hazards.		
Ingestion	: No	known s	ignificant e	effects or c	ritical hazards.		
Symptoms related to the ph	ysical,	<u>chemica</u>	al and toxi	<u>cological</u>	characteristics		
Eye contact	: No	specific	data.				
Inhalation	: No	specific	data.				
Skin contact	: No	specific	data.				
Ingestion	: No	specific	data.				
Delayed and immediate effe	cts as v	vell as c	<u>chronic eff</u>	ects from	short and long-term	exposure	
<u>Short term exposure</u>							
Potential immediate effects	: Not	availabl	e.				
Potential delayed effects	: Not	availab	e.				
Long term exposure							
Potential immediate effects	: Not	availabl	e.				
Potential delayed effects	: Not	availab	e.				
Potential chronic health effe	ects						
Not available.							
Conclusion/Summary [Pro	oduct]	: Not a	vailable.				
General	: No	known s	ignificant e	effects or c	ritical hazards.		
Carcinogenicity	: No	known s	ignificant e	effects or c	ritical hazards.		
Mutagenicity	: No	known s	ignificant e	effects or c	ritical hazards.		
Reproductive toxicity	: No	known s	ignificant e	effects or c	ritical hazards.		
11.2 Information on other haz							
11.2.1 Endocrine disrupting	proper	ties					
Not available.							
Conclusion/Summary [Pro	oduct]	disru	pting prope	erties acco		sidered as having endocrin out in either Regulation (E 3.	
11.2.2 Other information							
Not available.							
Date of issue/Date of revision	: 25	/02/2025	Date of pre	vious issue	: 14/09/2022	Version :5 11/1	9

## **SECTION 12: Ecological information**

12.1 Toxicity	
Product/ingredient name titanium dioxide	<b>Result</b> <b>Acute - LC50 - Marine water</b> Fish - Mummichog - <i>Fundulus heteroclitus</i> >1000000 μg/l [96 hours] <u>Effect</u> : Mortality
	<b>Acute - LC50 - Fresh water</b> Crustaceans - Water flea - <i>Ceriodaphnia dubia</i> - Neonate <u>Age</u> : <24 hours 3 mg/l [48 hours] <u>Effect</u> : Mortality
1,2-benzisothiazol-3(2H)-one	<b>Acute - LC50 - Fresh water</b> OECD [Fish, Acute Toxicity Test] Fish - Trout - <i>Onorhynchus Mykiss</i> 1.9 mg/l [96 hours]
	<b>Acute - EC50</b> OECD 202 [Daphnia sp. Acute Immobilization Test and Reproduction Test] Daphnia - Daphnia - <i>Daphnia Magna</i> 3.7 mg/l [48 hours]
	<b>Acute - EC50 - Marine water</b> OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - <i>Skeletonema Costatum</i> 0.36 mg/l [72 hours]
	<b>Acute - NOEC - Marine water</b> OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - <i>Skeletonema Costatum</i> 0.15 mg/l [72 hours]
Conclusion/Summary [Product] : N	lot available.

12.2 Persistence and degradability

Product/ingredient name

1,2-benzisothiazol-3(2H)-one

Result EU

24% [28 days]

Conclusion/Summary [Product] : Not available.

	Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability						
	1,2-benzisothiazol-3(2H)-one	-	-	Inherent						
1	12.3 Bioaccumulative potential									

Product/ingredient name	LogPow	BCF	Potential
1,2-benzisothiazol-3(2H)-one	-	3.2	Low

#### 12.4 Mobility in soil

#### Soil/water partition coefficient

Product/ingredient name	logKoc	Кос
1,2-benzisothiazol-3(2H)-one	1.86	73.142

Results of PMT and vPvM assessment

: 25/02/2025 Date of previous issue

:14/09/2022

Product/ingredient name	PMT	Р	Μ	т	vPvM	vP	٧M
titanium dioxide 1,2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:	No No No						

Mobility

: Not available.

**Conclusion/Summary** 

: The product does not meet the criteria to be considered as a PMT or vPvM.

#### 12.5 Results of PBT and vPvB assessment Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
titanium dioxide 1,2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	No No No						

#### Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB	
titanium dioxide 1,2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	No	No No No	No No No	No No No	No No No	No No No	No No No	

Conclusion/Summary : The product does not meet the criteria to be considered as a PBT or vPvB. Regulation (EC) No. 1272/2008 [CLP]

#### 12.6 Endocrine disrupting properties

Not available.

```
Conclusion/Summary [Product]
```

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

#### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods
Product

## **SECTION 13: Disposal considerations**

Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
European waste catalogue (EWC)	: 080112, 200128
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	ΙΑΤΑ		
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.		
14.2 UN proper shipping name	-	-	-	-		
14.3 Transport hazard class(es)	-	-	-	-		
14.4 Packing group	-	-	-	-		
14.5 Environmental hazards	No.	No.	No.	No.		

**14.6 Special precautions for user**: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

- 14.7 Maritime transport in bulk according to IMO instruments
- : Not relevant/applicable due to nature of the product.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous

substances, mixtures and articles Labelling : Other EU regulations

**TAPETTIPOHJAMAALI - All variants** 

: 14/09/2022

#### S late inf 4:

SECTION 15: Regulat	ory information					
Industrial emissions (integrated pollution prevention and control) - Air	: Not listed					
Industrial emissions (integrated pollution prevention and control) - Water	: Not listed					
Explosive precursors	: Not applicable.					
Ozone depleting substance Not listed.	<u>s (EU 2024/590)</u>					
Prior Informed Consent (PIC Not listed.	C) (649/2012/EU)					
Persistent Organic Pollutants Not listed.						
Seveso Directive	Seveso Directive					
This product is not controlled <b>National regulations</b>	under the Seveso Directive.					
Austria						
Limitation of the use of organic solvents	: Permitted.					
<u>Belgium</u>						
Czech Republic						
Storage code	: IV					
<u>Denmark</u>						
Fire class	: IV-1					
Executive Order No. 1795/20	<u>015</u>	1				
Ingredient name		Annex I Section A	Annex I Section B			
titanium dioxide		Listed	-			
MAL-code	: 00-1					
Protection based on MAL	: According to the regulations on wo stipulations apply to the use of pers					
	<b>General:</b> Gloves must be worn for all coveralls/protective clothing must be w clothes do not adequately protect skin shield must be worn in work involving case, other recommended use of eye	vorn when soiling is so g against contact with the spattering if a full mask	great that regular work e product. A face is not required. In this			
	In all spraying operations in which ther respiratory protection and arm protector appropriate or as instructed.					
	MAL-code: 00-1 <b>Application:</b> When spraying in existir spray zone.	ng* spray booths, if the	operator is outside the			
	- Arm protectors must be worn.					
	During all spraying where atomisation operator is inside the spray zone and o or booth.					
	- Full mask with combined filter, cover	alls and hood must be v	worn.			
Dete of issue (Dete of mutician		11/00/2022				

## **SECTION 15: Regulatory information**

		<b>Drying:</b> Items for drying/drying ovens that are temporarily placed on such rack trolleys, etc, must be equipped with a mechanical exhaust system to plumes from wet items from passing through workers' inhalation zone.	
		<b>Polishing:</b> When polishing treated surfaces, a mask with dust filter must When machine grinding, eye protection must be worn. Work gloves must a worn.	
		Caution The regulations contain other stipulations in addition to the above	e.
		*See Regulations.	
Restrictions on use		Not to be used by professional users below 18 years of age. See the Natio	nal
		Working Environment Authorities Executive Order regarding Young People	
List of undesirable substances	:	Not listed	
Carcinogenic waste	:	Waste containers must be labeled: Contains a substance or substances reby Danish working environment legislation on cancer risks.	egulated
<b>Finland</b>			
<b>France</b>			
Reinforced medical surveillance	:	Act of July 11, 1977 determining the list of activities which require reinforce medical surveillance: not applicable	ed
<u>Germany</u>			
Storage class (TRGS 510)	) :	10	
Hazardous incident ordina	ance	2	
•	ed ur	der the Germany Hazardous Incident Ordinance.	
Hazard class for water	1	1	
Technical instruction on a	air q	uality control (TA Luft)	
Number [Class]		Description	%
5.2.1		Total dust	53.1
5.2.5 5.2.5 [I]		Organic substances Organic substances	1.1 0.13
5.2.10		Soil polluting substances	0.075
ΑΟΧ	:	The product contains organically bound halogens and can contribute to the value in waste water.	e AOX
<u>Italy</u>			
D.Lgs. 152/06	:	Not determined.	
Netherlands			
Water Discharge Policy (ABM)	:	A(2) Toxic for aquatic organisms, may have long-term hazardous effects in environment. Decontamination effort: A	n aquatic
Norway			
<u>Norway</u>			
<u>Sweden</u>			
<u>Sweden</u> Switzerland			
<u>Sweden</u> <u>Switzerland</u> VOC content	:	Exempt.	
<u>Sweden</u> <u>Switzerland</u> VOC content International regulations			
<u>Sweden</u> <u>Switzerland</u> VOC content <u>nternational regulations</u> Chemical Weapon Convent		Exempt. <mark>List Schedules I, II &amp; III Chemicals</mark>	
<u>Sweden</u> <u>Switzerland</u> VOC content International regulations Chemical Weapon Convent			
<u>Sweden</u> <u>Switzerland</u> VOC content International regulations			
Sweden Switzerland VOC content International regulations Chemical Weapon Convent Not listed. Montreal Protocol Not listed. Stockholm Convention on	<u>tion</u>	List Schedules I, II & III Chemicals	
Sweden Switzerland VOC content International regulations Chemical Weapon Convent Not listed. Montreal Protocol Not listed. Stockholm Convention on Not listed.	tion Pers	<u>List Schedules I, II &amp; III Chemicals</u>	
Sweden Switzerland VOC content International regulations Chemical Weapon Convent Not listed. Montreal Protocol Not listed. Stockholm Convention on	tion Pers	<u>List Schedules I, II &amp; III Chemicals</u>	
Sweden Switzerland VOC content International regulations Chemical Weapon Convent Not listed. Montreal Protocol Not listed. Stockholm Convention on Not listed.	tion Pers	<u>List Schedules I, II &amp; III Chemicals</u>	5 16/19

## **SECTION 15: Regulatory information**

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

# **15.2 Chemical safety** assessment

: This product contains substances for which Chemical Safety Assessments are still required.

## **SECTION 16: Other information**

Indicates information t	that has changed from previously issued version.	
Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative</li> </ul>	
	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group	D.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

#### Full text of abbreviated H statements

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

#### Full text of classifications [CLP/GHS]

Acute Tox. 2 Acute Tox. 3 Acute Tox. 4 Aquatic Acute 1 Aquatic Chronic 1	ACUTE TOXICITY - Category 2 ACUTE TOXICITY - Category 3 ACUTE TOXICITY - Category 4 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Carc. 2	CARCINOGENICITY - Category 2
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Skin Corr. 1C	SKIN CORROSION/IRRITATION - Category 1C
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1A	SKIN SENSITISATION - Category 1A
Date of issue/ Date of revision	: 25/02/2025
Date of previous issue	: 14/09/2022
Version	: 5

#### Notice to reader

## **SECTION 16: Other information**

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision: 2TAPETTIPOHJAMAALI - All variants

: 25/02/2025 Date of previous issue