Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - Ireland

SAFETY DATA SHEET



TEKNOBLADE 9000-40 - WHITE

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Product name

E TEKNOBLADE 9000-40 - WHITE

1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use: Paint.

1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091. e-mail address of person : Prod-safe@teknos.com

responsible for this SDS

National contact

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number : National Poisons Information Centre: 01 809 2566

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



| Signal word | : Danger |
|--------------------------|---|
| Hazard statements | H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H317 - May cause an allergic skin reaction. H412 - Harmful to aquatic life with long lasting effects. |
| Precautionary statements | |
| Prevention | : P280 - Wear protective gloves, protective clothing and eye or face protection. |

SECTION 2: Hazards identification

| SECTION 2. Hazarus | | |
|---|---|--|
| Response | : | P304 + P310 - IF INHALED: Immediately call a POISON CENTER or doctor. P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. P303 + P361 + P353 + P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. |
| Storage | 1 | Not applicable. |
| Disposal | : | P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Hazardous ingredients | : | Contains: N,N'-bis(2-propyl)polyoxypropylenediamine; 2-Propenenitrile, reaction products with 3-amino-1,5,5-trimethylcyclohexanemethanamine and Poly[oxy (methyl-1,2-ethanediyl)], $\alpha,\alpha',\alpha''-1,2,3$ -propanetriyltris[ω -(2-aminomethylethoxy)- |
| Supplemental label elements | : | Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. |
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | : | |
| 2.3 Other hazards | | |
| Product meets the criteria | 1 | This mixture does not contain any substances that are assessed to be a PBT or a |

 Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
 : This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

 Other hazards which do not result in classification
 : None known.

SECTION 3: Composition/information on ingredients

| 3.2 Mixtures | : Mixture | | | | |
|---|--|-----------|---|---|---------|
| Product/ingredient name | Identifiers | % | Classification | Specific Conc. Limits, M-factors and ATEs | Туре |
| N,N'-bis(2-propyl) polyoxypropylenediamine | CAS: 81455-53-0 | ≥25 - ≤50 | Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412 | ATE [Oral] = 500 mg/kg | [1] |
| 2-Propenenitrile, reaction products with 3-amino- 1,5,5-trimethylcyclohexanemethanamine | EC: 292-053-3 CAS: 90530-15-7 | ≥25 - ≤50 | Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 | - | [1] |
| titanium dioxide | REACH #: 01-2119489379-17 EC: 236-675-5 CAS: 13463-67-7 | ≤10 | Carc. 2, H351 (inhalation) | - | [1] [*] |
| Poly[oxy(methyl- 1,2-ethanediyl)], α,α', α"-1,2,3-propanetriyltris[ω- (2-aminomethylethoxy)- | CAS: 64852-22-8 | ≤10 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412 | - | [1] |
| | | | See Section 16 for the full text of the H statements declared above. | | |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. <u>Type</u>

0.00

SECTION 3: Composition/information on ingredients

[1] Substance classified with a health or environmental hazard

[*] The classification as a carcinogen by inhalation applies only to mixtures placed on the market in powder form containing 1% or more of titanium dioxide particles with aerodynamic diameter ≤ 10 µm not bound within a matrix.

Occupational exposure limits, if available, are listed in Section 8.

| SECTION 4: First aid measures | | | |
|--------------------------------|---|--|--|
| 4.1 Description of first aid n | neasures | | |
| Eye contact | : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. | | |
| Inhalation | : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. | | |
| Skin contact | : Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. | | |
| Ingestion | Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. | | |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. | | |

4.2 Most important symptoms and effects, both acute and delayed

| Over-exposure signs/sympto | <u>ms</u> |
|----------------------------|--|
| Eye contact | : Adverse symptoms may include the following: pain watering redness |
| Inhalation | : No specific data. |
| Skin contact | : Adverse symptoms may include the following: pain or irritation redness blistering may occur |
| Ingestion | : Adverse symptoms may include the following: stomach pains |

4.3 Indication of any immediate medical attention and special treatment needed

| Notes to physician | : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
|---------------------------------------|--|
| Specific treatments | : No specific treatment. |
| SECTION 5: Firefigh | ting measures |
| 5.1 Extinguishing media | |
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : None known. |
| 5.2 Special hazards arising f | from the substance or mixture |
| Hazards from the substance or mixture | : In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. |
| Hazardous combustion | : Decomposition products may include the following materials: |

| | | metal oxide/oxides |
|---|---|---|
| 5.3 Advice for firefighters | | |
| Special protective actions for fire-fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |

SECTION 6: Accidental release measures

carbon dioxide carbon monoxide nitrogen oxides

halogenated compounds

| 6.1 Personal precautions, pro | ptective equipment and emergency procedures |
|--------------------------------|--|
| For non-emergency personnel | : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| 6.2 Environmental precautions | : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. |

6.3 Methods and material for containment and cleaning up

Small spill

products

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

SECTION 6: Accidental release measures

| SECTION 0. Accide | |
|---------------------------------|---|
| Large spill | : Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. |
| 6.4 Reference to other sections | See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information. |

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

| Protective measures | : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|--|---|
| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

| 7.3 Specific | end use(s) |
|--------------|------------|
| _ | · · · · · |

| Recommendations | Not available. |
|--------------------------------------|------------------|
| Industrial sector specific solutions | : Not available. |

SECTION 8: Exposure controls/personal protection

Nistavallalala

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

| Occupational exposure limits | |
|--------------------------------|-----------------------|
| Product/ingredient name | Exposure limit values |
| No exposure limit value known. | |
| Biological exposure indices | |
| Product/ingredient name | Exposure indices |
| No exposure indices known. | |

: 15/12/2023 Date of previous issue

SECTION 8: Exposure controls/personal protection

| Recommended monitoring : procedures | Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required. |
|--|--|
| DNELs/DMELs No DNELs/DMELs available. | |
| PNECs No PNECs available | |
| 8.2 Exposure controls | |
| Appropriate engineering : controls | If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. |
| Individual protection measures | |
| Hygiene measures : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection : | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead. |
| Skin protection | |
| Hand protection : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| | Recommendations : Wear suitable gloves tested to EN374. |
| | < 1 hour (breakthrough time): Nitrile gloves. thickness > 0.3 mm 1 - 4 hours (breakthrough time): polyvinyl alcohol (PVA) thickness > 0.3 mm or 4H / Silver Shield® gloves. |
| | > 8 hours (breakthrough time): Viton® thickness > 0.3 mm gloves |
| | Wash hands before breaks and immediately after handling the product. |
| Body protection : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection : | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection : | Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Filter type: A |
| | · ···· · · · · · · · · · · · · · · · · |

| Date of issue/Date of revision | : 15/12/2023 | Date of previous issue | : 12/10/2022 | Version | :1.02 6/13 |
|--------------------------------|--------------|------------------------|--------------|----------|-------------------|
| TEKNOBLADE 9000-40 - WHITE | | | | Label No | 75617 |

SECTION 8: Exposure controls/personal protection

Filter type (spray application): A P

| Environmental exposure | : Emissions from ventilation or work process equipment should be checked to |
|------------------------|--|
| controls | ensure they comply with the requirements of environmental protection legislation. |
| | In some cases, fume scrubbers, filters or engineering modifications to the process |
| | equipment will be necessary to reduce emissions to acceptable levels. |

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

| or information on busic physical | | na onennear properties |
|--|---|--|
| <u>Appearance</u> | | |
| Physical state | 1 | Liquid. |
| Colour | : | White. |
| Odour | : | Slight |
| Odour threshold | : | Not available. |
| Melting point/freezing point | 1 | Not available. |
| Initial boiling point and boiling range | : | Not available. |
| Flammability | : | Not available. |
| Lower and upper explosion limit | : | Lower: Not applicable. Upper: Not applicable. |
| Flash point | : | Closed cup: >100°C (>212°F) |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| рН | : | Not applicable. |
| Viscosity | 1 | Not available. |
| Solubility(ies) | ÷ | |
| Not available. | | |
| Solubility in water | : | Not available. |
| Partition coefficient: n-octanol/ water | : | Not applicable. |
| Vapour pressure | : | Not available. |
| Relative density | : | Not available. |
| Density | : | 1.1 g/cm³ |
| Vapour density | : | Not available. |
| Explosive properties | 1 | Not available. |
| Oxidising properties | ; | Not available. |
| Particle characteristics | | |
| Median particle size | ÷ | Not applicable. |
| | | |

SECTION 10: Stability and reactivity

| 10.1 Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|--|--|
| 10.2 Chemical stability | : The product is stable. |
| 10.3 Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| 10.4 Conditions to avoid | : No specific data. |

SECTION 10: Stability and reactivity

10.5 Incompatible materials : No specific data.

10.6 Hazardous decomposition products

Acute toxicity

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Route | | | | ATE value | |
|---|---|-----------------|-----------------|----------------------|------------------|
| Oral | Dral 1190.32 mg/kg | | | | |
| Irritation/Corrosion | | | | | |
| Product/ingredient name | Result | Specie | s Score | Exposure | Observation |
| titanium dioxide | Skin - Mild irritant | Human | - | 72 hours 300 ug l | - |
| Conclusion/Summary | : Causes severe skin burns a | nd eye dam | age. | | |
| <u>Sensitisation</u> | | | | | |
| Conclusion/Summary | : May cause an allergic skin r | eaction. | | | |
| <u>Mutagenicity</u> | | | | | |
| Conclusion/Summary | : Based on available data, the | e classificatio | on criteria are | not met. | |
| Carcinogenicity | | | | | |
| It has been observed that the c leading to significant impairmen | | | | le dust is inhale | ed in quantities |
| Conclusion/Summary | : Based on available data, the | e classificatio | on criteria are | not met. | |
| Reproductive toxicity | | | | | |
| Conclusion/Summary | : Based on available data, the | e classificatio | on criteria are | not met. | |
| Teratogenicity | | | | | |
| Conclusion/Summary | : Based on available data, the | e classificatio | on criteria are | not met. | |
| Specific target organ toxicity Not available. | <u>(single exposure)</u> | | | | |
| Specific target organ toxicity Not available. | (repeated exposure) | | | | |
| Appiration borord | | | | | |
| Aspiration hazard Not available. | | | | | |
| | | | | | |
| nformation on likely routes of exposure | : Not available. | | | | |
| Potential acute health effects | | | | | |
| Eye contact | : Causes serious eye damage | e. | | | |
| Inhalation | : No known significant effects | s or critical h | azards. | | |
| Skin contact | : Causes severe burns. May | cause an al | lergic skin rea | action. | |
| Ingestion | : Harmful if swallowed. | | | | |
| Symptoms related to the phys | ical, chemical and toxicolog | ical charact | eristics | | |
| Eye contact | : Adverse symptoms may inc pain watering redness | lude the folk | owing: | | |
| | Teaneee | | | | |

| SECTION 11: Toxico | lo | gical information |
|------------------------------|-----|--|
| Skin contact | : | Adverse symptoms may include the following: pain or irritation redness blistering may occur |
| Ingestion | : | Adverse symptoms may include the following: stomach pains |
| Delayed and immediate effect | :ts | as well as chronic effects from short and long-term exposure |
| <u>Short term exposure</u> | | |
| Potential immediate effects | : | Not available. |
| Potential delayed effects | 1 | Not available. |
| <u>Long term exposure</u> | | |
| Potential immediate effects | : | Not available. |
| Potential delayed effects | : | Not available. |
| Potential chronic health eff | ect | <u>S</u> |
| Not available. | | |
| Conclusion/Summary | 1 | Not available. |
| General | : | Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. |
| Carcinogenicity | 1 | No known significant effects or critical hazards. |
| Mutagenicity | 1 | No known significant effects or critical hazards. |
| Reproductive toxicity | : | No known significant effects or critical hazards. |

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|--|---|----------|
| titanium dioxide | Acute LC50 3 mg/l Fresh water | Crustaceans - Ceriodaphnia dubia - Neonate | 48 hours |
| | Acute LC50 6.5 mg/l Fresh water | Daphnia - <i>Daphnia pulex</i> - Neonate | 48 hours |
| | Acute LC50 >1000000 μg/l Marine water | Fish - Fundulus heteroclitus | 96 hours |

Conclusion/Summary : Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

Conclusion/Summary

: This product has not been tested for biodegradation.

12.3 Bioaccumulative potential

Not available.

| 12.4 Mobility in soil | |
|---|------------------|
| Soil/water partition coefficient (Koc) | : Not available. |
| Mobility | : Not available. |

Date of issue/Date of revision

: 15/12/2023 Date of previous issue

: 12/10/2022

SECTION 12: Ecological information

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

| ods |
|---|
| |
| : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. |
| : The classification of the product may meet the criteria for a hazardous waste. |
| : 080111* |
| |
| : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. |
| : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. |
| |

SECTION 14: Transport information

| | • | | | |
|------------------------------------|--|--|--|--|
| | ADR/RID | ADN | IMDG | ΙΑΤΑ |
| 14.1 UN number or ID number | UN2735 | UN2735 | UN2735 | UN2735 |
| 14.2 UN proper shipping name | AMINES, LIQUID, CORROSIVE, N.O.S. (N,N'-bis(2-propyl) polyoxypropylenediamine, 2-Propenenitrile, reaction products with 3-amino- 1,5,5-trimethylcyclohexanemethanamine) | AMINES, LIQUID, CORROSIVE, N.O.S. (N,N'-bis(2-propyl) polyoxypropylenediamine, 2-Propenenitrile, reaction products with 3-amino- 1,5,5-trimethylcyclohexanemethanamine) | AMINES, LIQUID, CORROSIVE, N.O.S. (N,N'-bis(2-propyl) polyoxypropylenediamine, 2-Propenenitrile, reaction products with 3-amino- 1,5,5-trimethylcyclohexanemethanamine) | AMINES, LIQUID, CORROSIVE, N.O.S. (N,N'-bis(2-propyl) polyoxypropylenediamine 2-Propenenitrile, reaction products with 3-amino- 1,5,5-trimethylcyclohexanemethanamine |
| 14.3 Transport hazard class(es) | 8 | 8 | 8 | 8 |
| 14.4 Packing group | 11 | 11 | 11 | 11 |
| 14.5 Environmental hazards | No. | No. | No. | No. |

: 15/12/2023 Date of previous issue

: 12/10/2022

SECTION 14: Transport information

user

- 14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
- 14.7 Maritime transport in bulk according to IMO
- : Not relevant/applicable due to nature of the product.

instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous

substances, mixtures and articles

| Product/ingredient name | % | Designation [Usage] | | | |
|--|------------------|----------------------|--|--|--|
| FEKNOBLADE 9000-40 | ≥90 | 3 | | | |
| Labelling : | | | | | |
| Other EU regulations | | | | | |
| Industrial emissions : Not listed (integrated pollution prevention and control) - Air | | | | | |
| Industrial emissions : Not listed (integrated pollution prevention and control) - Water | | | | | |
| Explosive precursors : Not applicable. | | | | | |
| Ozone depleting substances (1005/2009 Not listed. | <u>/EU)</u> | | | | |
| Prior Informed Consent (PIC) (649/2012/ | <u>EU)</u> | | | | |
| Not listed. | | | | | |
| Persistent Organic Pollutants Not listed. | | | | | |
| <u>Seveso Directive</u> | | | | | |
| This product is not controlled under the Sev | veso Direct | ive. | | | |
| International regulations | | | | | |
| Chemical Weapon Convention List Schee | lules I, II & | <u>III Chemicals</u> | | | |
| Not listed. | | | | | |
| Montreal Protocol | | | | | |
| Not listed. | | | | | |
| Stockholm Convention on Persistent Org Not listed. | anic Pollu | <u>tants</u> | | | |
| Rotterdam Convention on Prior Informed Not listed. | <u>Consent (</u> | <u>PIC)</u> | | | |
| UNECE Aarhus Protocol on POPs and He | avy Metals | 2 | | | |
| | | | | | |

Date of issue/Date of revision **TEKNOBLADE 9000-40 - WHITE** : 15/12/2023 Date of previous issue

SECTION 15: Regulatory information

Not listed.

15.2 Chemical safety assessment

: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

| Indicates informati | on that has changed from previously issued version. |
|----------------------------|--|
| Abbreviations and acronyms | ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative |
| | RRN = REACH Registration Number SGG = Segregation Group |

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification | Justification |
|-------------------------|--------------------|
| Acute Tox. 4, H302 | Calculation method |
| Skin Corr. 1B, H314 | Calculation method |
| Eye Dam. 1, H318 | Calculation method |
| Skin Sens. 1, H317 | Calculation method |
| Aquatic Chronic 3, H412 | Calculation method |

Full text of abbreviated H statements

| H302 | Harmful if swallowed. |
|------|--|
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H351 | Suspected of causing cancer. |
| H412 | Harmful to aquatic life with long lasting effects. |

Full text of classifications [CLP/GHS]

: 1.02

| Acute Tox. 4 | ACUTE TOXICITY - Category 4 | |
|---|---|--|
| Aquatic Chronic 3 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3 | |
| Carc. 2 | CARCINOGENICITY - Category 2 | |
| Eye Dam. 1 | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 | |
| Skin Corr. 1B | SKIN CORROSION/IRRITATION - Category 1B | |
| Skin Irrit. 2 | SKIN CORROSION/IRRITATION - Category 2 | |
| Skin Sens. 1 | SKIN SENSITISATION - Category 1 | |
| Date of issue/ Date of | : 15/12/2023 | |
| revision | | |
| Date of previous issue | : 12/10/2022 | |
| • | | |

Notice to reader

Version

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

: 15/12/2023 Date of previous issue

: 12/10/2022

Date of issue/Date of revision TEKNOBLADE 9000-40 - WHITE

: 15/12/2023 Date of previous issue