Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

# **SAFETY DATA SHEET**



TEKNOBRUSH 6600-00 - BASE 3

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	

: TEKNOBRUSH 6600-00 - BASE 3

**1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use**: Paint.

#### 1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

e-mail address of person : Prod-safe@teknos.com

## responsible for this SDS

National contact Veknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

## 1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number : In an emergency, call 112

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Product definition : Mixture <u>Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]</u> Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	Contains adipohydrazide, 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 2-methyl-2H-isothiazol-3-one, 2-Octyl-2H-isothiazol-3-one and 2-Methyl-1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Safety data sheet available on request. Contains biocidal products for in-can preservation: BIT and DTBMA and Bronopol and MIT and OIT and MBIT.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	

: 24/10/2023 Date of previous issue

## **SECTION 2: Hazards identification**

#### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII Other hazards which do

not result in classification

: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

: None known.

## **SECTION 3: Composition/information on ingredients**

3.2 Mixtures Product/ingredient name	: Mixture	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
adipohydrazide	REACH #: 01-2119962900-36 EC: 213-999-5 CAS: 1071-93-8	<1	Skin Sens. 1, H317 Aquatic Chronic 2, H411	-	[1]
1,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.05	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400	ATE [Oral] = 1020 mg/kg Skin Sens. 1, H317: C ≥ 0.05% M [Acute] = 1	[1]
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:1)	CAS: 55965-84-9 Index: 613-167-00-5	<0.001	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071	ATE [Oral] = 53 mg/ kg ATE [Dermal] = 50 mg/kg ATE [Inhalation (vapours)] = 0.5 mg/l Skin Corr. 1C, H314: $C \ge 0.6\%$ Eye Dam. 1, H318: $C \ge 0.6\%$ Eye Irrit. 2, H319: $0.06\% \le C < 0.6\%$ Skin Sens. 1, H317: $C \ge 0.0015\%$ M [Acute] = 100 M [Chronic] = 100	[1]
2-methyl-2H-isothiazol- 3-one	EC: 220-239-6 CAS: 2682-20-4	<0.0015	Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071	ATE [Oral] = 100 mg/kg ATE [Dermal] = 300  mg/kg ATE [Inhalation (dusts and mists)] = 0.11 mg/l Skin Sens. 1, H317: C $\geq 0.0015\%$ M [Acute] = 10 M [Chronic] = 1	[1]
2-Octyl-2H-isothiazol-3-one	EC: 247-761-7 CAS: 26530-20-1 Index: 613-112-00-5	<0.001	Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071	ATE [Oral] = 125 mg/kg ATE [Dermal] = 311 mg/kg ATE [Inhalation (dusts and mists)] = $0.27$ mg/l Skin Sens. 1, H317: C $\geq 0.0015\%$ M [Acute] = 100	[1]

TEKNOBRUSH 6600-00 - BASE 3

Version : 1.04 2/18 Label No :51988

SECTION 3: Compo	sition/informat	ion on i	ngredients	M [Chronic] = 100	
2-Methyl-1,2-benzisothiazol- 3(2H)-one	CAS: 2527-66-4 Index: 613-336-00-3	<0.0015	Acute Tox. 3, H301 Acute Tox. 4, H312 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 EUH071 See Section 16 for the full text of the H statements declared above.	ATE [Oral] = 175 mg/kg ATE [Dermal] = 1100 mg/kg Skin Sens. 1, H317: C ≥ 0.0015% M [Acute] = 1	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

1 Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

## SECTION 4: First aid measures

## 4.1 Description of first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

## 4.2 Most important symptoms and effects, both acute and delayed

## Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	1	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	None known.

## **SECTION 5: Firefighting measures**

5.2 Special hazards arising	from the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## **SECTION 6: Accidental release measures**

6.1	Personal	precautions,	protective	equipment and	emergency procedures
-----	----------	--------------	------------	---------------	----------------------

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other	:	See Section 1 for emergency contact information.
sections		See Section 8 for information on appropriate personal protective equipment.
		See Section 13 for additional waste treatment information.

## **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Date of issue/Date of revision	: 24/10/2023	Date of previous issue	: 04/04/2022	Version	:1.04	4/18
TEKNOBRUSH 6600-00 - BASE 3				Label No	<b>5</b> 1988	3

## SECTION 7: Handling and storage

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

#### 7.3 Specific end use(s)

**Recommendations** Industrial sector specific solutions

: Not available.

: Not available.

## **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

#### 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name	Exposure limit values
<b>E</b> thyldiglycol	Regulation on Limit Values - MAC (Austria, 4/2021). PEAK: 140 mg/m <sup>3</sup> , 4 times per shift, 15 minutes. PEAK: 24 ppm, 4 times per shift, 15 minutes. TWA: 35 mg/m <sup>3</sup> 8 hours. TWA: 6 ppm 8 hours.
reaction mass of: 5-chloro-2-methyl-	Regulation on Limit Values - MAC (Austria, 4/2021). [5-chloro-
4-isothiazolin-3-one [EC no. 247-500-7] and	2-methyl-2,3-dihydroisothiazol-3-one and 2-methyl-2,3-di-
2-methyl-2H-isothiazol-3-one [EC no.	hydroisothiazol-3-one (mixture in the ratio 3:1)] Skin
220-239-6] (3:1)	sensitiser. TWA: 0.05 mg/m <sup>3</sup> 8 hours.
2-methyl-2H-isothiazol-3-one	Regulation on Limit Values - MAC (Austria, 4/2021). [5-chloro- 2-methyl-2,3-dihydroisothiazol-3-one and 2-methyl-2,3-di- hydroisothiazol-3-one (mixture in the ratio 3:1)] Skin sensitiser.
	TWA: 0.05 mg/m <sup>3</sup> 8 hours.
2-Octyl-2H-isothiazol-3-one	Regulation on Limit Values - MAC (Austria, 4/2021). Absorbed through skin. Sensitization potential. TWA: 0.05 mg/m <sup>3</sup> 8 hours. Form: Inhalable fraction CEIL: 0.05 mg/m <sup>3</sup> 15 minutes. Form: Inhalable fraction
No exposure limit value known.	
te of issue/Date of revision : 24/10/2023	Date of previous issue         : 04/04/2022         Version         : 1.04         5/18

TEKNOBRUSH 6600-00 - BASE 3

#### . .4. lo/r 43

Ethyldiglycol 1,2-benzisothiazol-3(2H)-one	<ul> <li>TRGS 900 OEL (Germany, 4/2021).</li> <li>TWA: 35 mg/m<sup>3</sup> 8 hours.</li> <li>PEAK: 70 mg/m<sup>3</sup> 15 minutes.</li> <li>TWA: 6 ppm 8 hours.</li> <li>PEAK: 12 ppm 15 minutes.</li> <li>DFG MAC-values list (Germany, 8/2020).</li> <li>PEAK: 100 mg/m<sup>3</sup>, 4 times per shift, 15 minutes. Form: inhalable fraction</li> <li>TWA: 50 mg/m<sup>3</sup> 8 hours. Form: inhalable fraction</li> <li>DFG MAC-values list (Germany, 8/2020). Skin sensitiser.</li> </ul>
2-methyl-2H-isothiazol-3-one 2-Octyl-2H-isothiazol-3-one	<ul> <li>DFG MAC-values list (Germany, 8/2020). Skin sensitiser.</li> <li>TRGS 900 OEL (Germany, 4/2021). Absorbed through skin.</li> <li>TWA: 0.05 mg/m<sup>3</sup> 8 hours. Form: Inhalable fraction</li> <li>PEAK: 0.1 mg/m<sup>3</sup> 15 minutes. Form: Inhalable fraction</li> <li>DFG MAC-values list (Germany, 8/2020). Absorbed through skin. Skin sensitiser.</li> <li>TWA: 0.05 mg/m<sup>3</sup> 8 hours. Form: inhalable fraction</li> <li>PEAK: 0.1 mg/m<sup>3</sup> 8 hours. Form: inhalable fraction</li> </ul>
No exposure limit value known.	
Ethyldiglycol 2-Octyl-2H-isothiazol-3-one	<ul> <li>Regulation on protection of workers from the risks related to exposure to chemical substances at work (Slovenia, 5/2021).</li> <li>KTV: 12 ppm, 4 times per shift, 15 minutes.</li> <li>TWA: 6 ppm 8 hours.</li> <li>KTV: 70 mg/m³, 4 times per shift, 15 minutes.</li> <li>TWA: 35 mg/m³ 8 hours.</li> <li>Regulation on protection of workers from the risks related to exposure to chemical substances at work (Slovenia, 5/2021).</li> <li>Absorbed through skin.</li> </ul>
No exposure limit value known.	TWA: 0.05 mg/m <sup>3</sup> 8 hours. Form: Inhalable fraction KTV: 0.1 mg/m <sup>3</sup> , 4 times per shift, 15 minutes. Form: Inhalable fraction
	Work environment outbority Degulation 2049:4 (Sweden
Ethyldiglycol	Work environment authority Regulation 2018:1 (Sweden, 9/2020). Absorbed through skin. TWA: 15 ppm 8 hours. TWA: 80 mg/m <sup>3</sup> 8 hours. STEL: 30 ppm 15 minutes. STEL: 170 mg/m <sup>3</sup> 15 minutes.
Date of issue/Date of revision : 24/10/20 TEKNOBRUSH 6600-00 - BASE 3	023 Date of previous issue : 04/04/2022 Version : 1.04 6/18 Label No : 51988
· · · ·	

# SECTION 8: Exposure controls/personal protection

Ethyldiglycol	SUVA (Switzerland, 1/2021).
	STEL: 100 mg/m <sup>3</sup> 15 minutes. Form: Inhalable fraction of Vapor
	and aerosols
	TWA: 50 mg/m <sup>3</sup> 8 hours. Form: Inhalable fraction of Vapor and
	aerosols
reaction mass of: 5-chloro-2-methyl-	SUVA (Switzerland, 1/2021). Skin sensitiser.
4-isothiazolin-3-one [EC no. 247-500-7] and	
2-methyl-2H-isothiazol-3-one [EC no.	
220-239-6] (3:1)	
	STEL: 0.4 mg/m <sup>3</sup> 15 minutes. Form: Inhalable fraction
	TWA: 0.2 mg/m <sup>3</sup> 8 hours. Form: Inhalable fraction
2-Octyl-2H-isothiazol-3-one	SUVA (Switzerland, 1/2021). Absorbed through skin. Skin
	sensitiser.
	TWA: 0.05 mg/m <sup>3</sup> 8 hours. Form: Inhalable fraction
	STEL: 0.1 mg/m <sup>3</sup> 15 minutes. Form: Inhalable fraction
No exposure limit value known.	

## **Biological exposure indices**

Product/ingredient name	Exposure indices
No exposure indices known.	

Date of issue/Date of revision TEKNOBRUSH 6600-00 - BASE 3

: 24/10/2023 Date of previous issue

# SECTION 8: Exposure controls/personal protection No exposure indices known. No exposure indices known. Recommended monitoring procedures : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the assessment

values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

Product/ingredient name	Туре	Exposure	Value	Population	Effects
dipohydrazide	DNEL	Long term Inhalation	17.5 mg/m³	Workers	Systemic
1,2-benzisothiazol-3(2H)-one	DNEL	Long term Dermal	0.345 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0.966 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	1.2 mg/m <sup>3</sup>	General population	Systemic
	DNEL	Long term Inhalation	6.81 mg/m³	Workers	Systemic
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1)	DNEL	Long term Inhalation	0.02 mg/m³	General population	Local
(0.1)	DNEL	Long term Inhalation	0.02 mg/m³	Workers	Local
	DNEL	Short term Inhalation	0.04 mg/m <sup>3</sup>	General population	Local
	DNEL	Short term Inhalation	0.04 mg/m <sup>3</sup>	Workers	Local
	DNEL	Long term Oral	0.09 mg/ kg bw/day	General population	Systemic
	DNEL	Short term Oral	0.11 mg/ kg bw/day	General population	Systemic
2-methyl-2H-isothiazol-3-one	DNEL	Long term Inhalation	0.021 mg/	General population	Local
	DNEL	Long term Inhalation	0.021 mg/ m <sup>3</sup>	Workers	Local
	DNEL	Long term Oral	0.027 mg/ kg bw/day	General population	Systemic
	DNEL	Short term Inhalation	0.043 mg/	General population	Local
	DNEL	Short term Inhalation	0.043 mg/ m <sup>3</sup>	Workers	Local
	DNEL	Short term Oral	0.053 mg/ kg bw/day	General population	Systemic

#### **PNECs**

No PNECs available

## 8.2 Exposure controls

## Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Date of issue/Date of revision
TEKNOBRUSH 6600-00 - BASE 3

: 24/10/2023 Date of previous issue

## **SECTION 8: Exposure controls/personal protection**

Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.				
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.				
Skin protection					
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.				
	Recommendations : Wear suitable gloves tested to EN374.				
	> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm				
	Not recommended polyvinyl alcohol (PVA) gloves				
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.				
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.				
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.				
	Filter type (spray application): A P				
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.				

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

Appearance	
Physical state	: Liquid.
Colour	: 🗭 olourless.
Odour	: Slight
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	:

Ingredient name		°C	°F	Method	
water		100	212		
Ethyldiglycol		196	384.8		
lammability	ilable.		1		
ower and upper explosion	Not applicab Not applicab				
Flash point	cup: >100°C	(>212°F)			
Auto-ignition temperature	:				
Ingredient name		°C	°F	Method	
<b>₽</b> thyldiglycol		204	399.2		

TEKNOBRUSH 6600-00 - BASE 3

Label No :51988

## **SECTION 9: Physical and chemical properties**

ż

Decomposition temperature	:	Not available.
рН	:	Not available.
Viscosity	:	Not available.
Solubility(ies)	:	
Not available.		
Solubility in water	:	Not available.
Partition coefficient: n-octanol/ water	:	Not applicable.

#### Vapour pressure

	Va	pour Press	ure at 20°C	Vapour pressure at 5		sure at 50°C
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	17.5	2.3				
Ethyldiglycol	0.14	0.019				
Relative density	: Not	available.		·		·
)ensity	: <mark>1</mark> /g/	cm³				
apour density	: Not	available.				
xplosive properties : Not available.						
Dxidising properties	: Not	available.				
Particle characteristics						
Median particle size	: Not	applicable.				

## **SECTION 10: Stability and reactivity 10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients. **10.2 Chemical stability** : The product is stable. **10.3 Possibility of** : Under normal conditions of storage and use, hazardous reactions will not occur. hazardous reactions 10.4 Conditions to avoid : No specific data. 10.5 Incompatible materials : No specific data. **10.6 Hazardous** : Under normal conditions of storage and use, hazardous decomposition products decomposition products should not be produced.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
7,2-benzisothiazol-3(2H)-	LD50 Oral	Rat	1020 mg/kg	-
one reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-	LD50 Oral	Rat	53 mg/kg	-
3-one [EC no. 220-239-6] (3:				
2 <sup>-</sup> methyl-2H-isothiazol- 3-one	LC50 Inhalation Dusts and mists	Rat	0.11 mg/l	4 hours
2-Octyl-2H-isothiazol-3-one	LD50 Dermal	Rabbit	690 mg/kg	-
ate of issue/Date of revision	: 24/10/2023 Date of previous is	ssue : 04/04	/2022	Version : 1.04 10/18
EKNOBRUSH 6600-00 - BASE	3			Label No :51988

S	ECTION 11: Toxicol	ogical information			
		LD50 Oral	Rat	550 mg/kg	-
	Conclusion/Summary : Based on available data, the classification criteria are not met.				

#### Acute toxicity estimates

Route	ATE value
halation (vapours)	1074.38 mg/l

## Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
<ul> <li>P.2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)</li> </ul>	Skin - Mild irritant Skin - Severe irritant	Human Human	-	48 hours 5 % 0.01 %	-
2-Octyl-2H-isothiazol-3-one	Eyes - Severe irritant	Rabbit	-	100 mg	-
Conclusion/Summary	: Based on available data, the	classification of	riteria are	e not met.	
Sensitisation					
Conclusion/Summary	: Based on available data, the	classification of	riteria are	e not met.	
Mutagenicity					
Conclusion/Summary	: Based on available data, the	classification of	riteria are	e not met.	
Carcinogenicity					
Conclusion/Summary	: Based on available data, the	classification of	riteria are	e not met.	
Reproductive toxicity					
Conclusion/Summary	: Based on available data, the	classification of	riteria are	e not met.	
Teratogenicity					
<b>Conclusion/Summary</b>	: Based on available data, the	classification of	riteria are	e not met.	
Specific target organ toxicit	<u>y (single exposure)</u>				
Not available.					
Specific target organ toxicit	y (repeated exposure)				
Not available.					
Appiration bazard					
Aspiration hazard Not available.					
Not available.					
nformation on likely routes of exposure	: Not available.				
Potential acute health effects					
Eye contact	: No known significant effects	or critical haza	rds.		
Inhalation	: No known significant effects				
Skin contact	: No known significant effects				
Ingestion	: No known significant effects				
Ŭ	5				
Symptoms related to the physical sectors and the sectors are sectors and the sectors are sectors and the sectors are secto	sical, chemical and toxicologi	cal characteris	stics		
	: No specific data.				
Eye contact					
Eye contact Inhalation	: No specific data.				
· · ·	<ul><li>No specific data.</li><li>No specific data.</li></ul>				

## Delayed and immediate effects as well as chronic effects from short and long-term exposure Short term exposure

## **SECTION 11: Toxicological information**

	-
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	e <u>cts</u>
Not available.	
Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

#### 11.2 Information on other hazards

11.2.1 Endocrine disrupting properties
Not available.
11.2.2 Other information
Natavalahla

Not available.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
,2-benzisothiazol-3(2H)-one	Acute EC50 0.36 mg/l Marine water	Algae - Skeletonema Costatum	72 hours
	Acute EC50 3.7 mg/l	Daphnia - Daphnia Magna	48 hours
	Acute LC50 1.9 mg/l Fresh water	Fish - Onorhynchus Mykiss	96 hours
	Acute NOEC 0.15 mg/l Marine water	Algae - Skeletonema Costatum	72 hours
2-methyl-2H-isothiazol-3-one	Acute EC50 0.18 ppm Fresh water	Daphnia - Daphnia magna	48 hours
-	Acute LC50 0.07 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
2-Octyl-2H-isothiazol-3-one	Acute EC50 107 ppb Fresh water	Daphnia - Daphnia magna	48 hours
-	Acute LC50 47 ppb Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Chronic NOEC 74 ppb Fresh water	Daphnia - Daphnia magna	21 days
	Chronic NOEC 8.5 ppb	Fish - Pimephales promelas	35 days
2-Methyl-1,2-benzisothiazol- 3(2H)-one	Acute EC50 0.22 ppm Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
· · ·	Acute EC50 0.92 ppm Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
	Acute LC50 0.24 ppm Fresh water	Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
	Chronic NOEC 0.16 ppm	Fish - Pimephales promelas	32 days

## Conclusion/Summary

Based on available data, the classification criteria are not met.

## 12.2 Persistence and degradability

Product/ingredient name	Test	Result		Dose	Inoculum
7,2-benzisothiazol-3(2H)-one	EU	24 % - 28 days		-	-
<b>Conclusion/Summary</b> : This product has not been tested for biodegradation.					
Product/ingredient name	Aquatic half-life		Photolysis	6	Biodegradability
7,2-benzisothiazol-3(2H)-one	-		-		Inherent

#### 12.3 Bioaccumulative potential

S	SECTION 12: Ecological information			
	Product/ingredient name	LogPow	BCF	Potential
	72-benzisothiazol-3(2H)-one 2-Octyl-2H-isothiazol-3-one		3.2	Low Low

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### **12.6 Endocrine disrupting properties**

Not available.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

13.1 Waste treatment meth	ods
Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	<ul> <li>Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.</li> </ul>
European waste catalogue (EWC)	: 080112
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
Date of issue/Date of revision       : 24/10/2023       Date of previous issue       : 04/04/2022         TEKNOBRUSH 6600-00 - BASE 3			1 : 04/04/2022	Version : 1.04 13/18 Label No :51988

SECTION 14: Tr	ansport inf	ormation		
14.5 I Environmental hazards	No.	No.	No.	No.
14.6 Special precautio user	uprig		e that persons transport	port in closed containers that are ing the product know what to do
14.7 Maritime transpo bulk according to IMC instruments		elevant/applicable du	e to nature of the produc	ot.
SECTION 15: R	egulatory ir	formation		
15.1 Safety, health an	d environmenta	I regulations/legisla	ation specific for the su	bstance or mixture
EU Regulation (EC)	<u>No. 1907/2006 (</u>	REACH)		
Annex XIV - List of	<u>substances sub</u>	<u>oject to authorisatio</u>	<u>n</u>	
Annex XIV				
None of the compo	onents are listed.			
Substances of ver	<u>y high concer</u> n			
None of the compo				
Annex XVII - Restrict	tions on the ma	nufacture, placing o	on the market and use o	of certain dangerous
substances, mixture				
Labelling	:			
Other EU regulations	—			
Industrial emission (integrated pollutio prevention and cor	n	isted		
Air Industrial emission	-	isted		
(integrated pollutio prevention and con Water				
Explosive precurso	ors : Not a	applicable.		
Ozone depleting su				
Not listed.	-			
Prior Informed Con	<u>sent (PIC) (649/</u>	<u>2012/EU)</u>		
Not listed.				
Persistent Organic Not listed.	Pollutants			
Seveso Directive				
This product is not c		ne Seveso Directive.		
National regulations				
<u>Austria</u> VbF class	Not -	aulated		
Limitation of the us		egulated. hitted.		
Czech Republic				
Storage code	: IV			
<u>Denmark</u>				
Danish fire class	: 📈-1			
MAL-code	: 😡 -1			

: 24/10/2023 Date of previous issue

# SECTION 15: Regulatory information

SECTION 15: Regula	
Protection based on MAL	: According to the regulations on work involving coded products, the following stipulations apply to the use of personal protective equipment:
	<b>General:</b> Gloves must be worn for all work that may result in soiling. Apron/ coveralls/protective clothing must be worn when soiling is so great that regular work clothes do not adequately protect skin against contact with the product. A face shield must be worn in work involving spattering if a full mask is not required. In this case, other recommended use of eye protection is not required.
	In all spraying operations in which there is return spray, the following must be worn: respiratory protection and arm protectors/apron/coveralls/protective clothing as appropriate or as instructed.
	MAL-code: 00-1 <b>Application:</b> When spraying in existing* spray booths, if the operator is outside the spray zone.
	- Arm protectors must be worn.
	During all spraying where atomisation occurs in cabins or spray booths where the operator is inside the spray zone and during spraying outside a closed facility, cabin or booth.
	- Full mask with combined filter, coveralls and hood must be worn.
	<b>Drying:</b> Items for drying/drying ovens that are temporarily placed on such things as rack trolleys, etc, must be equipped with a mechanical exhaust system to prevent fumes from wet items from passing through workers' inhalation zone.
	<b>Polishing:</b> When polishing treated surfaces, a mask with dust filter must be worn. When machine grinding, eye protection must be worn. Work gloves must always be worn.
	<b>Caution</b> The regulations contain other stipulations in addition to the above.
	*See Regulations.
List of undesirable substances	: Not listed
<u>Finland</u> France	
Reinforced medical surveillance	: Act of July 11, 1977 determining the list of activities which require reinforced medical surveillance: not applicable
<u>Germany</u>	
Storage class (TRGS 510)	
Hazardous incident ordina	
Hazard class for water	l under the Germany Hazardous Incident Ordinance. : 1
Technical instruction on	• TA-Luft Number 5.2.5: 4.3%
air quality control	• 17 Lut Number 0.2.0. 7.070
AOX	: The product contains organically bound halogens and can contribute to the AOX value in waste water.
<u>Italy</u>	
D.Lgs. 152/06	: Not determined.
Netherlands	
Water Discharge Policy (ABM)	: A(4) Low hazard for aquatic organisms, may have long-term hazardous effects in aquatic environment. Decontamination effort: A
Date of issue/Date of revision	: 24/10/2023 Date of previous issue : 04/04/2022 Version : 1.04 15/18

Date of issue/Date of revision	: 24/10/2023	Date of previous issue	: 04/04/2022	Version	:1.04	15/18
TEKNOBRUSH 6600-00 - BASE 3				Label No	<mark>51</mark> 988	3

## **SECTION 15: Regulatory information**

SECTION 15. Re		
<u>Norway</u>		
<u>Sweden</u>		
Switzerland		
VOC content	: Exempt.	
International regulation	<u>15</u>	
<u>Chemical Weapon Co</u>	vention List Schedules I, II & III Chemicals	
Not listed.		
Montreal Protocol		
Not listed.		
Stockholm Conventio	on Persistent Organic Pollutants	
Not listed.		
	on Prior Informed Consent (PIC)	
Not listed.		
UNECE Aarhus Proto	ol on POPs and Heavy Metals	
Not listed.		

15.2 Chemical safety	: T
assessment	re

: This product contains substances for which Chemical Safety Assessments are still required.

## **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]</li> <li>DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available</li> <li>PBT = Persistent, Bioaccumulative and Toxic</li> <li>PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group</li> </ul>
	SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

#### Full text of abbreviated H statements

H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H310	Fatal in contact with skin.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H330	Fatal if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
EUH071	Corrosive to the respiratory tract.	

Full text of classifications [CLP/GHS]

: 24/10/2023 Date of previous issue

## **SECTION 16: Other information**

CECTION 10. OU	
Acute Tox. 2	ACUTE TOXICITY - Category 2
Acute Tox. 3	ACUTE TOXICITY - Category 3
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Aquatic Chronic 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Skin Corr. 1	SKIN CORROSION/IRRITATION - Category 1
Skin Corr. 1B	SKIN CORROSION/IRRITATION - Category 1B
Skin Corr. 1C	SKIN CORROSION/IRRITATION - Category 1C
	SKIN CORROSION/IRRITATION - Category 2
	SKIN SENSITISATION - Category 1
Skin Sens. 1A	SKIN SENSITISATION - Category 1A
Date of issue/ Date of	: 24/10/2023
revision	
Date of previous issue	• : 04/04/2022
Version	: 1.04

EKNOBRUSH 6600-00 BASE 3

#### BASE 3

#### Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision TEKNOBRUSH 6600-00 - BASE 3

: 24/10/2023 Date of previous issue

:04/04/2022

Version : 1.04 18/18 Label No : 51988