Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - Ireland

SAFETY DATA SHEET



TEKNOCOAT AQUA 1878-63 - TS 13936 WHITE TINTED

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

| 1.1 Product identifier | |
|------------------------|-------|
| Product name | : TEK |

E TEKNOCOAT AQUA 1878-63 - TS 13936 WHITE TINTED

1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use: Paint.

1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091. e-mail address of person : Prod-safe@teknos.com responsible for this SDS

National contact

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

1.4 Emergency telephone number

National advisory body/Poison Centre

- Telephone number
- Emergency medical information: (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland.
 Members of the public Number (8 am-10 pm): +353 (0)1 809 2166 Healthcare professional telephone Number (24hrs): +353 (0)1 809 2566

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

| 2.2 Label elements | | |
|--------------------------------|---|---|
| Signal word | : | No signal word. |
| Hazard statements | : | No known significant effects or critical hazards. |
| Precautionary statements | | |
| Prevention | : | Not applicable. |
| Response | : | Not applicable. |
| Storage | : | Not applicable. |
| Disposal | : | Not applicable. |
| Supplemental label elements | : | Contains adipohydrazide, 1,2-benzisothiazol-3(2H)-one and reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. Safety data sheet available on request. Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. |

| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | : |
|---|---|
| 2.3 Other hazards | |
| Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII | : This mixture does not contain any substances that are assessed to be a PBT or a vPvB. |
| Other hazards which do not result in classification | : None known. |

SECTION 3: Composition/information on ingredients

| Product/ingredient name | Identifiers | % | Classification | Specific Conc. Limits, M-factors and ATEs | Туре |
|---|--|---------|---|---|---------|
| itanium dioxide | REACH #: 01-2119489379-17 EC: 236-675-5 CAS: 13463-67-7 | ≤5 | Carc. 2, H351 (inhalation) | - | [1] [*] |
| 3-Butoxypropan-2-ol | REACH #: 01-2119475527-28 EC: 225-878-4 CAS: 5131-66-8 Index: 603-052-00-8 | ≤3 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 | - | [1] |
| adipohydrazide | REACH #: 01-2119962900-36 EC: 213-999-5 CAS: 1071-93-8 | <1 | Skin Sens. 1, H317 Aquatic Chronic 2, H411 | - | [1] |
| 1,2-benzisothiazol-3(2H)- one | EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6 | <0.036 | Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 | ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = 0.21 mg/l Skin Sens. 1, H317: C $\ge 0.036\%$ M [Acute] = 1 M [Chronic] = 1 | [1] |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:1) | EC: 911-418-6 CAS: 55965-84-9 Index: 613-167-00-5 | <0.0015 | Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071 | ATE [Oral] = 53 mg/ kg ATE [Dermal] = 50 mg/kg ATE [Inhalation (vapours)] = 0.5 mg/l Skin Corr. 1C, H314: $C \ge 0.6\%$ Eye Dam. 1, H318: $C \ge 0.6\%$ Eye Irrit. 2, H319: $0.06\% \le C < 0.6\%$ Skin Sens. 1, H317: $C \ge 0.0015\%$ M [Acute] = 100 M [Chronic] = 100 | [1] |

SECTION 3: Composition/information on ingredients See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. Type

[1] Substance classified with a health or environmental hazard

[*] The classification as a carcinogen by inhalation applies only to mixtures placed on the market in powder form containing 1% or more of titanium dioxide particles with aerodynamic diameter \leq 10 µm not bound within a matrix.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

| 4.1 Description of first aid m | neasures |
|--------------------------------|--|
| Eye contact | : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Skin contact | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| Ingestion | : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. |

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

| Eye contact | : No specific data. |
|--------------|---------------------|
| Inhalation | : No specific data. |
| Skin contact | : No specific data. |
| Ingestion | : No specific data. |

4.3 Indication of any immediate medical attention and special treatment needed

| Notes to physician | : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
|---------------------|--|
| Specific treatments | : No specific treatment. |

SECTION 5: Firefighting measures

| 5.1 Extinguishing media | | |
|--------------------------------|---|--|
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. | |
| Unsuitable extinguishing media | : None known. | |

5.2 Special hazards arising from the substance or mixture

Hazards from the : In a fire or if heated, a pressure increase will occur and the container may burst. substance or mixture

SECTION 5: Firefighting measures

| . Decomposition products movinglude the following metazials: |
|---|
| : Decomposition products may include the following materials: |
| carbon dioxide |
| carbon monoxide |
| nitrogen oxides |
| metal oxide/oxides |
| |
| : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for |
| |

.

SECTION 6: Accidental release measures .

...

. .

.....

| 6.1 Personal precautions, pro | Die | ctive equipment and emergency procedures |
|---------------------------------|-----|---|
| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment. |
| For emergency responders | : | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| 6.2 Environmental precautions | : | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| 6.3 Methods and material for | со | ntainment and cleaning up |
| Small spill | : | Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : | Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e. g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. |
| 6.4 Reference to other sections | : | See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information. |

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

| Protective measures | : Put on appropriate personal protective equipment (see Section 8). |
|--|---|
| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |

7.2 Conditions for safe storage, including any incompatibilities

SECTION 7: Handling and storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

| 1 | Not available. |
|---|----------------|
| : | Not available. |
| | |

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

| Occupational e | xposure limits |
|----------------|----------------|
|----------------|----------------|

| Occupational exposure limits | |
|--|--|
| Product/ingredient name | Exposure limit values |
| No exposure limit value known. | |
| Biological exposure indices | |
| Product/ingredient name | Exposure indices |
| No exposure indices known. | |
| procedures European assessme values and atmospher of exposur (Workplac for the mea | should be made to monitoring standards, such as the following: Standard EN 689 (Workplace atmospheres - Guidance for the nt of exposure by inhalation to chemical agents for comparison with limit I measurement strategy) European Standard EN 14042 (Workplace res - Guide for the application and use of procedures for the assessment e to chemical and biological agents) European Standard EN 482 e atmospheres - General requirements for the performance of procedures asurement of chemical agents) Reference to national guidance is for methods for the determination of hazardous substances will also be |
| DNELs/DMELs | Provide State Stat |
| Product/ingredient name | Result |
| Manium dioxide | DNEL - General population - Long term - Inhalation 28 µg/m³ <u>Effects</u> : Local |
| | DNEL - Workers - Long term - Inhalation 170 μg/m³ <u>Effects</u> : Local |
| 3-Butoxypropan-2-ol | DNEL - General population - Long term - Oral 12.5 mg/kg bw/day <u>Effects</u> : Systemic |

DNEL - General population - Long term - Dermal 22 mg/kg bw/day Effects: Systemic

DNEL - General population - Long term - Inhalation 43 mg/m³ Effects: Systemic

DNEL - Workers - Long term - Dermal 52 mg/kg bw/day Effects: Systemic

SECTION 8: Exposure controls/personal protection

adipohydrazide

1,2-benzisothiazol-3(2H)-one

DNEL - Workers - Long term - Inhalation 147 mg/m³ Effects: Systemic

DNEL - Workers - Long term - Inhalation 17.5 mg/m³ <u>Effects</u>: Systemic

DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day <u>Effects</u>: Systemic

DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day <u>Effects</u>: Systemic

DNEL - General population - Long term - Inhalation 1.2 mg/m³ <u>Effects</u>: Systemic

DNEL - Workers - Long term - Inhalation 6.81 mg/m³ <u>Effects</u>: Systemic

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) **DNEL - General population - Long term - Inhalation** 0.02 mg/m³ Effects: Local

DNEL - Workers - Long term - Inhalation 0.02 mg/m³ <u>Effects</u>: Local

DNEL - General population - Short term - Inhalation 0.04 mg/m³ Effects: Local

DNEL - Workers - Short term - Inhalation 0.04 mg/m³ Effects: Local

DNEL - General population - Long term - Oral 0.09 mg/kg bw/day Effects: Systemic

DNEL - General population - Short term - Oral 0.11 mg/kg bw/day <u>Effects</u>: Systemic

PNECs

Not available.

8.2 Exposure controls
 Appropriate engineering controls
 Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
 Individual protection measures
 Hygiene measures
 Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

| Date of issue/Date of revision | : 14/07/2025 | Date of previous issue | :06/10/2023 | Version | :2 | 6/16 |
|--------------------------------|--------------|------------------------|-------------|----------|-------|------|
| TEKNOCOAT AQUA 1878-63 - T | S 13936 WHI | TE TINTED | | Label No | 12252 | 26 |

SECTION 8: Exposure controls/personal protection

| • | | | | |
|---------------------------------|---|--|--|--|
| Eye/face protection | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. | | | |
| Skin protection | | | | |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. | | | |
| | Recommendations : Wear suitable gloves tested to EN374. | | | |
| | > 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm | | | |
| | Not recommended polyvinyl alcohol (PVA) gloves | | | |
| Body protection | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. | | | |
| Other skin protection | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. | | | |
| Respiratory protection | : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. | | | |
| | Filter type (spray application): A P | | | |
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. | | | |

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

| ate of issue/Date of revision | : 14/07/2025 | Date of pro | vious issue : 0 | 6/10/2023 Version : 2 | 7/1 |
|--|--------------|---------------|-----------------|-----------------------|-----|
| Viscosity | : Not ava | ailable. | | | |
| рН | | | ‰ w/w): 100%] | | |
| Decomposition temperature | : Not ava | ailable. | | | |
| <mark>3≁</mark> Butoxypropan-2-ol | | 260 | 500 | EU A.15 | |
| Ingredient name | | °C | °F | Method | |
| Auto-ignition temperature | : | - | | | |
| Flash point | : Closed | l cup: >100°0 | C (>212°F) | | |
| Lower and upper explosion limit | | Not applicat | | | |
| Flammability | : Not ava | | | | |
| 3-Butoxypropan-2-ol | | 171 | 339.8 | OECD 103 | |
| water | | 100 | 212 | | |
| Ingredient name | | °C | °F | Method | |
| Initial boiling point and boiling range | : | 1 | | | |
| Melting point/freezing point | : Not ava | ailable. | | | |
| Odour threshold | : Not ava | | | | |
| Odour | : Slight | | | | |
| Colour | : White. | | | | |
| Physical state | : Liquid. | | | | |

TEKNOCOAT AQUA 1878-63 - TS 13936 WHITE TINTED

| Solubility(ies) | ÷ | | | | | |
|-----------------------------------|----------------|---------------|----------------------|-------------------|---------------|-------------------|
| Not available. | | | | | | |
| Solubility in water | : Not | available. | | | | |
| Partition coefficient: n-oc water | tanol/ : Not | applicable. | | | | |
| Vapour pressure | : | | | | | |
| | Va | pour Pres | sure at 20°C | V | apour pres | sure at 50°C |
| Ingredient name | mm Hg | kPa | Method | mm Hg | kPa | Method |
| water | 17.5 | 2.3 | | | | |
| 3-Butoxypropan-2-ol | 1.05 | 0.14 | OECD 104 | | | |
| Relative density | : Not | available. | | I | | |
| Density | : 1.1 | g/cm³ | | | | |
| Vapour density | : Not | available. | | | | |
| Particle characteristics | | | | | | |
| Median particle size | : Not | applicable. | | | | |
| .2 Other information | | | | | | |
| 9.2.1 Information with reg | jard to physic | al hazard | classes | | | |
| Explosive properties | : Not | available. | | | | |
| Oxidising properties | : Not | available. | | | | |
| 9.2.2 Other safety charact | teristics | | | | | |
| Not applicable. | | | | | | |
| SECTION 10: Stabi | lity and re | activity | , | | | |
| 0.1 Reactivity | : No spec | cific test da | ta related to reacti | vity available fo | or this produ | uct or its ingred |
| | | | | | | |
| 0.2 Chemical stability | : The pro | duct is stat | ole. | | | |

| 10.3 Possibility of | : Under normal conditions of storage and use, hazardous reactions will not occur. |
|---------------------|---|
| hazardous reactions | |
| | |

| 10.6 Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|--|--|
| 10.5 Incompatible materials | : No specific data. |
| 10.4 Conditions to avoid | : No specific data. |

SECTION 11: Toxicological information

| 11.1 Information on hazard classes as define | ed in Regulation (EC) No 1272/2008 |
|--|--|
| Acute toxicity | |
| Product/ingredient name | Result |
| ℬ-Butoxypropan-2-ol | Rabbit - Dermal - LD50 |
| | 3100 mg/kg |
| 1,2-benzisothiazol-3(2H)-one | Rat - Oral - LD50 1020 mg/kg |
| reaction mass of: 5-chloro-2-methyl- | Rat - Oral - LD50 |
| 4-isothiazolin-3-one [EC no. 247-500-7] and | 53 mg/kg |
| 2-methyl-2H-isothiazol-3-one [EC no. | Toxic effects: Behavioral - Somnolence (general depressed |
| 220-239-6] (3:1) | activity) Behavioral - Ataxia Lung, Thorax, or Respiration - |
| | Respiratory depression |
| Date of issue/Date of revision : 14/07/2025 | Date of previous issue : 06/10/2023 Version : 2 8/16 |

TEKNOCOAT AQUA 1878-63 - TS 13936 WHITE TINTED

Conclusion/Summary [Product] : Not available.

Acute toxicity estimates

| Product/ingredient name | Oral (mg/ kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapours) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|---|------------------|-------------------|--------------------------------|-----------------------------------|--|
| ℬ-Butoxypropan-2-ol | N/A | 3100 | N/A | N/A | N/A |
| 1,2-benzisothiazol-3(2H)-one | 450 | N/A | N/A | N/A | 0.21 |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1) | 53 | 50 | N/A | 0.5 | N/A |

Skin corrosion/irritation **Product/ingredient name** Result titanium dioxide Human - Skin - Mild irritant Duration of treatment/exposure: 72 hours Amount/concentration applied: 300 ug I Rabbit - Skin - Moderate irritant 3-Butoxypropan-2-ol Human - Skin - Mild irritant 1,2-benzisothiazol-3(2H)-one Duration of treatment/exposure: 48 hours Amount/concentration applied: 5 % reaction mass of: 5-chloro-2-methyl-Human - Skin - Severe irritant 4-isothiazolin-3-one [EC no. 247-500-7] and Amount/concentration applied: 0.01 % 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) **Conclusion/Summary [Product]** : Not available. **Ingredient name Conclusion/Summary** 3-Butoxypropan-2-ol Slightly irritating to the skin. Serious eye damage/eye irritation Not available. Conclusion/Summary [Product] : Not available. **Respiratory corrosion/irritation** Not available. Conclusion/Summary [Product] : Not available. **Respiratory or skin sensitization** Not available. Skin Conclusion/Summary [Product] ; Not available. Respiratory Conclusion/Summary [Product] : Not available. Germ cell mutagenicity Date of issue/Date of revision : 14/07/2025 Date of previous issue :06/10/2023 Version :2 Label No : 1/22526 TEKNOCOAT AQUA 1878-63 - TS 13936 WHITE TINTED

9/16

SECTION 11: Toxicological information

Not available.

Conclusion/Summary [Product] : Not available.

Carcinogenicity

It has been observed that the carcinogenic hazard of this product arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. Not available.

Conclusion/Summary [Product] : Not available. **Reproductive toxicity** Not available. **Conclusion/Summary [Product]** : Not available. Specific target organ toxicity (single exposure) Not available. Specific target organ toxicity (repeated exposure) Not available. Aspiration hazard Not available. Information on likely routes of exposure Not available. Potential acute health effects Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards. : No known significant effects or critical hazards. Ingestion Symptoms related to the physical, chemical and toxicological characteristics Eye contact : No specific data. Inhalation : No specific data. **Skin contact** : No specific data. Ingestion : No specific data. Delayed and immediate effects as well as chronic effects from short and long-term exposure Short term exposure **Potential immediate** : Not available. effects **Potential delayed effects** : Not available. Long term exposure **Potential immediate** : Not available. effects **Potential delayed effects** : Not available. Potential chronic health effects Not available. **Conclusion/Summary [Product]** : Not available. General : No known significant effects or critical hazards. Carcinogenicity : No known significant effects or critical hazards. **Mutagenicity** : No known significant effects or critical hazards.

| Date of issue/Date of revision | : 14/07/2025 | Date of previous issue |
|--------------------------------|--------------|------------------------|
| TEKNOCOAT AQUA 1878-63 - TS | 6 13936 WHI | TE TINTED |

SECTION 11: Toxicological information

Reproductive toxicity

: No known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

Conclusion/Summary [Product]

 The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity **Product/ingredient name** Result titanium dioxide Acute - LC50 - Marine water Fish - Mummichog - Fundulus heteroclitus >1000000 µg/l [96 hours] Effect: Mortality Acute - LC50 - Fresh water Crustaceans - Water flea - Ceriodaphnia dubia - Neonate Age: <24 hours 3 mg/l [48 hours] Effect: Mortality 1,2-benzisothiazol-3(2H)-one Acute - LC50 - Fresh water OECD [Fish, Acute Toxicity Test] Fish - Trout - Onorhynchus Mykiss 1.9 mg/l [96 hours] Acute - EC50 OECD 202 [Daphnia sp. Acute Immobilization Test and Reproduction Test] Daphnia - Daphnia - Daphnia Magna 3.7 mg/l [48 hours] Acute - EC50 - Marine water OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - Skeletonema Costatum 0.36 mg/l [72 hours] Acute - NOEC - Marine water OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - Skeletonema Costatum 0.15 mg/l [72 hours] : Not available. **Conclusion/Summary [Product]** 12.2 Persistence and degradability **Product/ingredient name** Result 2-benzisothiazol-3(2H)-one EU 24% [28 days]

Conclusion/Summary [Product] : Not available.

| Product/ingredient name | Aquatic half-life | Photolysis | Biodegradability |
|------------------------------|-------------------|------------|------------------|
| 7,2-benzisothiazol-3(2H)-one | - | - | Inherent |

12.3 Bioaccumulative potential

| Date of issue/Date of revision | : 14/07/2025 | Date of previous issue | :06/10/2023 |
|--------------------------------|--------------|------------------------|-------------|
| TEKNOCOAT AQUA 1878-63 - TS | 5 13936 WHI | TE TINTED | |

Version : 2 11/16 Label No : 122526

| S | SECTION 12: Ecological information | | | | | |
|---|---|--------|----------|------------|--|--|
| | Product/ingredient name | LogPow | BCF | Potential | | |
| | ͡͡β-Butoxypropan-2-ol 1,2-benzisothiazol-3(2H)-one | 1.2 | - 3.2 | Low Low | | |

12.4 Mobility in soil

Soil/water partition coefficient

| Product/ingredient name | logKoc | Кос |
|------------------------------|--------|---------|
| Butoxypropan-2-ol | 1.5 | 28.6002 |
| adipohydrazide | 1.7 | 55.2165 |
| 1,2-benzisothiazol-3(2H)-one | 1.9 | 73.142 |

Results of PMT and vPvM assessment

| Product/ingredient name | PMT | Р | Μ | т | vPvM | vP | vM |
|--|----------|----------|----|----|------|----|----|
| titanium dioxide | No | No | No | No | No | No | No |
| 3-Butoxypropan-2-ol | No | No | No | No | No | No | No |
| adipohydrazide | No | No | No | No | No | No | No |
| 1,2-benzisothiazol-3(2H)-one | No | No | No | No | No | No | No |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1) | No | No | No | No | No | No | No |
| Mobility | : Not av | ailable. | | | 1 | | |

Conclusion/Summary

: Not available.

: The product does not meet the criteria to be considered as a PMT or vPvM.

12.5 Results of PBT and vPvB assessment

Regulation (EC) No. 1907/2006 [REACH]

| Product/ingredient name | PBT | Р | В | Т | vPvB | vP | vB |
|--|-----|-----|-----|----|------|-----|-----|
| titanium dioxide | No | No | No | No | No | No | No |
| 3-Butoxypropan-2-ol | No | N/A | N/A | No | N/A | N/A | N/A |
| adipohydrazide | No | N/A | N/A | No | N/A | N/A | N/A |
| 1,2-benzisothiazol-3(2H)-one | No | N/A | No | No | No | N/A | No |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1) | No | N/A | N/A | No | N/A | N/A | N/A |

Regulation (EC) No. 1272/2008 [CLP]

| Product/ingredient name | PBT | Р | В | т | vPvB | vP | vB |
|--|-----|----|----|----|------|----|----|
| titanium dioxide | No | No | No | No | No | No | No |
| 3-Butoxypropan-2-ol | No | No | No | No | No | No | No |
| adipohydrazide | No | No | No | No | No | No | No |
| 1,2-benzisothiazol-3(2H)-one | No | No | No | No | No | No | No |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1) | No | No | No | No | No | No | No |

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP]

: The product does not meet the criteria to be considered as a PBT or vPvB.

12.6 Endocrine disrupting properties

| Date of issue/Date of revision | : 14/07/2025 | Date of previous issue |
|--------------------------------|--------------|------------------------|
| TEKNOCOAT AQUA 1878-63 - | TS 13936 WHI | TE TINTED |

SECTION 12: Ecological information

Not available.

Conclus

| | ion/Summary [Product] | disrupting properties according to the criteria set out in either Regulation (EC) |
|--|-----------------------|---|
|--|-----------------------|---|

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

| 13.1 Waste treatment method | ds |
|-----------------------------------|---|
| Product | |
| Methods of disposal | : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. |
| Hazardous waste | Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC. |
| European waste catalogue (EWC) | : 080112 |
| Packaging | |
| Methods of disposal | : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. |
| Special precautions | : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. |

SECTION 14: Transport information

| | ADR/RID | ADN | IMDG | ΙΑΤΑ |
|------------------------------------|----------------|----------------|----------------|----------------|
| 14.1 UN number or ID number | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| 14.2 UN proper shipping name | - | | - | - |
| 14.3 Transport hazard class(es) | - | | - | - |
| 14.4 Packing group | - | - | - | - |
| 14.5 Environmental hazards | No. | No. | No. | No. |

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO

: Not relevant/applicable due to nature of the product.

instruments

Date of issue/Date of revision : 14/07/2025 Date of previous issue TEKNOCOAT AQUA 1878-63 - TS 13936 WHITE TINTED

:06/10/2023

SECTION 15: Regulatory information

| ocorrow is. Regulatory mormation |
|--|
| 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH) |
| Annex XIV - List of substances subject to authorisation |
| Annex XIV |
| None of the components are listed. |
| Substances of very high concern |
| None of the components are listed. |
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles |
| Labelling : |
| Other EU regulations |
| Industrial emissions : Not listed (integrated pollution prevention and control) - Air |
| Industrial emissions : Not listed (integrated pollution prevention and control) - Water |
| Explosive precursors : Not applicable. |
| Ozone depleting substances (EU 2024/590) Not listed. |
| Prior Informed Consent (PIC) (649/2012/EU) Not listed. |
| Persistent Organic Pollutants Not listed. |
| Seveso Directive |
| This product is not controlled under the Seveso Directive. |
| International regulations |
| Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed. |
| Montreal Protocol |
| Not listed. |
| Stockholm Convention on Persistent Organic Pollutants Not listed. |
| Rotterdam Convention on Prior Informed Consent (PIC) Not listed. |
| UNECE Aarhus Protocol on POPs and Heavy Metals Not listed. |
| 15.2 Chemical safety assessment: This product contains substances for which Chemical Safety Assessments are still required. |

SECTION 16: Other information

Indicates information that has changed from previously issued version.

| | nat has changed from previously issued version. |
|---------------------------------|--|
| Abbreviations and acronyms | : ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. |
| | 1272/2008] |
| | DMEL = Derived Minimal Effect Level |
| | DNEL = Derived No Effect Level |
| | EUH statement = CLP-specific Hazard statement |
| | N/A = Not available |
| | PBT = Persistent, Bioaccumulative and Toxic |
| | PNEC = Predicted No Effect Concentration |
| | RRN = REACH Registration Number |
| | SGG = Segregation Group |
| | vPvB = Very Persistent and Very Bioaccumulative |
| Due a solution and the shortest | the election converse of the Conversion (CO) No. 4070/0000 [OLD/OLIO] |

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

Full text of abbreviated H statements

| H301 | Toxic if swallowed. |
|--------|---|
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H351 | Suspected of causing cancer. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| EUH071 | Corrosive to the respiratory tract. |

Full text of classifications [CLP/GHS]

| Acute Tox. 2 | ACUTE TOXICITY - Category 2 |
|------------------------|---|
| Acute Tox. 3 | ACUTE TOXICITY - Category 3 |
| Acute Tox. 4 | ACUTE TOXICITY - Category 4 |
| Aquatic Acute 1 | SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 |
| Aquatic Chronic 1 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 |
| Aquatic Chronic 2 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2 |
| Carc. 2 | CARCINOGENICITY - Category 2 |
| Eye Dam. 1 | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 |
| Eye Irrit. 2 | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 |
| Skin Corr. 1C | SKIN CORROSION/IRRITATION - Category 1C |
| Skin Irrit. 2 | SKIN CORROSION/IRRITATION - Category 2 |
| Skin Sens. 1 | SKIN SENSITISATION - Category 1 |
| Skin Sens. 1A | SKIN SENSITISATION - Category 1A |
| Date of issue/ Date of | : 14/07/2025 |
| revision | |
| Date of previous issue | e : 06/10/2023 |
| Version | : 2 |

Version

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision: 14/07/2025Date of previous issueTEKNOCOAT AQUA 1878-63 - TS 13936WHITE TINTED

:06/10/2023

Version : 2 16/16 Label No : 1/22526