# SAFETY DATA SHEET



TEKNOCOAT AQUA 1878-84 - RAL 9010

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : TEKNOCOAT AQUA 1878-84 - RAL 9010

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Paint.

1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

e-mail address of person responsible for this SDS

: Prod-safe@teknos.com

**National contact** 

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

1.4 Emergency telephone number

**National advisory body/Poison Centre** 

Telephone number : Malta Competition and Consumer Affairs Authority (MCCAA): +356 2395 2000

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

**Product definition**: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

**Precautionary statements** 

Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.

Supplemental label

elements

: Contains adipohydrazide, adipohydrazide, 2-mercaptoethanol, 1,2-benzisothiazol-3 (2H)-one and reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce

**Label No: 42275** 

an allergic reaction.

Safety data sheet available on request.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not

breathe spray or mist.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Date of issue/Date of revision : 14/11/2022 Date of previous issue : No previous validation Version : 1 1/15

# **SECTION 2: Hazards identification**

### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do not result in classification : None known.

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures : Mixture

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
titanium dioxide	REACH #: 01-2119489379-17 EC: 236-675-5 CAS: 13463-67-7	≥10 - ≤25	Carc. 2, H351 (inhalation)	-	[1] [*]
3-Butoxypropan-2-ol	REACH #: 01-2119475527-28 EC: 225-878-4 CAS: 5131-66-8 Index: 603-052-00-8	≤3	Skin Irrit. 2, H315 Eye Irrit. 2, H319	-	[1]
adipohydrazide	REACH #: 01-2119962900-36 EC: 213-999-5 CAS: 1071-93-8	<1	Skin Sens. 1, H317 Aquatic Chronic 2, H411	-	[1]
adipohydrazide	REACH #: 01-2119962900-36 EC: 213-999-5 CAS: 1071-93-8	≤0.3	Skin Sens. 1, H317 Aquatic Chronic 2, H411	-	[1]
propylidynetrimethanol	REACH #: 01-2119486799-10 EC: 201-074-9 CAS: 77-99-6	≤0.3	Repr. 2, H361d	-	[1]
2-mercaptoethanol	EC: 200-464-6 CAS: 60-24-2	<0.1	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 3, H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Repr. 2, H361 STOT RE 2, H373 Aquatic Acute 1, H400	ATE [Oral] = 244 mg/kg ATE [Dermal] = 50 mg/kg ATE [Inhalation (vapours)] = 3 mg/l M [Acute] = 1	[1]
1,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.05	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400	ATE [Oral] = 1020 mg/kg Skin Sens. 1, H317: C ≥ 0.05% M [Acute] = 1	[1]
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:1)	CAS: 55965-84-9 Index: 613-167-00-5	<0.0015	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1,	ATE [Oral] = 53 mg/kg ATE [Dermal] = 50 mg/kg ATE [Inhalation (vapours)] = 0.5 mg/l Skin Corr. 1C,	[1]

Date of issue/Date of revision : 14/11/2022 Date of previous issue 2/15 : No previous validation Version : 1

**Label No**:42275

<b>SECTION 3: Composition/info</b>	rmation on ingredients	
	H410 EUH071	H314: C ≥ 0.6% Eye Dam. 1, H318: C ≥ 0.6% Eye Irrit. 2, H319: 0.06% ≤ C < 0.6% Skin Sens. 1, H317: C ≥ 0.0015% M [Acute] = 100 M [Chronic] = 100
	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

### Type

- [1] Substance classified with a health or environmental hazard
- [\*] The classification as a carcinogen by inhalation applies only to mixtures placed on the market in powder form containing 1% or more of titanium dioxide particles with aerodynamic diameter ≤ 10 µm not bound within a matrix.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention if symptoms occur.

**Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

**Ingestion**: Wash out mouth with water. If material has been swallowed and the exposed

person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms

occur.

**Protection of first-aiders**: No action shall be taken involving any personal risk or without suitable training.

### 4.2 Most important symptoms and effects, both acute and delayed

#### **Over-exposure signs/symptoms**

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing** 

media

: None known.

### 5.2 Special hazards arising from the substance or mixture

Date of issue/Date of revision: 14/11/2022Date of previous issue: No previous validationVersion: 13/15TEKNOCOAT AQUA 1878-84 - RAL 9010Label No :42275

## SECTION 5: Firefighting measures

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous combustion products

 Decomposition products may include the following materials: carbon dioxide
 carbon monoxide

carbon monoxide metal oxide/oxides

### 5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

# **6.2 Environmental precautions**

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### 6.3 Methods and material for containment and cleaning up

**Small spill** 

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

### Large spill

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

# 6.4 Reference to other sections

See Section 1 for emergency contact information.
 See Section 8 for information on appropriate personal protective equipment.
 See Section 13 for additional waste treatment information.

# SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

**Protective measures** 

•

Advice on general occupational hygiene

: Put on appropriate personal protective equipment (see Section 8).

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**Label No: 42275** 

Date of issue/Date of revision : 14/11/2022 Date of previous issue : No previous validation Version : 1 4/15

## SECTION 7: Handling and storage

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

### 7.3 Specific end use(s)

Recommendations : Not available. **Industrial sector specific** : Not available.

solutions

## SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control parameters

### **Occupational exposure limits**

Product/ingredient name	Exposure limit values
No exposure limit value known.	

# procedures

Recommended monitoring: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### **DNELs/DMELs**

Product/ingredient name	Type	Exposure	Value	Population	Effects
titanium dioxide	DNEL	Long term	10 mg/m³	Workers	Local
		Inhalation			
	DNEL	Long term Oral	700 mg/kg	General	Systemic
2 Putovinronan 2 al	DNEL	Long torm Oral	bw/day 8.75 mg/	population General	Systemia
3-Butoxypropan-2-ol	DINEL	Long term Oral	_		Systemic
	DNE	Langtown Dawnal	kg bw/day	population	Customia
	DNEL	Long term Dermal	16 mg/kg	General	Systemic
	DAIEI	1 4	bw/day	population	C t : .
	DNEL	Long term	33.8 mg/m <sup>3</sup>	General	Systemic
		Inhalation		population	
	DNEL	Long term Dermal	44 mg/kg	Workers	Systemic
			bw/day		
	DNEL	Short term Dermal	50 %	General	Local
				population	
	DNEL	Long term Dermal	50 %	General	Local
				population	
	DNEL	Short term Dermal	50 %	Workers	Local
	DNEL	Long term Dermal	50 %	Workers	Local
	DNEL	Long term	147 mg/m <sup>3</sup>	Workers	Systemic
		Inhalation			
adipohydrazide	DNEL	Long term	8.6 mg/m <sup>3</sup>	Workers	Systemic
. ,		Inhalation			
adipohydrazide	DNEL	Long term	8.6 mg/m <sup>3</sup>	Workers	Systemic
•		Inhalation			
propylidynetrimethanol	DNEL	Short term Oral	50 mg/kg	General	Systemic

Date of issue/Date of revision : 14/11/2022 Version :1 5/15 Date of previous issue : No previous validation TEKNOCOAT AQUA 1878-84 - RAL 9010 **Label No: 42275** 

# **SECTION 8: Exposure controls/personal protection**

DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNEL	DEOTION 6. Exposure cont	. O.O. P	ereeriai prete	<b></b>		
DNEL DNEL DNEL DNEL DNEL DNEL Dnet rem permal DNEL Dnet Dnet Dnet Dnet Dnet Dnet Dnet Dnet				bw/day	population	
DNEL		DNEL	Short term Dermal			Systemic
DNEL		- 1 1 - 1				- ,
DNEL		DNEI	Short torm Dormal			Systemic
DNEL Inhalation DNEL Cong term Oral DNEL Cong term Oral Inhalation DNEL Cong term Oral DNEL Cong term Dermal DNEL Cong term DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNEL		DINEL	Short term Dermai		Workers	Systemic
Inhalation DNEL Short term Dermal DNEL Dng term Dermal DNEL Dng term Dermal Dnel Dnel Dnel Dnel Dnel Dnel Dnel Dne			<b>a.</b>			
DNEL Inhalation DNEL Cong term Oral DNEL Cong term Dormal DNEL Cong term Oral DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNEL		DNEL		925 mg/m <sup>3</sup>		Systemic
Inhalation DNEL Long term Dormal DNEL Long term Dermal DNEL Dong t			Inhalation			
DNEL DNEL Long term Oral DNEL Long term Dermal DNEL DNEL DNEL Dne term Inhalation DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNEL		DNEL	Short term	3037.3 mg/	Workers	Systemic
DNEL DNEL Long term Oral DNEL Long term Dermal DNEL DNEL DNEL Dnercaptoethanol DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNEL			Inhalation	m³		
DNEL Dong term Dermal DNEL Dong term bermal DNEL Dong term bermal DNEL Dong term bermal DNEL Dong term bermal DNEL Dong term D		DNEL	Long term Oral	0.34 mg/	General	Systemic
DNEL Dng term Dermal DNEL Long term Dermal DNEL Long term Dermal DNEL Dng term			9	•		-,
DNEL   DNEL   Long term   DNEL   Long term   DNEL   Long term   DNEL   Dng term   Dng term   Dng term   Dng term   Dng term   D		DNEI	Long term Dermal			Systemic
DNEL Long term Inhalation DNEL Long term Oral Long term Oral DNEL Long term Oral DNEL DNEL DNEL Long term Dermal Inhalation DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNEL		DIVLL	Long term berman	•		Cysternic
DNEL   Long term Dermal   DNEL   Long term Dermal   DNEL   Long term Dermal   DNEL   Long term Dermal   DNEL   Dng term Dermal   DNEL   Dng term Dnalation   DNEL   Dng		DAIEL	1 4	ky bw/day		0 1 : -
DNEL Dong term Dermal DNEL Dong term DNEL DNE DNET DNET DNET DNET DNET DNET DN		DINEL		0.58 mg/m <sup>2</sup>		Systemic
2-mercaptoethanol  DNEL   Long term   Cong						
2-mercaptoethanol  DNEL   Long term Oral   Systemic   Net   Systemic   System		DNEL	Long term Dermal	•	Workers	Systemic
2-mercaptoethanol  DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNEL				kg bw/day		
2-mercaptoethanol  DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNEL		DNEL	Long term	3.3 mg/m <sup>3</sup>	Workers	Systemic
2-mercaptoethanol  DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNE						-
DNEL DNEL Long term Oral Short term Dermal DNEL Long term Dermal DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNEL	2-mercaptoethanol	DNEL		0.025 ma/	General	Systemic
DNEL DNEL Short term Dermal DNEL Long term Dermal DNEL Long term Dermal DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNEL						- ,
DNEL DNEL DNEL DNEL Dneterm Dermal DNEL Dneterm Dermal DNEL DNEL Dneterm Dermal DNEL Dneterm Dermal DNEL Dneterm Dermal DNEL Dneterm Dermal Dneterm Dn		DNEI	Long term Oral			Systemic
DNEL DNEL Cong term Dermal DNEL Cong term Dermal DNEL Cong term Dermal DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNEL		DIVLL	Long term Oral			Systemic
DNEL DNEL Long term Dermal DNEL Long term Dermal Inhalation DNEL Long term Dermal Inhalation DNEL Dong term Inhalation DNEL Dong term Inhalation DNEL Dong term DNEL Dong term DNEL Dong term Inhalation DNEL Dong term Inhalation DNEL Dong term DNEL DNED Short term DNED Short t		DAIL	01 11 11 11			0
DNEL Dong term Dermal DNEL Long term Dermal Inhalation DNEL Long term Dermal DNEL Long term DNEL DNEL Long term DNEL DNEL DNET DNEL DNET DNEL DNET DNEL DNEL DNET DNEL DNET DNEL DNEL DNET DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNEL		DNEL	Snort term Dermai		vvorkers	Systemic
DNEL Jong term Inhalation DNEL Long term Dermal Inhalation DNEL Inhala						
DNEL   Short term		DNEL	Long term Dermal		Workers	Systemic
Inhalation 1,2-benzisothiazol-3(2H)-one  DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNE				kg bw/day		
Inhalation Long term Dermal DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNEL		DNEL	Short term	0.17 mg/m <sup>3</sup>	Workers	Systemic
DNEL Long term Dermal DNEL Long term Dermal Inhalation DNEL Long term Dermal Long term Dermal Long term Dermal DNEL Long term Dermal Inhalation DNEL Long term Inhalation DNEL Long term Inhalation DNEL Long term Inhalation DNEL Sonor term Inhalation DNEL Short term Onal DNEL Systemic Systemic Systemic Systemic Systemic Systemic Systemic Systemic Systemic DNEL Systemic DNEL Systemic DNEL Systemic DNEL Short term Onal DNEL Short term Onal DNEL Short term Onal DNEL Short term Onal Systemic Systemic Systemic Systemic Systemic DNEL Systemic DNEL Systemic DNEL Short term Onal DNEL Short term Onal DNEL Short term Onal Systemic DNEL Short term Onal DNEL Short term Onal Systemic Syst			Inhalation	•		•
1,2-benzisothiazol-3(2H)-one  DNEL DNEL Dng term Dermal Dng derm Dng		DNFI		0 17 mg/m <sup>3</sup>	Workers	Systemic
1,2-benzisothiazol-3(2H)-one  DNEL   Long term Dermal   DNEL   Long term Dermal   DNEL   Long term Dermal   DNEL   Long term Dermal   DNEL   Long term   DNEL   DNEL   DNEL   Long term   DNEL		0.122		0.11 mg/m	TT GIRGIG	Gyotomio
DNEL Long term Dermal DNEL Long term Dermal DNEL Long term Dermal DNEL Long term Dnemal D	1.2 henzisothiazol 3/2H) one	DNEI		0.345 mg/	Conoral	Systemic
DNEL Long term Dermal 0.966 mg/kg bw/day 1.2 mg/m³ General population DNEL Long term Inhalation DNEL Long term 1.2 mg/m³ General population DNEL Long term 1.2 mg/m³ Workers DNEL Long term 1.2 mg/m³ General population DNEL Long term 0.02 mg/m³ General population DNEL Short term 0.04 mg/m³ General population DNEL Short term 0.09 mg/kg bw/day DNEL Short term Oral 0.09 mg/kg bw/day DNEL Short term Oral 0.11 mg/ General Systemic DNEL Short term Oral 0.11 mg/ General Systemic	1,2-De11215011118201-3(211)-0116	DIVLL	Long term Dermai			Systemic
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1)  DNEL Long term Inhalation Long term Inhalation  DNEL Long term Inhalation  DNEL Long term Inhalation  DNEL Long term Inhalation  DNEL Short term Inhalation  DNEL Short term Oral DNEL Short term Onal Systemic		DAIL				0
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1)  DNEL  D		DNEL	Long term Dermai		vvorkers	Systemic
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1)  DNEL Long term Inhalation  DNEL Short term Inhalation  DNEL Long term Inhalation  DNEL Short term Inhalation  DNEL Long term Inhalation  DNEL Short term Oral DNEM Inhalation  DNEM Short term Oral DNEM Inhalation  DNE						
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1)  DNEL Long term Inhalation  DNEL Long term Inhalation  DNEL Long term Inhalation  DNEL Long term Inhalation  DNEL Short term Inhalation  DNEL Short term Inhalation  DNEL Short term Inhalation  DNEL Long term Inhalation  DNEL Short term Oral  Systemic  Systemic  Systemic  Systemic  Systemic  Systemic  Systemic		DNEL		1.2 mg/m³		Systemic
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1)  DNEL Long term Inhalation  DNEL Long term Inhalation  DNEL Short term Inhalation  DNEL Short term O.02 mg/m³  General population  Workers  Local  Local  Local  Local  Journal of the population  DNEL Short term O.04 mg/m³  Inhalation  DNEL Short term O.09 mg/ kg bw/day  DNEL Short term Oral  Systemic			Inhalation			
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1)  DNEL Long term Inhalation  DNEL Long term Inhalation  DNEL Short term Inhalation  DNEL Short term O.02 mg/m³  General population  Workers  Local  Local  Local  Local  Journal of the population  DNEL Short term O.04 mg/m³  Inhalation  DNEL Short term O.09 mg/ kg bw/day  DNEL Short term Oral  Systemic		DNEL	Long term	6.81 mg/m <sup>3</sup>	Workers	Systemic
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)  DNEL Long term Inhalation  DNEL Long term Inhalation  DNEL Short term Inhalation  DNEL Short term Inhalation  DNEL Long term Inhalation  DNEL Short term Inhalation  DNEL Short term Oral			_	_		
4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)  DNEL Long term Inhalation  DNEL Short term Inhalation  DNEL Short term Oral	reaction mass of: 5-chloro-2-methyl-	DNEL		0.02 ma/m³	General	Local
247-500-7] and 2-methyl-2H-   isothiazol-3-one [EC no. 220-239-6] (3:1)   DNEL   Long term   0.02 mg/m³   Workers   Local     Inhalation   DNEL   Short term   0.04 mg/m³   General   population   DNEL   Long term   0.04 mg/m³   Workers   Local     Inhalation   DNEL   Short term   0.09 mg/   kg bw/day   DNEL   Short term Oral   O.09 mg/   General   population   Systemic						
isothiazol-3-one [EC no. 220-239-6] (3:1)  DNEL Long term 0.02 mg/m³ Workers Local Inhalation DNEL Short term 10.04 mg/m³ General population DNEL Short term 0.09 mg/ kg bw/day DNEL Short term Oral 0.09 mg/ General population DNEL Short term Oral 0.09 mg/ General Systemic Systemic			aaaaa		Population	
DNEL Long term 0.02 mg/m³ Workers Local  DNEL Short term 0.04 mg/m³ General population  DNEL Short term 0.04 mg/m³ Workers  DNEL Short term 0.04 mg/m³ Workers  DNEL Long term 0.04 mg/m³ General Systemic  DNEL Long term Oral 0.09 mg/ kg bw/day  DNEL Short term Oral 0.11 mg/ General Systemic						
DNEL Long term   0.02 mg/m³   Workers   Local						
Inhalation DNEL Short term Inhalation DNEL Short term Inhalation DNEL Local  O.04 mg/m³ Figure 1	(3.1)					]
DNEL Short term 0.04 mg/m³ General population  DNEL Short term 0.04 mg/m³ Workers Local  DNEL Long term Oral 0.09 mg/ kg bw/day  DNEL Short term Oral 0.11 mg/ General Systemic  Systemic Systemic		DNEL		0.02 mg/m³	Workers	Local
Inhalation DNEL Short term (Inhalation) DNEL Long term Oral (Inhalation) DNEL Short term Oral (Inhalation) United Short term (Inhalation) United Short ter						
DNEL Short term 0.04 mg/m³ Workers Local  DNEL Long term Oral 0.09 mg/ General Systemic  DNEL Short term Oral 0.11 mg/ General Systemic		DNEL	Short term	0.04 mg/m <sup>3</sup>	General	Local
DNEL Short term 0.04 mg/m³ Workers Local  DNEL Long term Oral 0.09 mg/ General Systemic  DNEL Short term Oral 0.11 mg/ General Systemic			Inhalation	_	population	
DNEL   Inhalation   DNEL   Long term Oral   DNEL   Systemic   Systemic   Congress   Cong		DNEL		0.04 ma/m <sup>3</sup>		Local
DNEL Long term Oral 0.09 mg/ General Systemic by bw/day DNEL Short term Oral 0.11 mg/ General Systemic Systemic						
DNEL Short term Oral kg bw/day population Systemic		DNEI		0.09 mg/	General	Systemic
DNEL Short term Oral 0.11 mg/ General Systemic		DIVEL	Long tonin Oral			Cystoniio
		ראבי	Short torm Oral			Systemic
		DINEL	Short term Oral			Systemic
[9 ]				kg bw/day	population	

### **PNECs**

No PNECs available

### 8.2 Exposure controls

**Appropriate engineering** controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Individual protection measures** 

Date of issue/Date of revision : 14/11/2022 Date of previous issue : No previous validation Version :1 6/15 **Label No** :42275

# SECTION 8: Exposure controls/personal protection

#### **Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the layatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Recommendations: Wear suitable gloves tested to EN374.

> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm Not recommended polyvinyl alcohol (PVA) gloves

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

A P Filter type (spray application):

**Environmental exposure** controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

**Physical state** : Liquid. Colour White. **Odour** Slight **Odour threshold** 

Not available. Melting point/freezing point : Not available.

Initial boiling point and

boiling range

Ingredient name	°C	°F	Method
water	100	212	
3-Butoxypropan-2-ol	171	339.8	OECD 103

**Flammability** : Not available.

Lower and upper explosion : Lower: Not applicable.

limit Upper: Not applicable.

Flash point : Closed cup: >100°C (>212°F)

**Auto-ignition temperature** 

Date of issue/Date of revision : 14/11/2022 Version:1 7/15 Date of previous issue : No previous validation **Label No: 42275** 

# SECTION 9: Physical and chemical properties

Ingredient name	°C	°F	Method
Dipropylenglycoldimethylether	165	329	
3-Butoxypropan-2-ol	260	500	EU A.15

**Decomposition temperature** : Not available. pН : 8 to 8.7 : Not available. **Viscosity** 

Solubility(ies)

Not available.

Solubility in water : Not available. Partition coefficient: n-octanol/ : Not applicable.

water

Vapour pressure

	Vapour Pressure at 20°C			Va	re at 50°C	
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	23.8	3.2				
3-Butoxypropan-2-ol	1.05	0.14	OECD 104			

**Relative density** : Not available. **Density** : 1.2 g/cm<sup>3</sup> Vapour density : Not available. **Explosive properties** : Not available. : Not available. **Oxidising properties** 

**Particle characteristics** 

Median particle size : Not applicable.

# **SECTION 10: Stability and reactivity**

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials : No specific data.

10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 **Acute toxicity** 

Date of issue/Date of revision Version :1 8/15 : 14/11/2022 Date of previous issue : No previous validation **Label No: 42275** 

# **SECTION 11: Toxicological information**

Product/ingredient name	Result	Species	Dose	Exposure
3-Butoxypropan-2-ol	LD50 Dermal	Rabbit	3100 mg/kg	-
propylidynetrimethanol	LD50 Oral	Rat	14000 mg/kg	-
2-mercaptoethanol	LD50 Oral	Rat	244 mg/kg	-
1,2-benzisothiazol-3(2H)-	LD50 Oral	Rat	1020 mg/kg	-
one				
reaction mass of: 5-chloro-	LD50 Oral	Rat	53 mg/kg	-
2-methyl-4-isothiazolin-				
3-one [EC no. 247-500-7]				
and 2-methyl-2H-isothiazol-				
3-one [EC no. 220-239-6] (3:				
1)				

**Conclusion/Summary** 

: Based on available data, the classification criteria are not met.

### **Acute toxicity estimates**

Route	ATE value
Not available.	

### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
titanium dioxide	Skin - Mild irritant	Human	-	72 hours 300 ug I	-
3-Butoxypropan-2-ol	Skin - Moderate irritant	Rabbit	-	-	-
2-mercaptoethanol	Eyes - Severe irritant	Rabbit	-	2 mg	-
1,2-benzisothiazol-3(2H)-one	Skin - Mild irritant	Human	-	48 hours 5 %	-
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	Skin - Severe irritant	Human	-	0.01 %	-

**Conclusion/Summary** 

: Based on available data, the classification criteria are not met.

**Sensitisation** 

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Mutagenicity** 

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Carcinogenicity** 

It has been observed that the carcinogenic hazard of this product arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung.

: Based on available data, the classification criteria are not met. **Conclusion/Summary** 

**Reproductive toxicity** 

Conclusion/Summary : Based on available data, the classification criteria are not met.

**Teratogenicity** 

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Not available.

# Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
2-mercaptoethanol	Category 2	-	-

#### **Aspiration hazard**

Not available.

**Information on likely routes**: Not available. of exposure

Date of issue/Date of revision : 14/11/2022 Version :1 9/15 Date of previous issue : No previous validation **Label No: 42275** 

# **SECTION 11: Toxicological information**

### Potential acute health effects

**Eye contact** : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. **Skin contact** : No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

: No specific data. **Eye contact** Inhalation : No specific data. **Skin contact** : No specific data. : No specific data. Ingestion

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### **Short term exposure**

**Potential immediate** 

: Not available.

effects

Potential delayed effects : Not available.

**Long term exposure** 

**Potential immediate** : Not available.

effects

Potential delayed effects : Not available.

#### Potential chronic health effects

Not available.

**Conclusion/Summary** : Not available.

**General** : No known significant effects or critical hazards. Carcinogenicity : No known significant effects or critical hazards. **Mutagenicity** : No known significant effects or critical hazards. **Reproductive toxicity** : No known significant effects or critical hazards.

#### 11.2 Information on other hazards

### 11.2.1 Endocrine disrupting properties

Not available.

### 11.2.2 Other information

Not available.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
titanium dioxide	Acute LC50 3 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 6.5 mg/l Fresh water	Daphnia - Daphnia pulex - Neonate	48 hours
	Acute LC50 >1000000 μg/l Marine water	Fish - Fundulus heteroclitus	96 hours
propylidynetrimethanol	Acute EC50 13000000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 14400000 μg/l Marine water	Fish - Cyprinodon variegatus	96 hours
1,2-benzisothiazol-3(2H)-one	Acute EC50 0.36 mg/l Marine water	Algae - Skeletonema Costatum	72 hours
	Acute EC50 3.7 mg/l	Daphnia - Daphnia Magna	48 hours
	Acute LC50 1.9 mg/l Fresh water	Fish - Onorhynchus Mykiss	96 hours
	Acute NOEC 0.15 mg/l Marine water	Algae - Skeletonema Costatum	72 hours

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

Date of issue/Date of revision : 14/11/2022 Version :1 Date of previous issue : No previous validation **Label No: 42275** 

10/15

# **SECTION 12: Ecological information**

### 12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
1,2-benzisothiazol-3(2H)-one	EU	24 % - 28 days	-	-

Conclusion/Summary : This product has not been tested for biodegradation.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
1,2-benzisothiazol-3(2H)-one	-	-	Inherent

### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
3-Butoxypropan-2-ol propylidynetrimethanol	1.2 -0.47	- <1	low low
2-mercaptoethanol 1,2-benzisothiazol-3(2H)-one	-0.056 -	3.2	low low

### 12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

**Mobility** : Not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Not available.

### 12.7 Other adverse effects

No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### **Product**

**Methods of disposal** 

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

### **Hazardous waste**

: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

**European waste** catalogue (EWC) : 080112

**Packaging** 

**Methods of disposal** 

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

### **Special precautions**

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Date of issue/Date of revision Version :1 11/15 : 14/11/2022 Date of previous issue : No previous validation **Label No: 42275** 

# **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

: Not relevant/applicable due to nature of the product.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

**Annex XIV - List of substances subject to authorisation** 

### **Annex XIV**

None of the components are listed.

### **Substances of very high concern**

None of the components are listed.

**Annex XVII - Restrictions** on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

### Other EU regulations

**Industrial emissions** : Not listed

(integrated pollution prevention and control) -

**Air** 

**Industrial emissions** (integrated pollution

: Not listed

prevention and control) -

Water

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

**Persistent Organic Pollutants** 

Not listed.

Date of issue/Date of revision : 14/11/2022 Date of previous issue Version :1 12/15 : No previous validation **Label No: 42275** 

# SECTION 15: Regulatory information

#### **Seveso Directive**

This product is not controlled under the Seveso Directive.

### **International regulations**

### **Chemical Weapon Convention List Schedules I, II & III Chemicals**

Not listed.

### **Montreal Protocol**

Not listed.

### Stockholm Convention on Persistent Organic Pollutants

Not listed.

### **Rotterdam Convention on Prior Informed Consent (PIC)**

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

### 15.2 Chemical safety

assessment

: Not applicable.

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

**Abbreviations and** 

acronyms

: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement

N/A = Not available

PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

SGG = Segregation Group

vPvB = Very Persistent and Very Bioaccumulative

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

### Full text of abbreviated H statements

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

#### Full text of classifications [CLP/GHS]

Date of issue/Date of revision Version :1 13/15 : 14/11/2022 Date of previous issue : No previous validation TEKNOCOAT AQUA 1878-84 - RAL 9010 **Label No: 42275** 

### **SECTION 16: Other information**

Acute Tox. 2 ACUTE TOXICITY - Category 2
Acute Tox. 3 ACUTE TOXICITY - Category 3
Acute Tox. 4 ACUTE TOXICITY - Category 4

Aquatic Acute 1 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2

Carc. 2 CARCINOGENICITY - Category 2

Eye Dam. 1 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Eye Irrit. 2 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2

Repr. 2 REPRODUCTIVE TOXICITY - Category 2
Skin Corr. 1C SKIN CORROSION/IRRITATION - Category 1C
Skin Irrit. 2 SKIN CORROSION/IRRITATION - Category 2

Skin Sens. 1 SKIN SENSITISATION - Category 1
Skin Sens. 1A SKIN SENSITISATION - Category 1A

STOT RE 2 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2

Date of issue/ Date of : 14/11/2022

revision

Date of previous issue : No previous validation

Version : 1

EKNOCOAT AQUA 1878-84 RAL 9010 RAL 9010

### **Notice to reader**

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision: 14/11/2022Date of previous issue: No previous validationVersion: 114/15

**Label No: 42275** 

Date of issue/Date of revision: 14/11/2022Date of previous issue: No previous validationVersion: 115/15

TEKNOCOAT AQUA 1878-84 - RAL 9010 Label No :42275