Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

SAFETY DATA SHEET



TEKNOCOAT AQUA 2575-32 - BASE 3

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Product name

: TEKNOCOAT AQUA 2575-32 - BASE 3

1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use: Paint.

1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091. e-mail address of person : Prod-safe@teknos.com

responsible for this SDS National contact

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number: In an emergency, call 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture <u>Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]</u> Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements Signal word : No signal word. **Hazard statements** : No known significant effects or critical hazards. **Precautionary statements Prevention** : Not applicable. Response : Not applicable. **Storage** : Not applicable. **Disposal** : Not applicable. **Supplemental label** : Contains adipohydrazide, 2,4,7,9-tetramethyl-5-decyne-4,7-diol and 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. elements Safety data sheet available on request. Contains biocidal products for in-can preservation: C(M)IT/MIT (3:1). **Annex XVII - Restrictions** ŝ on the manufacture, placing on the market and

use of certain dangerous substances, mixtures and articles

2.3 Other hazards

Date of issue/Date of revision	: 10/04/2025	Date of previous issue	:01/12/2023	Version	:2	1/17
TEKNOCOAT AQUA 2575-32 - B	ASE 3			Label No	1 ⁄094	35

SECTION 2: Hazards identification

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII : This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

1907/2006, Annex XIII Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture	1	-	1	1
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
adipohydrazide	REACH #: 01-2119962900-36 EC: 213-999-5 CAS: 1071-93-8	<1	Skin Sens. 1, H317 Aquatic Chronic 2, H411	-	[1]
2,4,7,9-tetramethyl- 5-decyne-4,7-diol	REACH #: 01-2119954390-39 EC: 204-809-1 CAS: 126-86-3	≤0.3	Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 3, H412	-	[1]
1,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.036	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = 0.21 mg/l Skin Sens. 1, H317: C $\geq 0.036\%$ M [Acute] = 1 M [Chronic] = 1	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. Type

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed <u>Over-exposure signs/symptoms</u>

Date of issue/Date of revision	: 10/04/2025	Date of previous issue	:01/12/2023	Version : 2	2/17
TEKNOCOAT AQUA 2575-32 - I	BASE 3			Label No :1709	435

SECTION 4: First aid	Imeasures
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
4.3 Indication of any immedia	ate medical attention and special treatment needed
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
SECTION 5: Firefight	ting measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising f	rom the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

6.1 Personal precautions, protective equipment and emergency procedures

o. Tresonal precautions, pre		cuve equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	СО	ontainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a

: 10/04/2025 Date of previous issue

licensed waste disposal contractor.

SECTION 6: Accidental release measures

Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e. g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.			
6.4 Reference to other sections	 See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information. 			

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

: Not available.

Recommendations Industrial sector specific solutions

SECTION 8: Exposure controls/personal protection

: Not available.

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
No exposure limit value known.	
,2-benzisothiazol-3(2H)-one	DFG MAC-values list (Germany, 7/2023) Skin sensitiser.

Date of issue/Date of revision: 10/04/2025Date of previous issueTEKNOCOAT AQUA 2575-32 - BASE 3

:01/12/2023

SECTION 8: Exposure controls/personal protection					
No exposure limit value known.					
No exposure limit value known.					
No exposure limit value known.					
No exposure limit value known.					
No exposure limit value known.					
No exposure limit value known.					
No exposure limit value known.					
No exposure limit value known.					
No exposure limit value known.					
No exposure limit value known.					
No exposure limit value known.					
No exposure limit value known.					
No exposure limit value known.					
No exposure limit value known.					
No exposure limit value known.					
No exposure limit value known.					
No exposure limit value known.					
No exposure limit value known.					
No exposure limit value known.					
No exposure limit value known.					

Biological exposure indices

Product/ingredient name	Exposure indices
No exposure indices known.	

Date of issue/Date of revision : 10/04/2025 Date of previous issue TEKNOCOAT AQUA 2575-32 - BASE 3

:01/12/2023

No exposure indices known. No exposure indices known. No exposure indition is and partice indition incompletin i	SECTION 8: Exposure	controls/pe	rsonal protection
No exposure indices known. No exposure indices known. No exposure indit indices known. No exposur		•	-
No exposure indices known. No exposure indices known. No exposure indices known. European Standard EN 680 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and textergy). European Standard EN 462 (Workplace atmospheres - Guidance to the assessment of exposure by inhalation to chemical agents for the basessment of exposure by inhalation to chemical agents for the assessment of exposure by inhalation to chemical agents for the assessment of exposure by inhalation to the application with limit values and textergy). European Standard EN 442 (Workplace atmospheres - Guide for the assessment of exposure by inhalation to the application and use of procedures for the assessment of exposure by inhalation to the application and use of procedure for the measurement of chemical agents for the total charge standard EN 422 (Workplace atmospheres - Guide for the application at the application of th	No exposure indices known.		
No exposure indices known. No exposure indices known. No exposure indices known. No exposure indices known. No exposure indices known. No exposure indices known. No exposure indices known. European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents) for comparison with limit values and measurement strategy. European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical agents). Reference to tational guidance for the assessment of exposure to chemical agents. Reference to attoinal guidance for the easesurement of chemical agents. Reference to attoinal guidance de documents for methods for the determination of hazardous substances will also be required. DNELs/DMELs Product/ingredient name Product/ingredient name Result Billipohydrazide DNEL - Workers - Long term - Inhalation 17.5 mg/m³ 2.4,7,9-tetramethyl-5-decyne-4,7-diol DNEL - General population - Long term - Oral 0.29 mg/kg bw/day D.29 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Inhalation 0.505 mg/m³ Effects: Systemic DNEL - Workers - Long term - Inhalation 0.505 mg/m³ Effects: Systemic DNEL - Workers - Long term - Inhalation 2.86 mg/m³ Effects: Systemic DNEL - Workers - Long term - Inhalation 2.86 mg/m³ Effects: Systemic DNEL - Workers - Long ter	No exposure indices known.		
No exposure indices known. No exposure indices known. No exposure indices known. No exposure indices known. No exposure indices known. Recommended monitoring procedures Recommended monitoring procedures Reference should be made to monitoring standards, such as the following: European Standard EN 669 (Workplace atmospheres - Guida for for the assessment of exposure by inhalation to chemical agents) European Standard EN 482 (Workplace atmospheres - Guida for for the assessment of exposure to chemical agents). Reference to national guidance documents for methods for the determination of hazardous substances will also be required. DNELs/DMELs Product/ingradient name Result Product/ingradient name Result Riflipohydrazide DNEL - Workers - Long term - Inhalation 17.5 mg/m² 2.4.7.9-tetramethyl-5-decyne-4,7-diol DNEL - General population - Long term - Oral 0.29 mg/rk bw/day Effects: Systemic DNEL - General population - Long term - Inhalation 0.606 mg/rd 1.2-benzisothiazol-3(2H)-one DNEL - Workers - Long term - Dermal 0.29 mg/rd, bw/day Effects: Systemic DNEL - Workers - Long term - Inhalation 2.66 mg/m² 1.2-benzisothiazol-3(2H)-one DNEL - General population - Long term - Dermal 0.45 mg/m² 1.2-benzisothiazol-3(2H)-one DNEL - General population - Long term - Dermal 0.345 mg/m² 1.2-benz			
No exposure indices known. No exposure indices known. No exposure indices known. No exposure indices known. No exposure indices known. Recommended monitoring procedures Recommended monitoring procedures Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidal for the measurement strategy). European Standard EN 482 (Workplace atmospheres - Guidal for the assessment of exposure to chemical agents). Reference to national guidance documents for methods for the determination of hazardous substances will also be required. DNELs/DMELs Product/ingredient name required. Product/ingredient name required. Result Billpohydrazide DNEL-Workers - Long term - Inhalation 17.5 mg/m² Effects: Systemic 2.4.7.9-tetramethyl-5-decyne-4.7-diol DNEL - Workers - Long term - Oral 0.29 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Dermal 0.29 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.29 mg/kg bw/day Effects: Systemic 1.2-benzisothiazol-3/(2H)-one DNEL - Workers - Long term - Dermal 0.36 mg/m² Effects: Systemic DNEL - Workers - Long term - Inhalation 2.46 mg/m² Effects: Systemic DNEL - Workers - Long term - Dermal 0.346 mg/m² Effects: Systemic DNEL - Workers - Long term - Dermal 0.346 mg/m² Effects: Systemic DNEL - Workers - Long term - Dermal 0.346 mg/m² Effects: Systemic DNEL - Workers - Long term - Dermal 0			
No exposure indices known. Recommended monitoring procedures European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy). European Standard EN 4422 (Workplace atmospheres - Guide for the application and use of procedures for the sessesment of exposure to chemical agents). Reference to national guidance documents for methods for the determination of hazardous substances will also be required. DNELs/DMELs Product/ingredient name Reliphydrazide Reliphydrazide Product/ingredient name Reliphydrazide DNEL - Korkers - Long term - Inhalation 17.5. mg/m ^a Effects: Systemic DNEL - General population - Long term - Oral 0.29 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Inhalation 0.505 mg/m ^a Effects: Systemic DNEL - Workers - Long term - Inhalation 2.86 mg/m ^a Effects: Systemic DNEL - General population - Long term - Inhalation 0.505 mg/m ^a Effects: Systemic DNEL - Workers - Long term - Inhalation 2.86 mg/m ^a Effects: Systemic			
No exposure indices known. Reference should be made to monitoring standards, such as the following: Recommended monitoring procedures : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of chemical agents) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures to herical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required. DNELs/DMELs Product/ingrodient name Result Glipohydrazide DNEL - Workprs - Long term - Inhalation 17.5 mg/m ⁴ 2,4.7,9-tetramethyl-5-decyne-4,7-diol DNEL - General population - Long term - Oral 0.29 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Inhalation 0.505 mg/m ⁴ Effects: Systemic DNEL - General population - Long term - Inhalation 0.505 mg/m ⁴ Effects: Systemic DNEL - General population - Long term - Inhalation 0.456 mg/m ⁴ BHE - General population - Long term - Inhalation 0.505 mg/m ⁴ 1,2-benzisothiazol-3(2H)-one DNEL - General population - Long term - Inhalation 2.45 mg/m ⁴ BHE - General population - Long term - Inhalation 2.45 mg/m ⁴ 1,2-benzisothiazol-3(2H)-one DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day Effect			
No exposure indices known. Recommended monitoring procedures : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy). European Standard EN 4422 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents). Reference to national guidance documents for methods for the determination of hazardous substances will also be required. DNELs/DMELs Product/ingredient name Result Product/ingredient name Result DNEL - Workers - Long term - Inhalation 17.5 mg/m ² Effects: Systemic DNEL - General population - Long term - Oral 0.29 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Inhalation 0.505 mg/m ² 1.2-benzisothiazol-3(2H)-one DNEL - General population - Long term - Inhalation 2.86 mg/m ² 1.2-benzisothiazol-3(2H)-one DNEL - Workers - Long term - Inhalation 2.86 mg/m ² 1.2-benzisothiazol-3(2H)-one DNEL - Workers - Long term - Inhalation 2.86 mg/m ² 1.2-benzisothiazol-3(2H)-one DNEL - General population - Long term - Dermal 0.81 mg/m ² 0.345 mg/m ² Effects: Systemic DNEL - Workers - Long term - Inhalation 2.86 mg/m ² Effects: Systemic DNEL - Workers - Long term - Dermal 0.945 mg/m ²			
No exposure indices known. Recommended monitoring procedures : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 482 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents). European Standard EN 482 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical agents). European Standard EN 482 (Workplace atmospheres - Guide for the determination of hazardous substances will also be required. DNELs/DMELs Product/ingredient name Felipohydrazide Result Product/ingredient name Felipohydrazide Result DNEL - Workers - Long term - Inhalation 17.5 mg/m³ Effects: Systemic DNEL - General population - Long term - Oral 0.29 mg/kg bw/day Effects: Systemic 2.4.7,9-tetramethyl-5-decyne-4,7-diol DNEL - General population - Long term - Inhalation 0.29 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Inhalation 0.906 mg/m³ Effects: Systemic DNEL - Workers - Long term - Inhalation 2.86 mg/m³ Effects: Systemic 1.2-benzisothiazol-3(2H)-one DNEL - Workers - Long term - Inhalation 2.86 mg/m³ Effects: Systemic DNEL - Workers - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic 1.2-benzisothiazol-3(2H)-one DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic DNEL			
Lecommended monitoring : Reference should be made to monitoring standards, such as the following: procedures : Reference should be made to monitoring standards, such as the following: procedures : : Reference should be made to monitoring standards, such as the following: procedures : <			
procedures European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application to chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required. DNELs/DMELs Product/ingredient name Result DNEL - Workers - Long term - Inhalation 1/2.6 mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/m		Deference about	la be mode to mentioning standards, such as the following:
DNELs/DMELS Result Product/ingredient name Result Product/ingredient name DNEL - Workers - Long term - Inhalation 17.5 mg/m³ Effects: Systemic 2.4,7,9-tetramethyl-5-decyne-4,7-diol DNEL - General population - Long term - Oral 0.29 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Dermal 0.29 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Dermal 0.505 mg/m³ Effects: Systemic DNEL - Workers - Long term - Inhalation 0.505 mg/m³ Effects: Systemic DNEL - Workers - Long term - Inhalation 0.812 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Inhalation 2.86 mg/m³ Effects: Systemic DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Inhalation 2.86 mg/m³ Effects: Systemic DNEL - Workers - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Inhalation 0.966 mg/kg bw/day Effects: Systemic		European Stand assessment of e values and mea atmospheres - C of exposure to c (Workplace atm for the measure documents for n	lard EN 689 (Workplace atmospheres - Guidance for the exposure by inhalation to chemical agents for comparison with limit surement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment chemical and biological agents) European Standard EN 482 ospheres - General requirements for the performance of procedures ment of chemical agents) Reference to national guidance
Rdipohydrazide DNEL - Workers - Long term - Inhalation 17.5 mg/m³ Effects: Systemic 2.4,7,9-tetramethyl-5-decyne-4,7-diol DNEL - General population - Long term - Oral 0.29 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Dermal 0.29 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Dermal 0.29 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Inhalation 0.505 mg/m³ 0.505 mg/m³ Effects: Systemic DNEL - Workers - Long term - Dermal 0.812 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Inhalation 2.86 mg/m³ Effects: Systemic DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Inhalation 0.966 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Inhalation 1.2 mg/m³ Effects: Systemic DNEL - General population - Long term - Inhalation	DNELs/DMELs	·	
17.5 mg/m³ Effects: Systemic 2,4,7,9-tetramethyl-5-decyne-4,7-diol DNEL - General population - Long term - Oral 0.29 mg/kg bw/day Effects: Effects: Systemic DNEL - General population - Long term - Dermal 0.29 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Inhalation 0.505 mg/m³ Effects: Systemic DNEL - General population - Long term - Inhalation 0.505 mg/m³ Effects: Systemic DNEL - Workers - Long term - Dermal 0.812 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Inhalation 2.86 mg/m³ Effects: Systemic 1,2-benzisothiazol-3(2H)-one DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day Effects: 1,2-benzisothiazol-3(2H)-one DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day Effects: 1,2-benzisothiazol-3(2H)-one DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day Effects: 1,2-benzisothiazol-3(2H)-one DNEL - General population - Long term - Inhalation 2.366 mg/kg bw/day Effects: 1,2-benzisothiazol-3(2H)-one DNEL - General population - Long term - Inhalation 1.2 mg/m³ Effects:	-		Result
0.29 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Dermal 0.29 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Inhalation 0.505 mg/m ³ Effects: Systemic DNEL - Workers - Long term - Dermal 0.812 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Inhalation 2.86 mg/m ³ Effects: Systemic 1,2-benzisothiazol-3(2H)-one DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Inhalation 1.2 mg/m ³ Effects: Systemic DNEL - General population - Long term - Inhalation 1.2 mg/m ³ Effects: Systemic	adipohydrazide		17.5 mg/m ³
0.29 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Inhalation 0.505 mg/m ³ Effects: Systemic DNEL - Workers - Long term - Dermal 0.812 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Inhalation 2.86 mg/m ³ Effects: Systemic 1,2-benzisothiazol-3(2H)-one DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Inhalation 1.2 mg/m ³ Effects: Systemic DNEL - General population - Long term - Inhalation 1.2 mg/m ³ Effects: Systemic DNEL - Workers - Long term - Inhalation	2,4,7,9-tetramethyl-5-decyne-4	,7-diol	0.29 mg/kg bw/day
0.505 mg/m ³ Effects: Systemic DNEL - Workers - Long term - Dermal 0.812 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Inhalation 2.86 mg/m ³ Effects: Systemic 1,2-benzisothiazol-3(2H)-one DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Inhalation 1.2 mg/m ³ Effects: Systemic DNEL - General population - Long term - Inhalation 1.2 mg/m ³ Effects: Systemic DNEL - Workers - Long term - Inhalation			0.29 mg/kg bw/day
0.812 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Inhalation 2.86 mg/m ³ Effects: Systemic 1,2-benzisothiazol-3(2H)-one DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Inhalation 1.2 mg/m ³ Effects: Systemic DNEL - Workers - Long term - Inhalation			0.505 mg/m ³
2.86 mg/m³ Effects: Systemic 1,2-benzisothiazol-3(2H)-one DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day Effects: Systemic DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day Effects: Systemic DNEL - General population - Long term - Inhalation 1.2 mg/m³ Effects: Systemic DNEL - General population - Long term - Inhalation 1.2 mg/m³ Effects: Systemic DNEL - Workers - Long term - Inhalation			0.812 mg/kg bw/day
0.345 mg/kg bw/day <u>Effects</u> : Systemic DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day <u>Effects</u> : Systemic DNEL - General population - Long term - Inhalation 1.2 mg/m ³ <u>Effects</u> : Systemic DNEL - Workers - Long term - Inhalation			2.86 mg/m ³
0.966 mg/kg bw/day <u>Effects</u> : Systemic DNEL - General population - Long term - Inhalation 1.2 mg/m ³ <u>Effects</u> : Systemic DNEL - Workers - Long term - Inhalation	1,2-benzisothiazol-3(2H)-one		0.345 mg/kg bw/day
1.2 mg/m³ <u>Effects</u> : Systemic DNEL - Workers - Long term - Inhalation			0.966 mg/kg bw/day
			1.2 mg/m ³
6.81 mg/m³			DNEL - Workers - Long term - Inhalation 6.81 mg/m ³

Effects: Systemic

PNECs

Not available.

.2 Exposure controls Appropriate engineering	: Good general ventilation should be sufficient to control worker exposure to airborne
controls	contaminants.
Individual protection meas	<u>res</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicate this is necessary.
	Recommendations : Wear suitable gloves tested to EN374.
	> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm
	Not recommended polyvinyl alcohol (PVA) gloves
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other importan aspects of use.
	Filter type (spray application): A P
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Colour	: 🗭lear.
Odour	: Slight
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	:

Ingredient name		°C	°F	Method	
water		100	212		
2-Propanol, 1-(2-butoxy-1-methylethoxy)	2-Propanol, 1-(2-butoxy-1-methylethoxy)		446		
Flammability	: Not av	vailable.	•		
Lower and upper explosion imit		r: Not applica r: Not applica			
Flash point	: Close	d cup: >100°	C (>212°F)		
Auto-ignition temperature	:				
Ingredient name		°C	°F	Method	
Propanol, 1-(2-butoxy-1-methylethoxy)		194	381.2	EU A.15	
Decomposition temperature	: Not av	vailable.			
pH	: <mark>8</mark> to 8	.8 [Conc. (%	w/w): 100%]		
/iscosity	: Not av	vailable.			
Solubility(ies)	:				
Not available.					
Solubility in water	: Not av	vailable.			
Partition coefficient: n-octanol/ water	: Not a	oplicable.			

Vapour pressure

	Va	apour Press	ure at 20°C	Vapour pressure at 50°C		
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	17.5	2.3				
2-Propanol, 1-(2-butoxy- 1-methylethoxy)	0.045	0.006				
Relative density	: Not	available.			-	
Density	: 1 g/	cm³				
/apour density	: Not	available.				
Particle characteristics						
Median particle size	: Not	applicable.				
2 Other information						
0.2.1 Information with reg	ard to physic	al hazard c	lasses			

Explosive properties	: Not available.	
Oxidising properties	: Not available.	
9.2.2 Other safety characteri	istics	

Not applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	The product is stable.
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	No specific data.
10.5 Incompatible materials	:	No specific data.

SECTION 10: Stability and reactivity

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/ingredient name

2-benzisothiazol-3(2H)-one

Result Rat - Oral - LD50 1020 mg/kg

Conclusion/Summary [Product] : Not available.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
FEKNOCOAT AQUA 2575-32	N/A	N/A	N/A		N/A
1,2-benzisothiazol-3(2H)-one	450	N/A	N/A		0.21

Skin corrosion/irritation Product/ingredient name

Result

2,4,7,9-tetramethyl-5-decyne-4,7-diol

1,2-benzisothiazol-3(2H)-one

Conclusion/Summary [Product] : Not available.

Serious eye damage/eye irritation

Product/ingredient name

2,4,7,9-tetramethyl-5-decyne-4,7-diol

Result

Date of previous issue

Rabbit - Eyes - Severe irritant Amount/concentration applied: 0.1 MI

Rabbit - Skin - Mild irritant

Human - Skin - Mild irritant

Amount/concentration applied: 0.5 gm

Duration of treatment/exposure: 48 hours Amount/concentration applied: 5 %

Conclusion/Summary [Product] : Not available.

Respiratory corrosion/irritation

Not available.

Conclusion/Summary [Product] : Not available.

Respiratory or skin sensitization

Not available.

Skin

Conclusion/Summary [Product] : Not available.

Respiratory

Conclusion/Summary [Product] : Not available.

Germ cell mutagenicity

Not available.

SECTION 11: Toxicological information

Conclusion/Summary [Product] : Not available.

Carcinogenicity

Not available.

Conclusion/Summary [Product] : Not available.

Reproductive toxicity

Not available.

Conclusion/Summary [Product] : Not available.

Specific target organ toxicity (single exposure) Not available.

Specific target organ toxicity (repeated exposure) Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure

Not available.		
Potential acute health effects	<u>s</u>	
Eye contact	1	No known significant effects or critical hazards.
Inhalation	1	No known significant effects or critical hazards.
Skin contact	1	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the phy	/si	cal, chemical and toxicological characteristics
Eye contact	:	No specific data.
Inhalation	1	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effect	<u>:ts</u>	as well as chronic effects from short and long-term exposure
<u>Short term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effe	<u>cts</u>	
Not available.		
Conclusion/Summary [Pro	du	ct] : Not available.
General	4	No known significant effects or critical hazards.
Carcinogenicity	4	No known significant effects or critical hazards.
Mutagenicity	4	No known significant effects or critical hazards.
Reproductive toxicity	4	No known significant effects or critical hazards.

11.2 Information on other hazards

Date of issue/Date of revision	: 10/04/2025	Date of previous issue	: 01/12/2023	Version	:2	10/17
TEKNOCOAT AQUA 2575-32	- BASE 3			Label No	1094	35

SECTION 11: Toxicological information

11.2.1 Endocrine disrupting properties

Not available.

Conclusion/Summary [Product] : The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name

2,4,7,9-tetramethyl-5-decyne-4,7-diol

Result	
LC50	

Fish - Cyprinus carpio 42 mg/l [96 hours]

EC50

Daphnia - Daphnia magna 91 mg/l [48 hours]

1,2-benzisothiazol-3(2H)-one

Acute - LC50 - Fresh water

OECD [Fish, Acute Toxicity Test] Fish - Trout - Onorhynchus Mykiss 1.9 mg/l [96 hours]

Acute - EC50

OECD 202 [Daphnia sp. Acute Immobilization Test and Reproduction Test] Daphnia - Daphnia - Daphnia Magna 3.7 mg/l [48 hours]

Acute - EC50 - Marine water

OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - Skeletonema Costatum 0.36 mg/l [72 hours]

Acute - NOEC - Marine water

OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - Skeletonema Costatum 0.15 mg/l [72 hours]

: Not available. **Conclusion/Summary** [Product]

12.2 Persistence and degradability

Product/ingredient name

2-benzisothiazol-3(2H)-one

Result EU 24% [28 days]

Conclusion/Summary [Product] : Not available.

Product/ingredient name Aq	quatic half-life	Photolysis	Biodegradability
7,2-benzisothiazol-3(2H)-one -		-	Inherent

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
7,2-benzisothiazol-3(2H)-one	-	3.2	Low

12.4 Mobility in soil

Soil/water partition coefficient

Date of issue/Date of revision : 10/04/2025 Date of previous issue TEKNOCOAT AQUA 2575-32 - BASE 3

Product/ingredient name		logKoc			Кос			
dipohydrazide 2,4,7,9-tetramethyl-5-decyne-4,7-diol 1,2-benzisothiazol-3(2H)-one		1.74 1.92 1.86	1.92			55.2165 83.8929 73.142		
Results of PMT and vPvM as	sessmer	nt			I			
Product/ingredient name	PMT	Р	Μ	т	vPvM	vP	vM	
adipohydrazide 2,4,7,9-tetramethyl- 5-decyne-4,7-diol	No No	No No No	No No	No No	No No No	No No No	No No No	
1,2-benzisothiazol-3(2H)-one	INO	INO	No	No	INU	INO	INO	
Mobility Conclusion/Summary 2.5 Results of PBT and vPvB	: Not av :	ailable. The produc			ria to be consi			
Mobility Conclusion/Summary	: Not av :	ailable. The produc						
Mobility Conclusion/Summary 2.5 Results of PBT and vPvB	: Not av :	ailable. The produc						
Mobility Conclusion/Summary 2.5 Results of PBT and vPvB Regulation (EC) No. 1907/200	: Not av : B assessr 06 [REAC	ailable. The produc nent	t does not n	neet the crite	ria to be consi	dered as a l	PMT or vPvI	

Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB	
adipohydrazide 2,4,7,9-tetramethyl- 5-decyne-4,7-diol	No No							
1,2-benzisothiazol-3(2H)-one	No							

Conclusion/Summary Regulation (EC) No. 1272/2008

: The product does not meet the criteria to be considered as a PBT or vPvB.

[CLP]

12.6 Endocrine disrupting properties

Not available.

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment meth	nods
Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
European waste catalogue (EWC) <u>Packaging</u>	: 080112, 200128

SECTION 13: Disposal considerations

•	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	•			
	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

: Not relevant/applicable due to nature of the product.

user

- 14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
- 14.7 Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Labelling	:	
Other EU regulations		
Industrial emissions (integrated pollution prevention and control) - Air	:	Not listed
Industrial emissions (integrated pollution prevention and control) - Water	:	Not listed
Explosive precursors <u>Ozone depleting substanc</u>		Not applicable. (EU 2024/590)

SECTION 15: Regulatory information

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Persistent Organic Pollutants

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

National regulations		
<u>Austria</u>		
Limitation of the use of organic solvents	:	Permitted.
<u>Belgium</u>		
Czech Republic		
Storage code	:	IV
<u>Denmark</u>		
Fire class	:	<mark>₩</mark> -1
MAL-code	:	00-1
Protection based on MAL	:	According to the regulations on work involving coded products, the following stipulations apply to the use of personal protective equipment:

General: Gloves must be worn for all work that may result in soiling. Apron/ coveralls/protective clothing must be worn when soiling is so great that regular work clothes do not adequately protect skin against contact with the product. A face shield must be worn in work involving spattering if a full mask is not required. In this case, other recommended use of eye protection is not required.

In all spraying operations in which there is return spray, the following must be worn: respiratory protection and arm protectors/apron/coveralls/protective clothing as appropriate or as instructed.

MAL-code: 00-1 **Application:** When spraying in existing* spray booths, if the operator is outside the spray zone.

- Arm protectors must be worn.

During all spraying where atomisation occurs in cabins or spray booths where the operator is inside the spray zone and during spraying outside a closed facility, cabin or booth.

- Full mask with combined filter, coveralls and hood must be worn.

Drying: Items for drying/drying ovens that are temporarily placed on such things as rack trolleys, etc, must be equipped with a mechanical exhaust system to prevent fumes from wet items from passing through workers' inhalation zone.

Polishing: When polishing treated surfaces, a mask with dust filter must be worn. When machine grinding, eye protection must be worn. Work gloves must always be worn.

Caution The regulations contain other stipulations in addition to the above.

*See Regulations.

: Not listed

List of undesirable substances

Date of issue/Date of revision: 10/04/2025TEKNOCOAT AQUA 2575-32 - BASE 3

5 Date of previous issue

SECTION 15: Regula	atory information	
Finland		
<u>France</u>		
Reinforced medical surveillance	: Act of July 11, 1977 determining the list of activities which require medical surveillance: not applicable	reinforced
Germany		
Storage class (TRGS 510)) : 1 0	
Hazardous incident ordin	nance	
This product is not controlle	ed under the Germany Hazardous Incident Ordinance.	
Hazard class for water	: 1	
Technical instruction on	air quality control (TA Luft)	
Number [Class]	Description	%
5 .2.1	Total dust	5.1
5.2.5	Organic substances	29.8
5.2.5 [I]	Organic substances	1.8
AOX	: The product contains organically bound halogens and can contrib value in waste water.	ute to the AOX
D.Lgs. 152/06	: Not determined.	
Netherlands	. Not determined.	
Water Discharge Policy (ABM)	: A(4) Low hazard for aquatic organisms, may have long-term haza aquatic environment. Decontamination effort: A	rdous effects in
Norway		
Sweden		
Switzerland		
VOC content	: Exempt.	
International regulations	•	
	ntion List Schedules I, II & III Chemicals	
Not listed.		
Montroal Protocol		
Montreal Protocol Not listed.		
Stockholm Convention on	Persistent Organic Pollutants	
Not listed.		
Rotterdam Convention on	Prior Informed Consent (PIC)	
Not listed.		
UNECE Aarhus Protocol o	n POPs and Heavy Metals	
Not listed.		
5.2 Chemical safety ssessment	: This product contains substances for which Chemical Safety Asserted.	essments are still
SECTION 16: Other	information	
Indicates information that	has changed from previously issued version.	
bbreviations and	: ATE = Acute Toxicity Estimate	
cronyms	CLP = Classification, Labelling and Packaging Regulation [Regula 1272/2008] DMEL = Derived Minimal Effect Level	ation (EC) No.
	DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available	
	PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number	
ate of issue/Date of revision	: 10/04/2025 Date of previous issue : 01/12/2023 Vo	ersion : 2 15/17

Date of issue/Date of revision	: 10/04/2025	Date of previous issue	: 01/12/2023	Version	:2	15/17
TEKNOCOAT AQUA 2575-32 - BA	SE 3			Label No :	10943	35

SECTION 16: Other information

SGG = Segregation Group

vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

Full text of abbreviated H statements

H 302	Harmful if swallowed.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H330	Fatal if inhaled.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411				
H412				
Full text of clas	ssifications [CLP/GHS]			
Cute Tox. 2	ACUTE TOXICITY - Category 2			
Acute Tox. 4	ACUTE TOXICITY - Category 4			

Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Aquatic Chronic 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
Aquatic Chronic 3	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1	SKIN SENSITISATION - Category 1
Skin Sens. 1A	SKIN SENSITISATION - Category 1A
Skin Sens. 1B	SKIN SENSITISATION - Category 1B
Date of issue/ Date of	: 10/04/2025
revision	
Date of previous issue	e : 01/12/2023
Version	: 2

FEKNOCOAT AQUA 2575-32 BASE 3

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision: 10/04/TEKNOCOAT AQUA 2575-32 - BASE 3

: 10/04/2025 Date of previous issue