Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - United Kingdom: Northern Ireland

SAFETY DATA SHEET



TEKNOCOAT AQUA 2580-21 - All variants

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Product name

: TEKNOCOAT AQUA 2580-21 - All variants

1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use: Paint.

1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

e-mail address of person : Prod-safe@teknos.com

responsible for this SDS

National contact

Teknos Ireland Limited, 52 Ballymoughan Road, Magherafelt, BT45 6HN, UK. Tel. +44 (0) 2879 301 472.

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number: NHS: 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture <u>Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]</u> Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	lo signal word.	
Hazard statements	lo known significant effects or critical hazards.	
Precautionary statements		
Prevention	lot applicable.	
Response	lot applicable.	
Storage	lot applicable.	
Disposal	lot applicable.	
Supplemental label elements	Contains adipohydrazide and 1,2-benzisothiazol-3(2H)-one. May produce an aller eaction. Safety data sheet available on request. Varning! Hazardous respirable droplets may be formed when sprayed. Do not oreathe spray or mist.	rgic
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles		

2.3 Other hazards

 Date of issue/Date of revision
 : 17/11/2023
 Date of previous issue
 : 30/10/2023
 Version
 : 1.04
 1/12

 TEKNOCOAT AQUA 2580-21 - All variants
 Label No : 74147

SECTION 2: Hazards identification

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture Specific Conc. % Product/ingredient name **Identifiers** Classification Туре Limits, M-factors and ATEs titanium dioxide REACH #: ≥10 - ≤25 Carc. 2. H351 [1] [*] (inhalation) 01-2119489379-17 EC: 236-675-5 CAS: 13463-67-7 adipohydrazide REACH #: ≤0.3 Skin Sens. 1, H317 [1] 01-2119962900-36 Aquatic Chronic 2, EC: 213-999-5 H411 CAS: 1071-93-8 1,2-benzisothiazol-3(2H)-EC: 220-120-9 < 0.05 Acute Tox. 4, H302 ATE [Oral] = 1020 [1] CAS: 2634-33-5 Skin Irrit. 2, H315 one mg/kg Index: 613-088-00-6 Eye Dam. 1, H318 Skin Sens. 1, H317: Skin Sens. 1, H317 C ≥ 0.05% Aquatic Acute 1, H400 M [Acute] = 1 See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[*] The classification as a carcinogen by inhalation applies only to mixtures placed on the market in powder form containing 1% or more of titanium dioxide particles with aerodynamic diameter \leq 10 µm not bound within a matrix.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

Date of previous issue

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact

: No specific data.

: 17/11/2023

Date of issue/Date of revision TEKNOCOAT AQUA 2580-21 - All variants · 30/10/2023

SECTION 4: First aid	measures					
Inhalation	: No specific data.					
Skin contact	No specific data.					
Ingestion	: No specific data.					
4.3 Indication of any immedia	ate medical attention and special treatment needed					
Notes to physician	to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.					
Specific treatments	: No specific treatment.					
SECTION 5: Firefight	ting measures					
5.1 Extinguishing media						
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.					
Unsuitable extinguishing media	: None known.					
5.2 Special hazards arising fi	rom the substance or mixture					
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.					
Hazardous combustion products	: Decomposition products may include the following materials: metal oxide/oxides					
5.3 Advice for firefighters						
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.					
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.					

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop

 Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

SECTION 6: Accidental release measures

OLOTION 0. Acciu	
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations: Not available.Industrial sector specific: Not available.solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
No exposure limit value known.	
Biological exposure indices	· · · · · · · · · · · · · · · · · · ·
Product/ingredient name	Exposure indices
No exposure indices known.	
procedures European Stand assessment of evalues and mea atmospheres - Cof exposure to co (Workplace atmospheres to co for the measure	IId be made to monitoring standards, such as the following: dard EN 689 (Workplace atmospheres - Guidance for the exposure by inhalation to chemical agents for comparison with limit issurement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment chemical and biological agents) European Standard EN 482 nospheres - General requirements for the performance of procedures ement of chemical agents) Reference to national guidance methods for the determination of hazardous substances will also be
DNELs/DMELs	

Date of issue/Date of revision	: 17/11/2023	Date of previous issue	: 30/10/2023	Version	<mark>:</mark> 1.04	4/12
TEKNOCOAT AQUA 2580-21 - A	All variants			Label No	7 4147	7

Product/ingredient name	Туре	Exposure	Value	Population	Effects
adipohydrazide	DNEL	Long term Inhalation	17.5 mg/m ³	Workers	Systemic
1,2-benzisothiazol-3(2H)-one	DNEL	Long term Dermal	0.345 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0.966 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	1.2 mg/m ³	General population	Systemic
	DNEL	Long term Inhalation	6.81 mg/m ³	Workers	Systemic

PNECs

No PNECs available

8.2 Exposure controls								
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.							
Individual protection measures								
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period Appropriate techniques should be used to remove potentially contaminated clothi Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.							
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.							
Skin protection								
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard show be worn at all times when handling chemical products if a risk assessment indica this is necessary.							
	Recommendations : Wear suitable gloves tested to EN374.							
	> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm							
	Not recommended polyvinyl alcohol (PVA) gloves							
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	Ĺ						
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	÷						
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other importa aspects of use.							
	Filter type (spray application): A P							
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the proces equipment will be necessary to reduce emissions to acceptable levels.							

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Colour	: Various
Odour	: Slight
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	÷

Ingredient name		°C	°F	Method	
water		100	212		
Flammability	: Not a	available.	I		
Lower and upper explosion limit		er: Not applica er: Not applica			
Flash point	: Close	ed cup: >100°	C (>212°F)		
Auto-ignition temperature	: Not available.				
Decomposition temperature	: Not a	available.			
рН	: 8 to 8	8.8			
Viscosity	: Not a	available.			
Solubility(ies) Not available.	:				
Solubility in water	: Not a	available.			
Partition coefficient: n-octanol water	/ : Not a	applicable.			

Vapour pressure

	Va	Vapour Pressure at 20°C			Vapour pressure at 50°C		
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method	
water	17.5	2.3					
Relative density	: Not	available.	Į				
Density	: 1.2	g/cm³					
Vapour density	: Not	available.					
Explosive properties	: Not	available.					
Oxidising properties	: Not	available.					
Particle characteristics							
Median particle size	: Not	applicable.					

SECTION 10: Stability and reactivity

2

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.				
10.2 Chemical stability	: The product is stable.				
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.				
10.4 Conditions to avoid	: No specific data.				
Date of issue/Date of revision	: 17/11/2023 Date of previous issue : 30/10/2023 Version : 1.04 6/12				
TEKNOCOAT AQUA 2580-2	1 - All variants Label No :74147				

SECTION 10: Stability and reactivity

10.5 Incompatible materials : No specific data.

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
1,2-benzisothiazol-3(2H)- one	LD50 Oral	Rat	1020 mg/kg	-
Conclusion/Summary Acute toxicity estimates	: Based on available data, the cla	assification criter	ia are not met.	

Route	ATE value
Not available.	

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
titanium dioxide	Skin - Mild irritant	Human	-	72 hours 300	-
1,2-benzisothiazol-3(2H)-one	Skin - Mild irritant	Human	-	ug I 48 hours 5 %	-
Conclusion/Summary	: Based on available data, the	e classification c	riteria are	not met.	
<u>Sensitisation</u>					
Conclusion/Summary	: Based on available data, the	e classification c	riteria are	e not met.	
<u>Mutagenicity</u>					
Conclusion/Summary	: Based on available data, the	e classification c	riteria are	e not met.	
Carcinogenicity					
	carcinogenic hazard of this proc ent of particle clearance mechar			le dust is inhale	ed in quantities
Conclusion/Summary	: Based on available data, the	e classification c	riteria are	e not met.	
Reproductive toxicity					
Conclusion/Summary	: Based on available data, the	e classification c	riteria are	e not met.	
Teratogenicity					
Conclusion/Summary	: Based on available data, the	e classification c	riteria are	e not met.	
Specific target organ toxicit	<u>y (single exposure)</u>				
Not available.					
Specific target organ toxicit	<u>y (repeated exposure)</u>				
Not available.					
Aspiration hazard					
Not available.					
nformation on likely routes f exposure	: Not available.				
otential acute health effects					
Eye contact	: No known significant effects	or critical haza	rds.		
Inhalation	: No known significant effects	or critical haza	rds.		
Skin contact	: No known significant effects	or critical haza	rds.		

SECTION 11: Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure Short term exposure **Potential immediate** : Not available. effects Potential delayed effects : Not available. Long term exposure **Potential immediate** : Not available. effects Potential delayed effects : Not available. Potential chronic health effects Not available. **Conclusion/Summary** : Not available. General : No known significant effects or critical hazards. Carcinogenicity : No known significant effects or critical hazards. : No known significant effects or critical hazards. **Mutagenicity Reproductive toxicity** : No known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
titanium dioxide	Acute LC50 3 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 6.5 mg/l Fresh water	Daphnia - <i>Daphnia pulex -</i> Neonate	48 hours
	Acute LC50 >1000000 μg/l Marine water	Fish - Fundulus heteroclitus	96 hours
1,2-benzisothiazol-3(2H)-one	Acute EC50 0.36 mg/l Marine water	Algae - Skeletonema Costatum	72 hours
	Acute EC50 3.7 mg/l	Daphnia - Daphnia Magna	48 hours
	Acute LC50 1.9 mg/l Fresh water Acute NOEC 0.15 mg/l Marine water	Fish - Onorhynchus Mykiss Algae - Skeletonema Costatum	96 hours 72 hours

Conclusion/Summary : Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

Product/ingredient name	Test	Result		Dose	Inoculum	
1,2-benzisothiazol-3(2H)-one	EU	24 % - 28 days		-	-	
Conclusion/Summary : This product has not been tested for biodegradation.						
Product/ingredient name	Aquatic half-life		Photolysis	5	Biodegradability	
1,2-benzisothiazol-3(2H)-one	-		-		Inherent	

Date of previous issue

· 30/10/2023

SECTION 12: Ecological information

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
1,2-benzisothiazol-3(2H)-one	-	3.2	Low

12.4 Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product		
Methods of disposal	:	The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	:	Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.
European waste catalogue (EWC)	:	080112, 200128
Packaging		
Methods of disposal	:	The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions		This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

•					
	ADR/RID	ADN	IMDG	IATA	
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	
14.2 UN proper shipping name	-	-	-	-	
14.3 Transport hazard class(es)	-	-	-	-	
14.4 Packing group	-	-	-	-	
Date of issue/Date of rev	/ision : 17/11/20	D23 Date of previous issue	: 30/10/2023	Version :1.04 9/12	
TEKNOCOAT AQUA	A 2580-21 - All variants			Label No :7/4147	

SECTION 14:	Transport in	formation		
14.5 Environmental hazards	No.	No.	No.	No.
14.6 Special precau user	upri		re that persons transport	port in closed containers that are ing the product know what to do
14.7 Maritime trans oulk according to II nstruments	-	relevant/applicable du	ue to nature of the produc	ct.
SECTION 15:	Regulatory i	nformation		
15.1 Safety, health a	and environment	al regulations/legisla	ation specific for the su	ibstance or mixture
EU Regulation (EC		•		
	of substances su	<u>ibject to authorisatio</u>	<u>n</u>	
Annex XIV		1		
	ponents are listed			
	very high concern aponents are listed			
Annex XVII - Restr substances, mixtu		anufacture, placing o	on the market and use o	of certain dangerous
Labelling	:			
Other EU regulation				
Industrial emission (integrated pollution prevention and content Air	tion	listed		
Industrial emission (integrated pollute prevention and content Water	tion	listed		
Explosive precur	r <mark>sors</mark> : Not	applicable.		
Ozone depleting	<u>substances (100</u>	<u>5/2009/EU)</u>		
Not listed.				
Prior Informed Control Not listed.	onsent (PIC) (649	<u>)/2012/EU)</u>		
Persistent Organ Not listed.	<u>ic Pollutants</u>			
Seveso Directive				
This product is not International regul		the Seveso Directive.		
Chemical Weapon	Convention List	Schedules I, II & III (<u>Chemicals</u>	
Not listed.				
Montreal Protocol Not listed.				
Stockholm Conver Not listed.	ntion on Persiste	ent Organic Pollutant	<u>'S</u>	
Rotterdam Conver Not listed.	ntion on Prior Inf	ormed Consent (PIC	1	

TEKNOCOAT AQUA 2580-21 - All variants

SECTION 15: Regulatory information

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

15.2 Chemical	safety			
assessment				

: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative
	VPVB = Very Persistent and Very Bloaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

Full text of abbreviated H statements

H302 H	nful if swallowed.			
H315 C	auses skin irritation.			
H317 N	May cause an allergic skin reaction.			
H318 C	causes serious eye damage.			
H351 S	Suspected of causing cancer.			
	Very toxic to aquatic life.			
H411 T	oxic to aquatic life with long lasting effects.			
Full text of classifi	cations [CLP/GHS]			
Acute Tox. 4	ACUTE TOXICITY - Category 4			
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1			
Aquatic Chronic 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2			
Carc. 2	CARCINOGENICITY - Category 2			
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1			
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2			
Skin Sens. 1	SKIN SENSITISATION - Category 1			
Date of issue/ Date	e of : 17/11/2023			
revision				
Date of previous is	sue : 30/10/2023			
Version	: 1.04			

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision: 17/11/2023DTEKNOCOAT AQUA 2580-21 - All variants

: 17/11/2023 Date of previous issue

: 30/10/2023

Version : 1.04 12/12 Label No : 74147