Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

SAFETY DATA SHEET



TEKNOCOAT AQUA 2580-21 - All variants

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Product name : TEKNOCOAT AQUA 2580-21 - All variants

1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use: Paint.

1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091. e-mail address of person : Prod-safe@teknos.com responsible for this SDS

National contact

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

1.4 Emergency telephone number

Telephone number: In an emergency, call 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture <u>Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]</u> Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	Contains adipohydrazide and 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Safety data sheet available on request. Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	

2.3 Other hazards

Date of issue/Date of revision: 14/03/2025Date of previous issue: 17/11/2023VersiteTEKNOCOAT AQUA 2580-21 - All variantsLabel M

SECTION 2: Hazards identification

 Product meets the criteria
 : This mixture does not contain any substances that are assessed to be a PBT or a for PBT or vPvB according

 to Regulation (EC) No.
 vPvB.

 1907/2006, Annex XIII
 vPvB.

Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
tifanium dioxide	REACH #: 01-2119489379-17 EC: 236-675-5 CAS: 13463-67-7	≥10 - ≤25	Carc. 2, H351 (inhalation)	-	[1] [*]
adipohydrazide	REACH #: 01-2119962900-36 EC: 213-999-5 CAS: 1071-93-8	≤0.3	Skin Sens. 1, H317 Aquatic Chronic 2, H411	-	[1]
1,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.036	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = 0.21 mg/l Skin Sens. 1, H317: C $\geq 0.036\%$ M [Acute] = 1 M [Chronic] = 1	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. Type

[1] Substance classified with a health or environmental hazard

The classification as a carcinogen by inhalation applies only to mixtures placed on the market in powder form containing 1% or more of titanium dioxide particles with aerodynamic diameter \leq 10 µm not bound within a matrix.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Ingestion Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. **Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

Date of issue/Date of revision	: 14/03/2025	Date of previous issue	: 17/11/2023	Version : 2	2/17
TEKNOCOAT AQUA 2580-21 - AI	variants			Label No :1101	05

SECTION 4: First aid measures

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face piece operated in positive pressure

equipment for fire-fighters breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Date of issue/Date of revision	: 14/03/2025	Date of previous issue	: 17/11/2023	Version	:2	3/17
TEKNOCOAT AQUA 2580-21 - A	All variants			Label No	: <mark>11</mark> 0	105

SECTION 6: Accidental release measures

Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e. g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
6.4 Reference to other sections	 See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific	: Not available.
solutions	

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
No exposure limit value known.	
,2-benzisothiazol-3(2H)-one	DFG MAC-values list (Germany, 7/2023) Skin sensitiser.

4/17

Date of issue/Date of revision: 14/03/2025Date of previous issue: 17/11/2023Version: 24.TEKNOCOAT AQUA 2580-21 - All variantsLabel No : 1005

SECTION 8: Exposure controls/pe	ersonal protection
No exposure limit value known.	

Biological exposure indices

Product/ingredient name	Exposure indices
No exposure indices known.	

Date of issue/Date of revision: 14/03/20TEKNOCOAT AQUA 2580-21 - All variants

: 14/03/2025 Date of previous issue

: 17/11/2023

SECTION 8: Exposure		
No exposure indices known.		
No exposure indices known.		
Recommended monitoring : procedures	European Stand assessment of e values and mean atmospheres - C of exposure to c (Workplace atmos for the measured	Id be made to monitoring standards, such as the following: ard EN 689 (Workplace atmospheres - Guidance for the exposure by inhalation to chemical agents for comparison with limit surement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment hemical and biological agents) European Standard EN 482 ospheres - General requirements for the performance of procedure ment of chemical agents) Reference to national guidance hethods for the determination of hazardous substances will also be
DNELs/DMELs		
Product/ingredient name		Result DNEL - General population - Long term - Inhalation 28 µg/m³ <u>Effects</u> : Local
		DNEL - Workers - Long term - Inhalation 170 μg/m³ <u>Effects</u> : Local
adipohydrazide		DNEL - Workers - Long term - Inhalation 17.5 mg/m³ <u>Effects</u> : Systemic
1,2-benzisothiazol-3(2H)-one		DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day <u>Effects</u> : Systemic
		DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day <u>Effects</u> : Systemic
		DNEL - General population - Long term - Inhalation 1.2 mg/m ³ <u>Effects</u> : Systemic
		DNEL - Workers - Long term - Inhalation 6.81 mg/m ³ Effects: Systemic
<u>PNECs</u> Not available.		
.2 Exposure controls		
Appropriate engineering controls	: Good general ve contaminants.	entilation should be sufficient to control worker exposure to airborne

SECTION 8: Exposure controls/personal protection

-			
Individual protection measu	es		
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.		
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.		
Skin protection			
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.		
	Recommendations : Wear suitable gloves tested to EN374.		
	> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm		
	Not recommended polyvinyl alcohol (PVA) gloves		
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.		
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.		
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.		
	Filter type (spray application): A P		
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.		

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Colour	: 📈 arious [Transparent]
Odour	: Slight
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	:

	Ingredient name			°C	°F	Method
	water			100	212	
	2-Propanol, 1-(2-butoxy-1-methylethoxy))		230	446	
F	lammability	:	Not ava	ilable.		
	ower and upper explosion mit	:		Not applicable. Not applicable.		
F	lash point	:	Closed	cup: >100°C (>212	2°F)	
A	uto-ignition temperature	:				

2025 Date of previous issue

Ingredient name		°C	°F	N	lethod	
Propanol, 1-(2-butoxy-1-methyle	ethoxy)	194	381.2	E	U A.15	
Decomposition temperatur	e : Not	available.				
эΗ	: <mark>Ø</mark> to	8.8 [Conc. (% w/w): 100%]			
/iscosity	: Not	available.				
Solubility(ies)	:					
Not available.						
Solubility in water	: Not	available.				
Partition coefficient: n-octa vater	anol/ : Not	applicable.				
	anol/ : Not :	applicable.				
vater	:	applicable.	ure at 20°C	v	/apour pres	ssure at 50°C
vater	:		ure at 20°C Method	v v mm Hg	/apour pres	ssure at 50°C
vater /apour pressure	:	apour Press				
vater /apour pressure Ingredient name	: Va mm Hg	apour Presso kPa				
vater /apour pressure Ingredient name vater 2-Propanol, 1-(2-butoxy-	:	apour Pressi kPa 2.3				
vater /apour pressure Ingredient name vater 2-Propanol, 1-(2-butoxy- 1-methylethoxy)	: Mm Hg 17.5 0.045 : Not	apour Pressa kPa 2.3 0.006				
Vater /apour pressure Ingredient name Vater 2-Propanol, 1-(2-butoxy- 1-methylethoxy) Relative density	: Mm Hg 17.5 0.045 : Not : 1.2	apour Presso kPa 2.3 0.006 available.				
Vater /apour pressure Ingredient name Vater 2-Propanol, 1-(2-butoxy- 1-methylethoxy) Relative density Density	: Mm Hg 17.5 0.045 : Not : 1.2	Apour Presso kPa 2.3 0.006 available. g/cm ³				

Explosive properties: Not available.Oxidising properties: Not available.

9.2.2 Other safety characteristics

Not applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: No specific data.
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/ingredient name

1,2-benzisothiazol-3(2H)-one

Result Rat - Oral - LD50 1020 mg/kg

Conclusion/Summary [Product] : Not available.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
₱,2-benzisothiazol-3(2H)-one	450	N/A	N/A	N/A	0.21

Skin corrosion/irritation	
Product/ingredient name	Result
Manium dioxide	Human - Skin - Mild irritant
	<u>Duration of treatment/exposure</u> : 72 hours <u>Amount/concentration applied</u> : 300 ug I
1,2-benzisothiazol-3(2H)-one	Human - Skin - Mild irritant Duration of treatment/exposure: 48 hours
	Amount/concentration applied: 5 %
Conclusion/Summary [Product] : Not availa	able.
Serious eye damage/eye irritation	
Not available.	
Conclusion/Summary [Product] : Not availa	able.
Respiratory corrosion/irritation	
Not available.	
Conclusion/Summary [Product] : Not availa	able
Respiratory or skin sensitization	
Not available.	
Skin Conclusion/Summary [Product] : Not availa	
	abie.
Respiratory	
Conclusion/Summary [Product] : Not availa	able.
Germ cell mutagenicity Not available.	
Conclusion/Summary [Product] : Not availa	able.
<u>Carcinogenicity</u>	

Date of previous issue

SECTION 11: Toxicological information

It has been observed that the carcinogenic hazard of this product arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. Not available.

Conclusion/Summary [Product] : Not available.

Reproductive toxicity

Not available.

Conclusion/Summary [Product] : Not available.

<u>Specific target organ toxicity (single exposure)</u> Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Not available.		
Aspiration hazard		
Not available.		
Information on likely routes	of	exposure
Not available.		
Potential acute health effect	s	
Eye contact	1	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the phy	ysi	cal, chemical and toxicological characteristics
Eye contact	1	No specific data.
Inhalation	1	No specific data.
Skin contact	1	No specific data.
Ingestion	1	No specific data.
Delayed and immediate effe	cts	as well as chronic effects from short and long-term exposure
<u>Short term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects		Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effe	cts	
Not available.		
Conclusion/Summary [Pro	du	ct] : Not available.
General	1	No known significant effects or critical hazards.
Carcinogenicity	1	No known significant effects or critical hazards.
Mutagenicity	1	No known significant effects or critical hazards.
Reproductive toxicity	:	No known significant effects or critical hazards.
44.2 Information on other has		

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Not available.

Conclusion/Summary [Product]	: The product does not meet the criteria to be considered as having endocrine
	disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.
11.2.2 Other information	
Not available.	
SECTION 12: Ecological in	formation
12.1 Toxicity	
Product/ingredient name	Result
titanium dioxide	Acute - LC50 - Marine water
	Fish - Mummichog - <i>Fundulus heteroclitus</i>
	>1000000 μg/l [96 hours]
	<u>Effect</u> : Mortality
	Acute - LC50 - Fresh water
	Crustaceans - Water flea - Ceriodaphnia dubia - Neonate
	<u>Age</u> : <24 hours
	3 mg/l [48 hours]
	Effect: Mortality
1,2-benzisothiazol-3(2H)-one	Acute - LC50 - Fresh water
	OECD [Fish, Acute Toxicity Test]
	Fish - Trout - Onorhynchus Mykiss
	1.9 mg/l [96 hours]
	Acute - EC50
	OECD 202 [Daphnia sp. Acute Immobilization Test and
	Reproduction Test]
	Daphnia - Daphnia - <i>Daphnia Magna</i>
	3.7 mg/l [48 hours]
	Acute - EC50 - Marine water
	OECD 201 [Alga, Growth Inhibition Test]
	Algae - Algae - Skeletonema Costatum
	0.36 mg/l [72 hours]
	Acute - NOEC - Marine water
	OECD 201 [Alga, Growth Inhibition Test]
	Algae - Algae - Skeletonema Costatum
	0.15 mg/l [72 hours]
Conclusion/Summary [Product]	: Not available.
12.2 Persistence and degradability	
Product/ingredient name	Result
✓,2-benzisothiazol-3(2H)-one	EU

24% [28 days]

Conclusion/Summary [Product] : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability			
7,2-benzisothiazol-3(2H)-one	-	-	Inherent			

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
7,2-benzisothiazol-3(2H)-one	-	3.2	Low

12.4 Mobility in soil Soil/water partition coefficient

TEKNOCOAT AQUA 2580-21 - All variants

Product/ingredient name		logKoc			Кос			
dipohydrazide 1,2-benzisothiazol-3(2H)-one		1.74 1.86				55.2165 73.142		
Results of PMT and vPvM as	sessme	nt			!			
Product/ingredient name	PMT	Р	Μ	т	vPvM	vP	٧M	
titanium dioxide	No	No	No	No	No	No	No	
adipohydrazide	No	No	No	No	No	No	No	
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No	
Mobility	: Not a	vailable.			1			

12.5 Results of PBT and vPvB assessment Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
titanium dioxide	No						
adipohydrazide 1,2-benzisothiazol-3(2H)-one	No No						

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
Manium dioxide	No	No	No	No	No	No	No
adipohydrazide	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP] : The product does not meet the criteria to be considered as a PBT or vPvB.

12.6 Endocrine disrupting properties

Not available.

```
Conclusion/Summary [Product]
```

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
European waste catalogue (EWC)	: 080112, 200128
Packaging	
Methods of disposal	The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Date of issue/Date of revision	: 14/03/2025	Date of previous issue	: 17/11/2023	Version : 2	12/17
TEKNOCOAT AQUA 2580-21 -	All variants			Label No :1101	105

SECTION 13: Disposal considerations

Special precautions

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

14.6 Special precautions for user: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in

: Not relevant/applicable due to nature of the product.

bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Labelling	÷
Other EU regulations	
Industrial emissions (integrated pollution prevention and control) - Air	: Not listed
Industrial emissions (integrated pollution prevention and control) - Water	: Not listed
Explosive precursors	: Not applicable.
Ozone depleting substance	ces (EU 2024/590)
Not listed.	

Prior Informed Consent (PIC) (649/2012/EU)

SECTION 15: Regulatory information

Not listed.

Persistent Organic Pollutants Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

: 00-1

National regulations		
<u>Austria</u>		
Limitation of the use of organic solvents	1	Permitted.
<u>Belgium</u>		
Czech Republic		
Storage code	:	IV
<u>Denmark</u>		
Fire class	:	<mark>₩</mark> -1
Executive Order No. 1795/	<mark>20</mark> 2	<u> 5</u>

Ingredient name	Annex I Section A	Annex I Section B
Manium dioxide	Listed	-

MAL-code Protection based on MAL

: According to the regulations on work involving coded products, the following stipulations apply to the use of personal protective equipment:

General: Gloves must be worn for all work that may result in soiling. Apron/ coveralls/protective clothing must be worn when soiling is so great that regular work clothes do not adequately protect skin against contact with the product. A face shield must be worn in work involving spattering if a full mask is not required. In this case, other recommended use of eye protection is not required.

In all spraying operations in which there is return spray, the following must be worn: respiratory protection and arm protectors/apron/coveralls/protective clothing as appropriate or as instructed.

MAL-code: 00-1

Application: When spraying in existing* spray booths, if the operator is outside the spray zone.

- Arm protectors must be worn.

During all spraying where atomisation occurs in cabins or spray booths where the operator is inside the spray zone and during spraying outside a closed facility, cabin or booth.

- Full mask with combined filter, coveralls and hood must be worn.

Drying: Items for drying/drying ovens that are temporarily placed on such things as rack trolleys, etc, must be equipped with a mechanical exhaust system to prevent fumes from wet items from passing through workers' inhalation zone.

Polishing: When polishing treated surfaces, a mask with dust filter must be worn. When machine grinding, eye protection must be worn. Work gloves must always be worn.

Caution The regulations contain other stipulations in addition to the above.

*See Regulations.

Date of issue/Date of revision	: 14/03/2025	Date of previous issue	: 17/11/2023	Version	:2	14/17
TEKNOCOAT AQUA 2580-21 - A	All variants			Label No :	1101	05

ECTION 15: Regula	y information	
Restrictions on use	Not to be used by professional users below 18 years of ag Working Environment Authorities Executive Order regardi	
List of undesirable substances	Not listed	
Carcinogenic waste	Waste containers must be labeled: Contains a substance by Danish working environment legislation on cancer risks	
Finland		
<u>France</u>		
Reinforced medical surveillance	Act of July 11, 1977 determining the list of activities which medical surveillance: not applicable	require reinforced
Germany		
Storage class (TRGS 510)	10	
Hazardous incident ordina		
This product is not controlle	der the Germany Hazardous Incident Ordinance.	
Hazard class for water	1	
Technical instruction on a	uality control (TA Luft)	
Number [Class]	Description	%
5 .2.1	Total dust	31.7
5.2.5	Organic substances	19.2
5.2.5 [I]	Organic substances	0.44
AOX	The product contains organically bound halogens and can value in waste water.	contribute to the AOX
Italy		
D.Lgs. 152/06	Not determined.	
Netherlands		
Water Discharge Policy (ABM)	A(3) Hazardous for aquatic organisms, may have long-tern aquatic environment. Decontamination effort: A	m hazardous effects in
<u>Norway</u>		
Sweden		
Switzerland		
VOC content	Exempt.	
nternational regulations		
	List Schedules I, II & III Chemicals	
Not listed.		
In strength Development		
<u>Iontreal Protocol</u>		
Not listed.		
Stockholm Convention on Not listed.	istent Organic Pollutants	
	unformed Concert (DIC)	
Rotterdam Convention on Not listed.	<u>Informed Consent (PIC)</u>	
JNECE Aarhus Protocol or	Ps and Heavy Metals	
Not listed.		
5.2 Chemical safety sessment	This product contains substances for which Chemical Safe	ety Assessments are still

SECTION 16: Other information

 Indicates information that has changed from previously issued version.
 Abbreviations and acronyms
 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

Full text of abbreviated H statements

⊮ 302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Full text of classifications [CLP/GHS]

Cute Tox. 2	ACUTE TOXICITY - Category 2
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Aquatic Chronic 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
Carc. 2	CARCINOGENICITY - Category 2
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1	SKIN SENSITISATION - Category 1
Skin Sens. 1A	SKIN SENSITISATION - Category 1A
Date of issue/ Date of	: 14/03/2025
revision	
Date of previous issue	e : 17/11/2023
Version	: 2
	TEKNOCOAT AQUA 2580.21 All variante

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision: 14/03/2025DateTEKNOCOAT AQUA 2580-21 - All variants

: 14/03/2025 Date of previous issue