Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - Ireland

SAFETY DATA SHEET



TEKNOCOAT AQUA 2580-22 - NCS S 0500-N

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifie	r
-----------------------	---

Product name : TEKNOCOAT AQUA 2580-22 - NCS S 0500-N

1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use: Paint.

1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091. e-mail address of person : Prod-safe@teknos.com responsible for this SDS

National contact

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number

 Emergency medical information: (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland.
 Members of the public Number (8 am-10 pm): +353 (0)1 809 2166 Healthcare professional telephone Number (24hrs): +353 (0)1 809 2566

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	Contains adipohydrazide, 2,4,7,9-tetramethyl-5-decyne-4,7-diol, 1,2-benzisothiazol-3 (2H)-one and reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. Safety data sheet available on request. Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

SECTION 2: Hazards identification

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	:	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	1	None known.

SECTION 3: Composition/information on ingredients

reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- (3:1) EC: 911-418-6 CAS: 55965-84-9 Index: 613-167-00-5 < 0.0015 Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H310 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071 EUH071 Eye Dam. 1, H318 C $\geq 0.036\%$ M [Acute] = 1 ATE [Oral] = 53 m/s kg ATE [Dermal] = 50 mg/l Skin Corr. 1C, H314 Eye Dam. 1, H318 C $\geq 0.6\%$ Eye Dam. 1, H318 C $\geq 0.6\%$ Eye Irrit. 2, H319: 0.06% $\leq C < 0.6\%$ Skin Sens. 1, H317	Mixtures oduct/ingredient name	: Mixture	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
$\begin{array}{c c} 01-2119962900-36\\ EC: 213-999-5\\ CAS: 1071-93-8\\ REACH \#:\\ 01-2119954390-39\\ EC: 204-809-1\\ CAS: 126-86-3\\ 1,2-benzisothiazol-3(2H)-\\ one\\ \end{array}$ $\begin{array}{c c} REACH \#:\\ 01-2119954390-39\\ EC: 204-809-1\\ CAS: 126-86-3\\ EC: 204-809-1\\ CAS: 126-86-3\\ EC: 204-809-1\\ CAS: 126-86-3\\ EC: 204-809-1\\ CAS: 2634-33-5\\ Index: 613-088-00-6\\ \end{array}$ $\begin{array}{c c} S0.1\\ Acute Tox. 2, H300\\ Skin Itr. 2, H315\\ Skin Sens. 1A, H317\\ Aquatic Chronic 1,\\ H410\\ Acute Tox. 2, H300\\ Skin Sens. 1A, H317\\ Aquatic Chronic 1,\\ H410\\ Acute Tox. 2, H300\\ Acute Tox. 2, H300\\ Skin Sens. 1A, H317\\ Aquatic Chronic 1,\\ H410\\ Acute Tox. 2, H310\\ $		01-2119489379-17 EC: 236-675-5	≥10 - ≤25		-	[1] [*]
$ \begin{array}{c} 5 \text{-decyne-4,7-diol} \\ 5 \text{-decyne-4,7-diol} \\ 1,2 \text{-benzisothiazol-3(2H)-} \\ \text{one} \\ 1,2 \text{-benzisothiazol-3(2H)-} \\ \text{-case: 613-088-00-6} \\ 1,2 \text{-case: 613-088-00-6} \\ \text{-decx: 613-08-00-6} \\ -$		01-2119962900-36 EC: 213-999-5	≤0.3	Aquatic Chronic 2,	-	[1]
one CAS: 2634-33-5 Index: 613-088-00-6 Index: 613-088-00-6 Index: 613-088-00-6 Index: 613-088-00-6 Index: 613-088-00-6 Index: 613-088-00-6 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Eye Dam. 1, H318 CAS: 55965-84-9 Index: 613-167-00-5 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Acute Tox. 2, H330 ACUE Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H310 ACUE Tox.	ecyne-4,7-diol	01-2119954390-39 EC: 204-809-1	≤0.3	Skin Sens. 1B, H317 Aquatic Chronic 3,	-	[1]
2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:1) $\begin{array}{l} CAS: 55965-84-9\\ Index: 613-167-00-5\\ (3:1)\end{array}$ $\begin{array}{l} Acute Tox. 2, H310\\ Acute Tox. 2, H310\\ Eye Dam. 1, H318\\ Skin Corr. 1C, H314\\ Eye Dam. 1, H318\\ Skin Sens. 1A, H317\\ Aquatic Acute 1, H400\\ Aquatic Chronic 1, H410\\ EUH071\end{array}$ $\begin{array}{l} kg\\ ATE [Dermal] = 50\\ mg/kg\\ ATE [Inhalation (vapours)] = 0.5\\ mg/l\\ Skin Corr. 1C, H314\\ C \ge 0.6\%\\ Eye Dam. 1, H318\\ C \ge 0.6\%\\ Eye Irrit. 2, H319:\\ 0.06\% \le C < 0.6\%\\ Skin Sens. 1, H317\end{array}$	e	CAS: 2634-33-5	≤0.01	Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1,	mg/kg ATE [Inhalation (dusts and mists)] = 0.21 mg/l Skin Sens. 1, H317: C $\ge 0.036\%$ M [Acute] = 1	[1]
M [Acute] = 100 M [Chronic] = 100	nethyl-4-isothiazolin- ne [EC no. 247-500-7] d 2-methyl-2H-isothiazol- ne [EC no. 220-239-6]	CAS: 55965-84-9	<0.0015	Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Dermal] = 50 mg/kg ATE [Inhalation (vapours)] = 0.5 mg/l Skin Corr. 1C, H314: $C \ge 0.6\%$ Eye Dam. 1, H318: $C \ge 0.6\%$ Eye Irrit. 2, H319: $0.06\% \le C < 0.6\%$ Skin Sens. 1, H317: $C \ge 0.0015\%$ M [Acute] = 100	[1]

SECTION 3: Composition/information on ingredients See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

The classification as a carcinogen by inhalation applies only to mixtures placed on the market in powder form containing 1% or more of titanium dioxide particles with aerodynamic diameter \leq 10 µm not bound within a matrix.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures			
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.		
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.		
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. 		
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.		
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.		

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

	-
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising	from the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides

SECTION 5: Firefighting measures

5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	te	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for o	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e. g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling **Protective measures** : Put on appropriate personal protective equipment (see Section 8).

Advice on general Eating, drinking and smoking should be prohibited in areas where this material is ŝ, handled, stored and processed. Workers should wash hands and face before occupational hygiene eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Date of issue/Date of revision Date of previous issue : 08/07/2025 TEKNOCOAT AQUA 2580-22 - NCS S 0500-N

SECTION 7: Handling and storage

Recommendations Industrial sector specific solutions Not available.Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
No exposure limit value known.	

Biological exposure indices

Product/ingredient name	Exposure indices		
No exposure indices known.			
procedures European Stan assessment of values and mea atmospheres - of exposure to (Workplace atm for the measure	uld be made to monitoring standards, such as the following: dard EN 689 (Workplace atmospheres - Guidance for the exposure by inhalation to chemical agents for comparison with limit asurement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment chemical and biological agents) European Standard EN 482 nospheres - General requirements for the performance of procedures ement of chemical agents) Reference to national guidance methods for the determination of hazardous substances will also be		
DNELs/DMELs			
Product/ingredient name	Result		
manium dioxide	DNEL - General population - Long term - Inhalation 28 μg/m³ <u>Effects</u> : Local		
	DNEL - Workers - Long term - Inhalation 170 μg/m³ <u>Effects</u> : Local		
adipohydrazide	DNEL - Workers - Long term - Inhalation 17.5 mg/m³ <u>Effects</u> : Systemic		
2,4,7,9-tetramethyl-5-decyne-4,7-diol	DNEL - General population - Long term - Oral 0.29 mg/kg bw/day <u>Effects</u> : Systemic		
	DNEL - General population - Long term - Dermal 0.29 mg/kg bw/day <u>Effects</u> : Systemic		
	DNEL - General population - Long term - Inhalation 0.505 mg/m ³ <u>Effects</u> : Systemic		
	DNEL - Workers - Long term - Dermal 0.812 mg/kg bw/day <u>Effects</u> : Systemic		
	DNEL - Workers - Long term - Inhalation 2.86 mg/m ³ Effects: Systemic		

1,2-benzisothiazol-3(2H)-one	DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day <u>Effects</u> : Systemic				
	DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day <u>Effects</u> : Systemic				
	DNEL - General population - Long term - Inhalation 1.2 mg/m ³ <u>Effects</u> : Systemic				
	DNEL - Workers - Long term - Inhalation 6.81 mg/m ³ <u>Effects</u> : Systemic				
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	DNEL - General population - Long term - Inhalation 0.02 mg/m ³ <u>Effects</u> : Local				
	DNEL - Workers - Long term - Inhalation 0.02 mg/m ³ <u>Effects</u> : Local				
	DNEL - General population - Short term - Inhalatior 0.04 mg/m ³ <u>Effects</u> : Local				
	DNEL - Workers - Short term - Inhalation 0.04 mg/m ³ <u>Effects</u> : Local				
	DNEL - General population - Long term - Oral 0.09 mg/kg bw/day <u>Effects</u> : Systemic				
	DNEL - General population - Short term - Oral 0.11 mg/kg bw/day <u>Effects</u> : Systemic				
<u>NECs</u> Not available.					

Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection meas	<u>ires</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	

SECTION 8: Exposure controls/personal protection

SECTION 6: Exposure controls/personal protection							
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.						
	Recommendations : Wear suitable gloves tested to EN374.						
	> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm						
	Not recommended polyvinyl alcohol (PVA) gloves						
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. 						
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.						
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.						
	Filter type (spray application): A P						
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.						

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance	
Physical state	: Liquid.
Colour	: Grey.
Odour	: Slight
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	:

Ingredient name		°C	°F	Method	
water		100	212		
2-Propanol, 1-(2-butoxy-1-methylethox	()	230	446		
Flammability	: Not ava	ilable.	ł		
Lower and upper explosion imit		Not applicat Not applicat			
Flash point	: Closed	cup: >100°C	C (>212°F)		
Auto-ignition temperature	:				
Ingredient name		°C	°F	Method	
Propanol, 1-(2-butoxy-1-methylethox	()	194	381.2	EU A.15	
Decomposition temperature	: Not ava	ilable.			
pH	: 👂 to 8.8	[Conc. (% v	v/w): 100%]		
Viscosity	: Not ava	ilable.			
Solubility(ies)	:				
Not available.					
Solubility in water	: Not ava	ilable.			
Partition coefficient: n-octanol water	/ : Not app	blicable.			
ate of issue/Date of revision	: 08/07/2025	Date of pre	vious issue : 2	1/09/2023 Version : 2	7/16

TEKNOCOAT AQUA 2580-22 - NCS S 0500-N

SECTION 9: Physical and chemical properties

Vapour pressure	:					
		Vapour Pres	sure at 20°C	V	sure at 50°C	
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	17.5	2.3				
2-Propanol, 1-(2-butoxy- 1-methylethoxy)	0.045	0.006				
Relative density	: No	ot available.	1			·
Density	: 1.3	2 g/cm³				
Vapour density	: No	ot available.				
Particle characteristics						
Median particle size	: No	ot applicable.				
9.2 Other information						
9.2.1 Information with regar	rd to phys	ical hazard	classes			
Explosive properties	: No	ot available.				
Oxidising properties	: No	ot available.				
9.2.2 Other safety character	ristics					
Not applicable.						
SECTION 10: Stabilit	ty and r	reactivity	,			
10.1 Reactivity	•	•		ivity available fo	or this produ	ict or its ingredient
10.2 Chemical stability	: The p	roduct is stat	ble.			
10.3 Possibility of hazardous reactions	: Under	normal conc	ditions of storage a	and use, hazaro	lous reactio	ons will not occur.
10.4 Conditions to avoid	: No sp	ecific data.				
		: fil - t -				
10.5 Incompatible materials	: No sp	ecific data.				

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/ingredient name

2-benzisothiazol-3(2H)-one

Result

Rat - Oral - LD50 1020 mg/kg

reaction mass of: 5-chloro-2-methyl-Rat - Oral - LD504-isothiazolin-3-one [EC no. 247-500-7] and53 mg/kg2-methyl-2H-isothiazol-3-one [EC no.Toxic effects: Beh220-239-6] (3:1)activity) Behavioral

53 mg/kg <u>Toxic effects</u>: Behavioral - Somnolence (general depressed activity) Behavioral - Ataxia Lung, Thorax, or Respiration -Respiratory depression

Conclusion/Summary [Product] : Not available.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists (mg/l)
1 /2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro-2-methyl-4-isothiazoli 3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1)	450 n- 53	N/A 50	N/A N/A	N/A 0.5	0.21 N/A
Skin corrosion/irritation					
Product/ingredient name	Result				
utanium dioxide	Duration o		r itant kposure: 72 ho lpplied: 300 ug		
2,4,7,9-tetramethyl-5-decyne-4,7-diol		kin - Mild irr oncentration a	itant upplied: 0.5 gm	1	
1,2-benzisothiazol-3(2H)-one	Duration o	Skin - Mild in f treatment/ex oncentration a	<u>kposure</u> : 48 ho	ours	
reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		Skin - Severe	e irritant upplied: 0.01 %	0	
Conclusion/Summary [Product] : Not avail	able.				
Serious eye damage/eye irritation					
Product/ingredient name	Result				
4,7,9-tetramethyl-5-decyne-4,7-diol		yes - Severe oncentration a	i rritant pplied: 0.1 MI		
Conclusion/Summary [Product] : Not avail	able.				
Respiratory corrosion/irritation Not available.					
Conclusion/Summary [Product] : Not avail	able.				
Respiratory or skin sensitization Not available.					
Skin					
Conclusion/Summary [Product] : Not avail	able.				
Respiratory Conclusion/Summary [Product] : Not avail	able.				
<mark>Germ cell mutagenicity</mark> Not available.					
Conclusion/Summary [Product] : Not avail	able.				
Carcinogenicity					
ate of issue/Date of revision : 08/07/2025 Date EKNOCOAT AQUA 2580-22 - NCS S 0500-N	te of previous issu	e : 21/0	9/2023	Version Label No :	

SECTION 11: Toxicological information

It has been observed that the carcinogenic hazard of this product arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. Not available.

Conclusion/Summary [Product] : Not available.

Reproductive toxicity

Not available.

Conclusion/Summary [Product] : Not available.

<u>Specific target organ toxicity (single exposure)</u> Not available.

Specific target organ toxicity (repeated exposure)

Not available.

NOT AVAIIADIE.						
Aspiration hazard						
Not available.						
Information on likely routes	of	<u>exposure</u>				
Not available.						
Potential acute health effect	<u>s</u>					
Eye contact	4	No known significant effects or critical hazards.				
Inhalation	4	No known significant effects or critical hazards.				
Skin contact	1	No known significant effects or critical hazards.				
Ingestion	1	No known significant effects or critical hazards.				
Symptoms related to the phy	ysi	cal, chemical and toxicological characteristics				
Eye contact	1	No specific data.				
Inhalation	1	No specific data.				
Skin contact	1	No specific data.				
Ingestion	1	No specific data.				
Delayed and immediate effe	<u>cts</u>	as well as chronic effects from short and long-term exposure				
<u>Short term exposure</u>						
Potential immediate	1	Not available.				
effects						
Potential delayed effects	÷	Not available.				
Long term exposure						
Potential immediate effects	÷	Not available.				
Potential delayed effects	1	Not available.				
Potential chronic health effe	cts	<u> </u>				
Not available.						
Conclusion/Summary [Pro	Conclusion/Summary [Product] : Not available.					
General		No known significant effects or critical hazards.				
Carcinogenicity		No known significant effects or critical hazards.				
Mutagenicity		No known significant effects or critical hazards.				
Reproductive toxicity	1	No known significant effects or critical hazards.				
11.2 Information on other haz	are	de la companya de la				

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Not available.

SECTION 11: Toxicologica			
Conclusion/Summary [Product]	The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.		
11.2.2 Other information Not available.			
SECTION 12: Ecological in	oformation		
12.1 Toxicity			
Product/ingredient name Manium dioxide	<mark>Result</mark> Acute - LC50 - Marine water Fish - Mummichog - <i>Fundulus heteroclitus</i> >1000000 μg/l [96 hours] <u>Effect</u> : Mortality		
	Acute - LC50 - Fresh water Crustaceans - Water flea - <i>Ceriodaphnia dubia</i> - Neonate <u>Age</u> : <24 hours 3 mg/l [48 hours] <u>Effect</u> : Mortality		
2,4,7,9-tetramethyl-5-decyne-4,7-diol	LC50 Fish - <i>Cyprinus carpio</i> 42 mg/l [96 hours]		
	EC50 Daphnia - <i>Daphnia magna</i> 91 mg/l [48 hours]		
1,2-benzisothiazol-3(2H)-one	Acute - LC50 - Fresh water OECD [Fish, Acute Toxicity Test] Fish - Trout - <i>Onorhynchus Mykiss</i> 1.9 mg/l [96 hours]		
	Acute - EC50 OECD 202 [Daphnia sp. Acute Immobilization Test and Reproduction Test] Daphnia - Daphnia - <i>Daphnia Magna</i> 3.7 mg/l [48 hours]		
	Acute - EC50 - Marine water OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - <i>Skeletonema Costatum</i> 0.36 mg/l [72 hours]		
	Acute - NOEC - Marine water OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - <i>Skeletonema Costatum</i> 0.15 mg/l [72 hours]		
Conclusion/Summary [Product]	: Not available.		
12.2 Persistence and degradability			
Product/ingredient name	Result		
≇,2-benzisothiazol-3(2H)-one	EU 24% [28 days]		

Conclusion/Summary [Product] : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
2-benzisothiazol-3(2H)-one	-	-	Inherent

12.3 Bioaccumulative potential

 Date of issue/Date of revision
 : 08/07/2025
 Date of previous issue

: 21/09/2023

Version : 2 11/16 Label No : 21900

TEKNOCOAT AQUA 2580-22 - NCS S 0500-N

S	SECTION 12: Ecological information				
	Product/ingredient name	LogPow	BCF	Potential	
	2-benzisothiazol-3(2H)-one	-	3.2	Low	

12.4 Mobility in soil

Soil/water partition coefficient

Product/ingredient name	logKoc	Кос
adipohydrazide	1.7	55.2165
2,4,7,9-tetramethyl-5-decyne-4,7-diol	1.9	83.8929
1,2-benzisothiazol-3(2H)-one	1.9	73.142

Results of PMT and vPvM assessment

International MatrixNoNoadipohydrazideNoNo2,4,7,9-tetramethyl-NoNo5-decyne-4,7-diol1,2-benzisothiazol-3(2H)-oneNo	No No No	No No No	No No No	No No No	No No No
2,4,7,9-tetramethyl- No No 5-decyne-4,7-diol	No				
2,4,7,9-tetramethyl- No No 5-decyne-4,7-diol		No	No	No	No
	No	No	No	No	No
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1)	No	No	No	No	No

Conclusion/Summary

: The product does not meet the criteria to be considered as a PMT or vPvM.

12.5 Results of PBT and vPvB assessment Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	Р	В	Т	vPvB	vP	vB
titanium dioxide	No	No	No	No	No	No	No
adipohydrazide	No	N/A	N/A	No	N/A	N/A	N/A
2,4,7,9-tetramethyl-	No	N/A	N/A	No	N/A	N/A	N/A
5-decyne-4,7-diol							
1,2-benzisothiazol-3(2H)-one	No	N/A	No	No	No	N/A	No
reaction mass of: 5-chloro-	No	N/A	N/A	No	N/A	N/A	N/A
2-methyl-4-isothiazolin-							
3-one [EC no. 247-500-7]							
and 2-methyl-2H-isothiazol-							
3-one [EC no. 220-239-6] (3:							
1)							

Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
titanium dioxide	No	No	No	No	No	No	No
adipohydrazide	No	No	No	No	No	No	No
2,4,7,9-tetramethyl- 5-decyne-4,7-diol	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-	No	No	No	No	No	No	No
3-one [EC no. 220-239-6] (3: 1)							
Conclusion/Summary		: The product does not meet the criteria to be considered as a PBT or vPvB					

Regulation (EC) No. 1272/2008 [CLP]

meet the criteria to be considered as a PBT or vPvB. rie prou

: 21/09/2023

Date of issue/Date of revision TEKNOCOAT AQUA 2580-22 - NCS S 0500-N

: 08/07/2025 Date of previous issue

SECTION 12: Ecological information

12.6 Endocrine disrupting properties

Not available.

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment metho	ds
Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	 Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.
European waste catalogue (EWC)	: 080112, 200128
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	-			
	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

user

14.6 Special precautions for : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

: Not relevant/applicable due to nature of the product.

Date of previous issue

Date of issue/Date of revision :08/07/2025 TEKNOCOAT AQUA 2580-22 - NCS S 0500-N

SECTION 15: Regulatory information

ocorrow is. Regulatory mormation
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)
Annex XIV - List of substances subject to authorisation
Annex XIV
None of the components are listed.
Substances of very high concern
None of the components are listed.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles
Labelling :
Other EU regulations
Industrial emissions : Not listed (integrated pollution prevention and control) - Air
Industrial emissions : Not listed (integrated pollution prevention and control) - Water
Explosive precursors : Not applicable.
Ozone depleting substances (EU 2024/590) Not listed.
Prior Informed Consent (PIC) (649/2012/EU) Not listed.
Persistent Organic Pollutants Not listed.
Seveso Directive
This product is not controlled under the Seveso Directive.
International regulations
Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.
Montreal Protocol
Not listed.
Stockholm Convention on Persistent Organic Pollutants Not listed.
Rotterdam Convention on Prior Informed Consent (PIC) Not listed.
UNECE Aarhus Protocol on POPs and Heavy Metals Not listed.
15.2 Chemical safety assessment: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

✓ Indicates information that has changed from previously issued version.

	at has changed from previously issued version.
Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	N/A = Not available
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	SGG = Segregation Group
	vPvB = Very Persistent and Very Bioaccumulative
Barris and the second data data data data data data data da	

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

Full text of abbreviated H statements

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Full text of classifications [CLP/GHS]

ACUTE TOXICITY - Category 2
ACUTE TOXICITY - Category 3
ACUTE TOXICITY - Category 4
SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3
CARCINOGENICITY - Category 2
SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
SKIN CORROSION/IRRITATION - Category 1C
SKIN CORROSION/IRRITATION - Category 2
SKIN SENSITISATION - Category 1
SKIN SENSITISATION - Category 1A
SKIN SENSITISATION - Category 1B
: 08/07/2025

TEVISION		
Date of previous issue	: 21/09/2023	
Version	: 2	
	TEKNOCOAT AQUA 2580-22 NCS S 0500-N	NCS

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.