Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - Ireland

SAFETY DATA SHEET



TEKNOFLOOR BOJA

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Product name

: TEKNOFLOOR BOJA

1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use: Paint.

1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

e-mail address of person : Prod-safe@teknos.com

responsible for this SDS

National contact

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

1.4 Emergency telephone number

National advisory body/Poison Centre

 Telephone number
 : National Poisons Information Centre: 01 809 2566

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture <u>Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]</u> Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

| 2.2 Label elements | |
|---|---|
| Signal word | No signal word. |
| Hazard statements | No known significant effects or critical hazards. |
| Precautionary statements | |
| Prevention | Not applicable. |
| Response | Not applicable. |
| Storage | Not applicable. |
| Disposal | Not applicable. |
| Supplemental label elements | Contains 1,2-benzisothiazol-3(2H)-one and reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. Safety data sheet available on request. Contains biocidal products for in-can preservation: BIT and C(M)IT/MIT (3:1) and MIT. Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. |
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | |
| Date of issue/Date of revision | + 16/12/2022 Pate of provious issue + No provious validation Version + 1 1/1 |

SECTION 2: Hazards identification

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII Other hazards which do

not result in classification

: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

: None known.

SECTION 3: Composition/information on ingredients

| 3.2 Mixtures | : Mixture | | | | |
|---|---|---------|---|---|------|
| Product/ingredient name | Identifiers | % | Classification | Specific Conc. Limits, M-factors and ATEs | Туре |
| Propylene glycol | REACH #: 01-2119456809-23 EC: 200-338-0 CAS: 57-55-6 | ≤10 | Not classified. | - | [2] |
| 1,2-benzisothiazol-3(2H)- one | EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6 | <0.05 | Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 | ATE [Oral] = 1020 mg/kg Skin Sens. 1, H317: C ≥ 0.05% M [Acute] = 1 | [1] |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3:1) | CAS: 55965-84-9 Index: 613-167-00-5 | <0.0015 | Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071 | ATE [Oral] = 53 mg/ kg ATE [Dermal] = 50 mg/kg ATE [Inhalation (vapours)] = 0.5 mg/l Skin Corr. 1C, H314: $C \ge 0.6\%$ Eye Dam. 1, H318: $C \ge 0.6\%$ Eye Irrit. 2, H319: $0.06\% \le C < 0.6\%$ Skin Sens. 1, H317: $C \ge 0.0015\%$ M [Acute] = 100 M [Chronic] = 100 | [1] |
| | | | See Section 16 for the full text of the H statements declared above. | | |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. Contains: > 1 % TiO2

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

| 4.1 Description of first aid measures | | | | |
|---------------------------------------|--|--|--|--|
| Eye contact | : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. | | | |
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. | | | |
| Skin contact | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. | | | |
| Ingestion | : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. | | | |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. | | | |

4.2 Most important symptoms and effects, both acute and delayed <u>Over-exposure signs/symptoms</u>

| Eye contact | : No specific data. |
|--------------|---------------------|
| Inhalation | : No specific data. |
| Skin contact | : No specific data. |
| Ingestion | : No specific data. |

4.3 Indication of any immediate medical attention and special treatment needed

| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
|---------------------|---|
| Specific treatments | : No specific treatment. |

SECTION 5: Firefighting measures

| 5.1 Extinguishing media Suitable extinguishing media | Use an extinguishing agent suitable for the surrounding fire. | |
|--|---|---|
| Unsuitable extinguishing media | : | None known. |
| 5.2 Special hazards arising f | from | the substance or mixture |
| Hazards from the substance or mixture | : | In a fire or if heated, a pressure increase will occur and the container may burst. |
| Hazardous combustion products | : | Decomposition products may include the following materials: carbon dioxide carbon monoxide |
| 5.3 Advice for firefighters | | |
| Special protective actions for fire-fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |

SECTION 6: Accidental release measures

| | u | |
|---------------------------------|------|--|
| 6.1 Personal precautions, pro | oteo | ctive equipment and emergency procedures |
| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment. |
| For emergency responders | : | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| 6.2 Environmental precautions | : | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| 6.3 Methods and material for | со | ntainment and cleaning up |
| Small spill | : | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : | Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. |
| 6.4 Reference to other sections | : | See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information. |

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

| Protective measures | : Put on appropriate personal protective equipment (see Section 8). |
|--|---|
| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |

7.2 Conditions for safe storage, including any incompatibilities

Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

| 7.3 Specific end use(s) | | | |
|----------------------------|--|--|--|
| Recommendations | | | |
| Industrial sector specific | | | |
| solutions | | | |

- : Not available.
- : Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

| Product/ingredient name | Exposure limit values | | |
|--|--|--|--|
| Propylene glycol | NAOSH (Ireland, 5/2021). Notes: Advisory OccupationalExposure Limit Values (OELVs)OELV-8hr: 10 mg/m³ 8 hours. Form: particulateOELV-8hr: 470 mg/m³ 8 hours. Form: vapour and particulatesOELV-8hr: 150 ppm 8 hours. Form: vapour and particulates | | |
| procedures atmosphere of the ventilal protective equilation the following: the following: the assessmellimit values a atmospheres of exposure to (Workplace a for the measured of the measured | t contains ingredients with exposure limits, personal, workplace or biological monitoring may be required to determine the effectiveness tion or other control measures and/or the necessity to use respiratory uipment. Reference should be made to monitoring standards, such as European Standard EN 689 (Workplace atmospheres - Guidance for ent of exposure by inhalation to chemical agents for comparison with nd measurement strategy) European Standard EN 14042 (Workplace - Guide for the application and use of procedures for the assessment o chemical and biological agents) European Standard EN 482 atmospheres - General requirements for the performance of procedures urement of chemical agents) Reference to national guidance or methods for the determination of hazardous substances will also be | | |

DNELs/DMELs

| Product/ingredient name | Туре | Exposure | Value | Population | Effects |
|---|------|--------------------------|-------------------------------------|-----------------------|----------|
| 1,2-benzisothiazol-3(2H)-one | DNEL | Long term Dermal | 0.345 mg/ | General | Systemic |
| | DNEL | Long term Dermal | kg bw/day 0.966 mg/ kg bw/day | population Workers | Systemic |
| | DNEL | Long term Inhalation | 1.2 mg/m ³ | General population | Systemic |
| | DNEL | Long term Inhalation | 6.81 mg/m³ | | Systemic |
| reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239-6] (3:1) | DNEL | Long term Inhalation | 0.02 mg/m³ | General population | Local |
| (0.1) | DNEL | Long term Inhalation | 0.02 mg/m³ | Workers | Local |
| | DNEL | Short term Inhalation | 0.04 mg/m ³ | General population | Local |
| | DNEL | Short term Inhalation | 0.04 mg/m ³ | | Local |
| | DNEL | Long term Oral | 0.09 mg/ kg bw/day | General population | Systemic |
| | DNEL | Short term Oral | 0.11 mg/ kg bw/day | General population | Systemic |

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

SECTION 8: Exposure controls/personal protection

| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. | | |
|---------------------------------|---|--|--|
| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. | | |
| Skin protection | | | |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. | | |
| | Recommendations : Wear suitable gloves tested to EN374. | | |
| | > 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm | | |
| | Not recommended polyvinyl alcohol (PVA) gloves | | |
| Body protection | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. | | |
| Other skin protection | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. | | |
| Respiratory protection | : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. | | |
| | Filter type (spray application): A P | | |
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. | | |

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

| Appearance | | | | |
|---|------------------|-------------------|--------|--|
| Physical state | : Liquid. | | | |
| Colour | : Various | | | |
| Odour | : Slight | | | |
| Odour threshold | : Not available. | | | |
| Melting point/freezing point | : Not available. | | | |
| | | | | |
| nitial boiling point and | : | | | |
| nitial boiling point and boiling range | : | | | |
| ••• | : °C | °F | Method | |
| boiling range | • | ° F 212 | Method | |
| boiling range Ingredient name | •°C | - | Method | |
| boiling range Ingredient name water | • C | 212 | Method | |

: Closed cup: >100°C (>212°F)

ŝ,

Auto-ignition temperature

| | Ingredient name | | °C | °F | | Method | | |
|----|------------------------------|--------------|----------------|-----------|-------------|----------------|-------------|------|
| | Propylene glycol | | 371 | 699.8 | | | | |
| Da | te of issue/Date of revision | : 16/12/2022 | Date of previo | ous issue | : No previo | ous validation | Version : 1 | 6/13 |

TEKNOFLOOR BOJA

Flash point

l abe

Label No :43613

SECTION 9: Physical and chemical properties

2

| Decomposition temperature | : | Not available. |
|---|---|-----------------|
| рН | : | 6 to 9 |
| Viscosity | : | Not available. |
| Solubility(ies) | : | |
| Not available. | | |
| Solubility in water | : | Not available. |
| Partition coefficient: n-octanol/ water | : | Not applicable. |

Vapour pressure

| | Vapour Pressure at 20°C | | | V | apour pres | ssure at 50°C |
|--------------------------|-------------------------|-------------|--------|-------|------------|---------------|
| Ingredient name | mm Hg | kPa | Method | mm Hg | kPa | Method |
| water | 23.8 | 3.2 | | | | |
| Propylene glycol | 0.15 | 0.02 | EU A.4 | | | |
| Relative density | : Not | available. | • | | | |
| Density | : 1 g/ | cm³ | | | | |
| Vapour density | : Not | available. | | | | |
| Explosive properties | : Not | available. | | | | |
| Oxidising properties | : Not | available. | | | | |
| Particle characteristics | | | | | | |
| Median particle size | : Not | applicable. | | | | |

SECTION 10: Stability and reactivity

| 10.6 Hazardous decomposition products | : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|--|---|--|
| 10.5 Incompatible materials | : | No specific data. |
| 10.4 Conditions to avoid | : | No specific data. |
| 10.3 Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur. |
| 10.2 Chemical stability | : | The product is stable. |
| 10.1 Reactivity | : | No specific test data related to reactivity available for this product or its ingredients. |

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|--|-----------------------------------|--------------------|------------------|-----------------|
| 1,2-benzisothiazol-3(2H)- one | LD50 Oral | Rat | 1020 mg/kg | - |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1) | LD50 Oral | Rat | 53 mg/kg | - |
| Conclusion/Summary Acute toxicity estimates | Based on available data, the c | assification crite | ria are not met. | |
| e of issue/Date of revision | : 16/12/2022 Date of previous iss | ue : No pre | vious validation | Version :1 7/13 |

SECTION 11: Toxicological information

Route

ATE value

Not available.

| Irritation/Corrosion | | | | | |
|--|--|-------------------|--------------|------------------------|-------------|
| Product/ingredient name | Result | Species | Score | Exposure | Observation |
| 1,2-benzisothiazol-3(2H)-one reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1) | Skin - Mild irritant Skin - Severe irritant | Human Human | - | 48 hours 5 % 0.01 % | - |
| Conclusion/Summary | : Based on available data, the | classification c | riteria are | not met. | |
| Sensitisation | | | | | |
| Conclusion/Summary | : Based on available data, the | classification c | riteria are | e not met. | |
| Mutagenicity | | | | | |
| Conclusion/Summary | : Based on available data, the | classification of | riteria are | e not met. | |
| Carcinogenicity | | | | | |
| Conclusion/Summary | : Based on available data, the | classification c | riteria are | e not met. | |
| Reproductive toxicity | | | | | |
| Conclusion/Summary | : Based on available data, the | classification c | riteria are | e not met. | |
| Teratogenicity | | | | | |
| Conclusion/Summary | : Based on available data, the | classification c | criteria are | e not met. | |
| Specific target organ toxicit Not available. | <u>y (single exposure)</u> | | | | |
| | | | | | |
| Specific target organ toxicit | <u>y (repeated exposure)</u> | | | | |
| Not available. | | | | | |
| Aspiration hazard Not available. | | | | | |
| Information on likely routes of exposure | : Not available. | | | | |
| Potential acute health effects | | | | | |
| Eye contact | : No known significant effects | or critical haza | rds. | | |
| Inhalation | : No known significant effects | or critical haza | rds. | | |
| Skin contact | : No known significant effects | or critical haza | rds. | | |
| Ingestion | : No known significant effects | or critical haza | rds. | | |
| Symptoms related to the phy | sical, chemical and toxicologi | cal characteris | stics | | |
| Eye contact | : No specific data. | | 21100 | | |
| Inhalation | : No specific data. | | | | |
| Skin contact | : No specific data. | | | | |
| Ingestion | : No specific data. | | | | |
| Delayed and immediate effect | ts as well as chronic effects fr | om short and | long-tern | n exposure | |
| Short term exposure | | | | | |
| Potential immediate effects | : Not available. | | | | |
| Potential delayed effects | : Not available. | | | | |
| Long term exposure | | | | | |
| | | | | | |
| | | | | | |

Date of issue/Date of revision TEKNOFLOOR BOJA : 16/12/2022 Date of previous issue

: No previous validation Version

SECTION 11: Toxicological information

| Potential immediate effects | : Not available. |
|--------------------------------|---|
| Potential delayed effects | : Not available. |
| Potential chronic health effe | ects |
| Not available. | |
| Conclusion/Summary | : Not available. |
| General | : No known significant effects or critical hazards. |
| Carcinogenicity | : No known significant effects or critical hazards. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Reproductive toxicity | : No known significant effects or critical hazards. |

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Not available.11.2.2 Other information Not available.

SECTION 12: Ecological information

12.1 Toxicity

| Product/ingredient name | Result | Species | Exposure | |
|-------------------------|--|--|--|--|
| | Acute EC50 0.36 mg/l Marine water Acute EC50 3.7 mg/l Acute LC50 1.9 mg/l Fresh water Acute NOEC 0.15 mg/l Marine water | Algae - Skeletonema Costatum Daphnia - Daphnia Magna Fish - Onorhynchus Mykiss Algae - Skeletonema Costatum | 72 hours 48 hours 96 hours 72 hours | |
| Conclusion/Summary | : Based on available data, the classification criteria are not met. | | | |

12.2 Persistence and degradability

| Product/ingredient name | Test | Result | | Dose | Inoculum |
|---|-------------------|----------------|------------|------|------------------|
| 1,2-benzisothiazol-3(2H)-one | EU | 24 % - 28 days | | - | - |
| Conclusion/Summary : This product has not been tested for biodegradation. | | | | | |
| Product/ingredient name | Aquatic half-life | | Photolysis | 5 | Biodegradability |
| 1,2-benzisothiazol-3(2H)-one | - | | - | | Inherent |

12.3 Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|------------------------------|--------|-----|-----------|
| 1,2-benzisothiazol-3(2H)-one | - | 3.2 | low |

| 12.4 Mobility in soil | |
|--|------------------|
| Soil/water partition coefficient (Koc) | : Not available. |
| Mobility | : Not available. |

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

SECTION 12: Ecological information

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Product Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. : Within the present knowledge of the supplier, this product is not regarded as **Hazardous waste** hazardous waste, as defined by EU Directive 2008/98/EC. 080111*, 200127* **European waste** catalogue (EWC) Packaging Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. **Special precautions** This material and its container must be disposed of in a safe way. Empty containers ÷ or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

| | ADR/RID | ADN | IMDG | IATA | |
|------------------------------------|----------------|----------------|----------------|----------------|--|
| 14.1 UN number or ID number | Not regulated. | Not regulated. | Not regulated. | Not regulated. | |
| 14.2 UN proper shipping name | - | - | - | - | |
| 14.3 Transport hazard class(es) | - | - | - | - | |
| 14.4 Packing group | - | - | - | - | |
| 14.5 Environmental hazards | No. | No. | No. | No. | |

14.6 Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments : Not relevant/applicable due to nature of the product.

SECTION 15: Regulatory information

| CLOTICK TO: Regulatory mornation | | | | |
|---|--|--|--|--|
| 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture | | | | |
| EU Regulation (EC) No. 1907/2006 (REACH) | | | | |
| Annex XIV - List of substances subject to authorisation Annex XIV | | | | |
| None of the components are listed. | | | | |
| Substances of very high concern | | | | |
| None of the components are listed. | | | | |
| Annex XVII - Restrictions : on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | | | | |
| Other EU regulations | | | | |
| Industrial emissions : Not listed (integrated pollution prevention and control) - Air | | | | |
| Industrial emissions : Not listed (integrated pollution prevention and control) - Water | | | | |
| Ozone depleting substances (1005/2009/EU) Not listed. | | | | |
| Prior Informed Consent (PIC) (649/2012/EU) Not listed. | | | | |
| Persistent Organic Pollutants Not listed. | | | | |
| <u>Seveso Directive</u> This product is not controlled under the Seveso Directive. <u>International regulations</u> | | | | |
| Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed. | | | | |
| Montreal Protocol Not listed. | | | | |
| Stockholm Convention on Persistent Organic Pollutants Not listed. | | | | |
| Rotterdam Convention on Prior Informed Consent (PIC) Not listed. | | | | |
| UNECE Aarhus Protocol on POPs and Heavy Metals Not listed. | | | | |
| 15.2 Chemical safety assessment: This product contains substances for which Chemical Safety Assessments are still required. | | | | |

SECTION 16: Other information

Indicates information that has changed from previously issued version.

| , | |
|-------------------------------|--|
| Abbreviations and acronyms | ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative |
| | |

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

Full text of abbreviated H statements

| H301 | Toxic if swallowed. |
|--------|---|
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| EUH071 | Corrosive to the respiratory tract. |

Full text of classifications [CLP/GHS]

| | ACUTE TOXICITY - Category 2 | | |
|---------------------------------|---|--|--|
| Acute Tox. 3 | ACUTE TOXICITY - Category 3 | | |
| Acute Tox. 4 | ACUTE TOXICITY - Category 4 | | |
| Aquatic Acute 1 | SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 | | |
| Aquatic Chronic 1 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 | | |
| Eye Dam. 1 | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 | | |
| Skin Corr. 1C | SKIN CORROSION/IRRITATION - Category 1C | | |
| Skin Irrit. 2 | SKIN CORROSION/IRRITATION - Category 2 | | |
| Skin Sens. 1 | SKIN SENSITISATION - Category 1 | | |
| Skin Sens. 1A | SKIN SENSITISATION - Category 1A | | |
| Date of issue/ Date of revision | : 16/12/2022 | | |
| Date of previous issue | : No previous validation | | |
| Version | : 1 | | |
| | | | |

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision TEKNOFLOOR BOJA : 16/12/2022 Date of previous issue