Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - Malta

SAFETY DATA SHEET



TEKNOL AQUA 1410-01 - All variants

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	1.1	Prod	uct	identifier
------------------------	-----	------	-----	------------

Product name

NOL AQUA 1410	0-01 - All variants
	NOL AQUA 1410

- Product description : Wood preservative.
- **1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use**: Apply this product only as specified on the label.
- 1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

e-mail address of person : Prod-safe@teknos.com responsible for this SDS

National contact

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

1.4 Emergency telephone number

National advisory body/Poison Centre

 Telephone number
 : Malta Competition and Consumer Affairs Authority (MCCAA): +356 2395 2000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Repr. 1B, H360D

Aquatic Chronic 3, H412

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



Signal word	Danger	
Hazard statements	H360D - May damage the unborn child. H412 - Harmful to aquatic life with long lasting effects.	
Precautionary statements		
Prevention	P201 - Obtain special instructions before use. P280 - Wear protective gloves, protective clothing, eye protection, face prote or hearing protection. P273 - Avoid release to the environment.	ction,
Response	P308 + P313 - IF exposed or concerned: Get medical advice or attention.	
Storage	Not applicable.	
Disposal	P501 - Dispose of contents and container in accordance with all local, region national and international regulations.	al,

Date of issue/Date of revision	: 16/04/2025	Date of previous issue	: 10/04/2025	Version	:4	1/17
TEKNOL AQUA 1410-01 -	All variants			Label No	9529	4

SECTION 2: Hazards identification

Hazardous ingredients	:	Contains: Propiconazole
Supplemental label elements	:	Contains Propiconazole, 3-iodo-2-propynyl-butyl carbamate and 1,2-benzisothiazol-3 (2H)-one. May produce an allergic reaction.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Restricted to professional users. As from 1 July 2024, treated articles treated with or incorporating propiconazole shall not be placed on the market for the production of furniture and play structures.
2.3 Other hazards		

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do	: None known.

not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
Propiconazole	EC: 262-104-4 CAS: 60207-90-1 Index: 613-205-00-0	<1	Acute Tox. 4, H302 Skin Sens. 1, H317 Repr. 1B, H360D Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 1517 mg/kg M [Acute] = 1 M [Chronic] = 1	[1]
3-iodo-2-propynyl-butyl carbamate	EC: 259-627-5 CAS: 55406-53-6 Index: 616-212-00-7	≤0.3	Acute Tox. 4, H302 Acute Tox. 3, H331 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 1, H372 (larynx) Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 400 mg/kg ATE [Inhalation (dusts and mists)] = 0.67 mg/l M [Acute] = 10 M [Chronic] = 1	[1]
1,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.036	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = 0.21 mg/l Skin Sens. 1, H317: $C \ge 0.036\%$ M [Acute] = 1 M [Chronic] = 1	[1]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the

concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section. <u>Type</u>

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

:10/04/2025

SECTION 4: First aid measures

4.1 Description of first aid m	asures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptomsEye contact: No specific data.Inhalation: Adverse symptor

Inhalation	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Skin contact	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.

5.2 Special hazards arising from the substance or mixture

Date of issue/Date of revision: 16/04/2025Date of previous issue: 10/04/2025Version: 4TEKNOL AQUA 1410-01 - All variantsLabel No :95294

3/17

SECTION 5: Firefighting measures

Hazards from the substance or mixture	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.	
Hazardous combustion products	: No specific data.	
5.3 Advice for firefighters		
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.	
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful

to the environment if released in large quantities.

6.3 Methods and material for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

: 16/04/2025 Date of previous issue

SECTION 7: Handling and storage

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Avoid exposure -
	obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

: Not available.

: Not available.

Recommendations Industrial sector specific solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
No exposure limit value known.	

Biological exposure indices

Product/ingredien	t name	Exposure indices			
No exposure indices known.					
Recommended monitoring procedures	European Stand assessment of e values and mea atmospheres - (of exposure to c (Workplace atm for the measure	Id be made to monitoring standards, such as the following: ard EN 689 (Workplace atmospheres - Guidance for the exposure by inhalation to chemical agents for comparison with limit surement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment hemical and biological agents) European Standard EN 482 ospheres - General requirements for the performance of procedures ment of chemical agents) Reference to national guidance hethods for the determination of hazardous substances will also be			
DNELs/DMELs					
Product/ingredient name		Result			
Propiconazole		DNEL - General population - Long term - Oral 0.08 mg/kg bw/day <u>Effects</u> : Systemic			
		DNEL - General population - Long term - Dermal 0.14 mg/kg bw/day <u>Effects</u> : Systemic			
Date of issue/Date of revision	:16/04/2025 Da	te of previous issue : 10/04/2025 Version : 4 5/17			

SECTION 8: Exposure controls/p	ersonal protection
	DNEL - General population - Long term - Inhalation

DNEL - Workers - Long term - Dermal 0.38 mg/kg bw/day Effects: Systemic **DNEL - Workers - Long term - Inhalation** 1.35 mg/m³ Effects: Systemic **DNEL - Workers - Long term - Inhalation** 3-iodo-2-propynyl-butyl carbamate 0.023 mg/m³ Effects: Systemic **DNEL - Workers - Short term - Inhalation** 0.07 mg/m³ Effects: Systemic **DNEL - Workers - Short term - Inhalation** 1.16 mg/m³ Effects: Local **DNEL - Workers - Long term - Inhalation** 1.16 mg/m³

Effects: Local

0.24 mg/m³ Effects: Systemic

DNEL - Workers - Long term - Dermal 2 mg/kg bw/day <u>Effects</u>: Systemic

DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day <u>Effects</u>: Systemic

DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day <u>Effects</u>: Systemic

DNEL - General population - Long term - Inhalation 1.2 mg/m³ Effects: Systemic

DNEL - Workers - Long term - Inhalation 6.81 mg/m³ <u>Effects</u>: Systemic

PNECs

Not available.

1,2-benzisothiazol-3(2H)-one

8.2 Exposure controls Appropriate engineering controls	: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Individual protection measu	res
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Date of issue/Date of revision	: 16/04/2025	Date of previous issue	: 10/04/2025	Version	:4	6/17
TEKNOL AQUA 1410-01 - A	Il variants			Label No	:9529	4

SECTION 8: Exposure controls/personal protection

	-			
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.		
Skin protection				
Hand protection	:	: Chemical-resistant, impervious gloves complying with an approved standard shours be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufactur check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.		
		Recommendations : Wear suitable gloves tested to EN374.		
		> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm		
		Not recommended polyvinyl alcohol (PVA) gloves		
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.		
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.		
Respiratory protection	:	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.		
		Filter type (spray application): A P		
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.		

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance		
Physical state	: Liquid.	
Colour	: Various	
Odour	: Slight	
Odour threshold	: Not available.	
Melting point/freezing point	: Not available.	
Initial boiling point and boiling range	:	
Ingredient name	°C	۰
water	100	~

	Ingredient name		°C	°F	Method	
	water		100	212		
F	lammability	: Not ava	ilable.			
	ower and upper explosion mit		Not applicable. Not applicable.			
F	lash point	: Closed	cup: >100°C (>212	2°F)		
A	uto-ignition temperature	: Not ava	ilable.			
D	ecomposition temperature	: Not ava	ilable.			
р	н	: 6.8 to 8	.2 [Conc. (% w/w):	100%]		
V	iscosity	: Not ava	ilable.			

Date of issue/Date of revision: 16/04/2025Date of previous issueTEKNOL AQUA 1410-01 - All variants

: 10/04/2025

SECTION 9: Physical and chemical properties Solubility(ies) ÷. Not available. Solubility in water : Not available. Partition coefficient: n-octanol/ : Not applicable. water Vapour pressure ŝ Vapour Pressure at 20°C Vapour pressure at 50°C Ingredient name mm Hg kPa **Method** mm Hg kPa Method water 17.5 2.3 : Not available. **Relative density Density** : 1 g/cm³ Vapour density : Not available. **Particle characteristics** Median particle size : Not applicable. 9.2 Other information 9.2.1 Information with regard to physical hazard classes **Explosive properties** : Not available. **Oxidising properties** : Not available.

9.2.2 Other safety characteristics

Not applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	;	The product is stable.
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	No specific data.
10.5 Incompatible materials	:	No specific data.
10.6 Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as de	efined in Regulation (EC) N	o 1272/2008			
Acute toxicity					
Product/ingredient name	Result				
Propiconazole	Rat - Oral - LD5	50			
	1517 mg/kg				
	Rat - Dermal - L	_D50			
	>4000 mg/kg				
	Rat - Inhalation	- LC50 Dusts an	d mists		
	5.8 mg/l [4 hours	s]			
3-iodo-2-propynyl-butyl carbamate	Rat - Oral - LD5	50			
	400 mg/kg				
Date of issue/Date of revision : 16/04/20	D25 Date of previous issue	: 10/04/2025	Version	:4	8/17

TEKNOL AQUA 1410-01 - All variants

SECTION 11: Toxicological information

Rat - Dermal - LD50 >2000 mg/kg

Rat - Inhalation - LC50 Dusts and mists 0.763 mg/l [4 hours]

Rat - Inhalation - LC50 Dusts and mists 0.67 g/m³ [4 hours]

1,2-benzisothiazol-3(2H)-one

Rat - Oral - LD50 1020 mg/kg

Conclusion/Summary [Product] : Based on available data, the classification criteria are not met.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
TEKNOL AQUA 1410-01	N/A	N/A	N/A	N/A	228.4
Propiconazole	1517	N/A	N/A	N/A	5.8
3-iodo-2-propynyl-butyl carbamate	400	N/A	N/A	N/A	0.67
1,2-benzisothiazol-3(2H)-one	450	N/A	N/A	N/A	0.21

Skin corrosion/irritation

Product/ingredient name		Result
1,2-benzisothiazol-3(2H)-one		Human - Skin - Mild irritant Duration of treatment/exposure: 48 hours Amount/concentration applied: 5 %
Conclusion/Summary [Product]	: Not available	ð.
Serious eye damage/eye irritation		
Product/ingredient name		Result
3-iodo-2-propynyl-butyl carbamate		Rabbit - Eyes - Severe irritant
Conclusion/Summary [Product]	: Based on av	ailable data, the classification criteria are not met.
Respiratory corrosion/irritation		
Not available.		
Conclusion/Summary [Product]	: Not available	3.
Respiratory or skin sensitization		
Product/ingredient name		Result
Propiconazole		Guinea pig - skin <u>Result</u> : Sensitising
3-iodo-2-propynyl-butyl carbamate		Guinea pig - skin <u>Result</u> : Not sensitizing
Skin		
Conclusion/Summary [Product]	: May produce	e an allergic reaction.

Respiratory

Conclusion/Summary [Product] : Not available.

Date of issue/Date of revision : 16/04/2025 Date of previous issue

SECTION 11: Toxicological information

Germ cell mutagenicity	
Product/ingredient name	Result
Propiconazole	Bacteria
'	OECD [Bacterial Reverse Mutation Test] <u>Result</u> : Negative
3-iodo-2-propynyl-butyl carbamate	In vitro - Bacteria <u>Result</u> : Negative
Conclusion/Summary [Product] : Based on av	ailable data, the classification criteria are not met.
Carcinogenicity	
Not available.	
Conclusion/Summary [Product] : Based on av	ailable data, the classification criteria are not met.
Reproductive toxicity	
Product/ingredient name	Result
Propiconazole	Mouse - Unreported
	<u>Maternal toxicity</u> : Positive Developmental: Positive
3-iodo-2-propynyl-butyl carbamate	Rabbit - Female - Oral
	50 mg/kg [7 days per week] [13 days] Maternal toxicity: Positive
	Developmental: Negative
	Rabbit - Female - Oral 20 mg/kg [7 days per week] [13 days] <u>Maternal toxicity</u> : Negative <u>Developmental</u> : Negative
Conclusion/Summary [Product] : May damage	e the unborn child.
Creatific toward owners towinity (simple owners)	
Specific target organ toxicity (single exposure) Not available.	
Not available.	
Specific target organ toxicity (repeated exposure)	
Product/ingredient name	Result
3-iodo-2-propynyl-butyl carbamate	STOT RE 1, H372 (larynx)
Aspiration hazard	
Not available.	
Information on likely routes of exposure	
Not available.	
Potential acute health effects	at affects as aritical bazarda
-	nt effects or critical hazards. nt effects or critical hazards.
5	nt effects or critical hazards.
-	nt effects or critical hazards.
Symptoms related to the physical, chemical and to	
Eye contact : No specific data.	
• · · · · · · · · · · · · · · · · · · ·	

: 16/04/2025 Date of previous issue

: 10/04/2025

SECTION 11: Toxicological information

Inhalation	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations				
Skin contact	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations				
Ingestion	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations				
Delayed and immediate effe	cts as well as chronic effects from short and long-term exposure				
<u>Short term exposure</u>					
Potential immediate effects	: Not available.				
Potential delayed effects	: Not available.				
Long term exposure					
Potential immediate effects	: Not available.				
Potential delayed effects	: Not available.				
Potential chronic health effe	<u>cts</u>				
Not available.					
Conclusion/Summary [Pro	duct] : Based on available data, the classification criteria are not met.				
General	: No known significant effects or critical hazards.				
Carcinogenicity	: No known significant effects or critical hazards.				
Mutagenicity	: No known significant effects or critical hazards.				
Reproductive toxicity	: May damage the unborn child.				

11.2.1 Endocrine disrupting properties

Not available.

Conclusion/Summary [Product] : The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name Propiconazole

Result

LC50

Fish - Oncorhynchus mykiss 4.3 mg/l [96 hours]

EC50

Daphnia - Daphnia magna 10.2 mg/l [48 hours]

3-iodo-2-propynyl-butyl carbamate

Acute - LC50 - Fresh water

ΕU Fish - Trout - Oncorhynchus mykiss 0.067 mg/l [96 hours]

Acute - NOEC - Fresh water

EU

Fish - Trout - Oncorhynchus mykiss 0.049 mg/l [96 hours]

:10/04/2025 Date of previous issue

SECTION 12: Ecological information

•=•·····	
	Acute - EC50 - Fresh water EU Daphnia - Daphnia - <i>Daphnia magna</i> 0.16 mg/l [48 hours]
	Chronic - NOEC - Fresh water EU Daphnia - Daphnia - <i>Daphnia Magna</i> 0.05 mg/l [21 days]
	Acute - EC50 - Fresh water EU Algae - Algae - <i>Scenedemus subspicatus</i> 0.022 mg/l [72 hours]
1,2-benzisothiazol-3(2H)-one	Acute - LC50 - Fresh water OECD [Fish, Acute Toxicity Test] Fish - Trout - <i>Onorhynchus Mykiss</i> 1.9 mg/l [96 hours]
	Acute - EC50 OECD 202 [Daphnia sp. Acute Immobilization Test and Reproduction Test] Daphnia - Daphnia - <i>Daphnia Magna</i> 3.7 mg/l [48 hours]
	Acute - EC50 - Marine water OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - <i>Skeletonema Costatum</i> 0.36 mg/l [72 hours]
	Acute - NOEC - Marine water OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - <i>Skeletonema Costatum</i> 0.15 mg/l [72 hours]
Conclusion/Summary [Product]	: Harmful to aquatic life with long lasting effects.
12.2 Persistence and degradability	
Product/ingredient name	Result

1,2-benzisothiazol-3(2H)-one

Result EU 24% [28 days]

Conclusion/Summary [Product] : Based on available data, the classification criteria are not met.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
3-iodo-2-propynyl-butyl carbamate	-	-	Not readily
1,2-benzisothiazol-3(2H)-one	-	-	Inherent

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Propiconazole 3-iodo-2-propynyl-butyl carbamate	3.72 >1	-	Low Low
1,2-benzisothiazol-3(2H)-one	-	3.2	Low

12.4 Mobility in soil Soil/water partition coefficient

Product/ingredient name		logKoc			Кос		
Propiconazole 3-iodo-2-propynyl-butyl carba 1,2-benzisothiazol-3(2H)-one	mate	3.39 1.13 1.86		2451.91 13.4558 73.142			
Results of PMT and vPvM as	ssessme	nt			!		
Product/ingredient name	PMT	Р	Μ	т	vPvM	vP	vM
Propiconazole 3-iodo-2-propynyl-butyl carbamate 1,2-benzisothiazol-3(2H)-one	No No No	No No No	No No No	No No No	No No No	No No No	No No No
Mobility Conclusion/Summary	: Nota		t does not m	neet the crite	ria to be consi	dered as a l	PMT or vPvl
Conclusion/Summary		·	t does not m	neet the crite	ria to be consi	dered as a l	PMT or vP
Regulation (EC) No. 1907/20	06 [REA	CH]					
Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB

Product/ingredient name	РВТ	Р	В	•	VPVB	VP	VB
Propiconazole	No	No	No	No	No	No	No
3-iodo-2-propynyl-butyl carbamate	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
Regulation (EC) No. 1272/20	08 [CLP]						
Product/ingredient name	PBT	Р	В	Т	vPvB	vP	vB

Product/ingredient name	РЫ	P	В	I	VPVB	VP	VB	
Propiconazole 3-iodo-2-propynyl-butyl	No No							
carbamate 1,2-benzisothiazol-3(2H)-one	No							

Conclusion/Summary : The product does not meet the criteria to be considered as a PBT or vPvB. Regulation (EC) No. 1272/2008

[CLP]

12.6 Endocrine disrupting properties

Not available.

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment metho	ods
Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
European waste catalogue (EWC)	: 030202
European waste catalogu	Je (EWC)

Date of issue/Date of revision	: 16/04/2025	Date of previous issue	: 10/04/2025	Version : 4	13/17
TEKNOL AQUA 1410-01 -	All variants			Label No :9529)4

SECTION 13: Disp	Disposal considerations	
Waste code	Waste designation	
03 02 02*	organochlorinated wood preservatives	
Packaging		
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.	
Special precautions	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.	

SECTION 14: Transport information

	•			
	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

14.6 Special precautions for user: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in : Not relevant/applicable due to nature of the product. **bulk according to IMO**

instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product/ingredient name	%	Designation [Usage]
TEKNOL AQUA 1410-01	≥90	3
Propiconazole	<1	30 30

Labelling

: Restricted to professional users.

As from 1 July 2024, treated articles treated with or incorporating propiconazole shall not be placed on the market for the production of furniture and play structures.

SECTION 15: Regulatory information

Other EU regulations		
Industrial emissions (integrated pollution prevention and control) - Air	:	Not listed
Industrial emissions (integrated pollution prevention and control) - Water	:	Not listed
Explosive precursors Ozone depleting substance		Not applicable.

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Annex	Ingredient name	Status
Annex I - Part 1	propiconazole	Listed

Persistent Organic Pollutants

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

National regulations

Biocidal products	: This product is a biocidal product as defined in EU Regulation 528/2012. Its supply
regulation	and use may be subject to certain requirements or restrictions specified in this
-	regulation.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

15.2 Chemical safety :	This product contains substances for which Chemical Safety Assessments are still
assessment	required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration
PNEC = Predicted No Effect Concentration RRN = REACH Registration Number
SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative

15/17

Procedure used	to derive the classification according t	o Regulation (EC) No. 1272/2008 [CLP/GHS		
	Classification	Justification		
		Calculation method		
Aquatic Chronic		Calculation method		
Full text of abbre	eviated H statements			
H302	Harmful if swallowed.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H330 H331	Fatal if inhaled. Toxic if inhaled.			
H360D	May damage the unborn child.			
H372	Causes damage to organs through prolo	nged or repeated exposure		
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting	effects.		
H412	Harmful to aquatic life with long lasting e			
Full text of class	ifications [CLP/GHS]			
Acute Tox. 2	ACUTE TOXICITY - Category 2			
Acute Tox. 3	ACUTE TOXICITY - Category 3			
Acute Tox. 4	ACUTE TOXICITY - Category 4			
Aquatic Acute 1 Aquatic Chronic	SHORT-TERM (ACUTE) AQUATION LONG-TERM (CHRONIC) AQUAT			
Aquatic Chronic 3				
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRF			
Repr. 1B		REPRODUCTIVE TOXICITY - Category 1B		
Skin Irrit. 2		SKIN CORROSION/IRRITATION - Category 2		
Skin Sens. 1		SKIN SENSITISATION - Category 1		
Skin Sens. 1A	SKIN SENSITISATION - Category			
STOT RE 1	SPECIFIC TARGET ORGAN TOX	ICITY - REPEATED EXPOSURE - Category 1		
Date of issue/ Da evision	ate of : 16/04/2025			
Date of previous	issue : 10/04/2025			

Version

TEKNOL AQUA 1410-01

: 4

All variants

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

: 16/04/2025 Date of previous issue

Date of issue/Date of revision: 16/0TEKNOL AQUA 1410-01 - All variants

: 16/04/2025 Date of previous issue