

# SAFETY DATA SHEET



TEKNOL AQUA 1412-01 - All variants

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product name** : TEKNOL AQUA 1412-01 - All variants

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use** : Wood preservatives Apply this product only as specified on the label.

### 1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

**e-mail address of person responsible for this SDS** : Prod-safe@teknos.com

### 1.4 Emergency telephone number

#### National advisory body/Poison Centre

**Telephone number** : In an emergency, call 112

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Product definition** : Mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Repr. 1B, H360D  
ED HH 1, EUH380  
Aquatic Chronic 2, H411  
ED ENV 1, EUH430

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

**Hazard pictograms** :



**Signal word** : Danger

**Hazard statements** : H360D - May damage the unborn child.  
EUH380 - May cause endocrine disruption in humans.  
H411 - Toxic to aquatic life with long lasting effects.  
EUH430 - May cause endocrine disruption in the environment.

#### Precautionary statements

**Prevention** : P201 - Obtain special instructions before use.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection, or hearing protection.  
P273 - Avoid release to the environment.

**Response** : P391 - Collect spillage.

**Storage** : P405 - Store locked up.

**Disposal** : P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

**Date of issue/Date of revision** : 06/05/2026 **Date of previous issue** : 22/04/2025

**Version** : 1.01 1/27

TEKNOL AQUA 1412-01 - All variants

**Label No** : 44825

## SECTION 2: Hazards identification

|   |   |
|---|---|
| <b>Hazardous ingredients</b>  | : Contains: Propiconazole   |
| <b>Supplemental label elements</b>  | : Contains Propiconazole and 3-iodo-2-propynyl-butyl carbamate. May produce an allergic reaction. |
| <b>Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles</b> | : Restricted to professional users.   |

### 2.3 Other hazards

|   |   |
|---|---|
| <b>Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII</b>          | : This mixture does not contain any substances that are assessed to be a PBT or a vPvB.       |
| <b>Product meets the criteria for endocrine disrupting properties according to Regulation (EC) No. 1907/2006.</b> | : <input checked="" type="checkbox"/> Contains Propiconazole. May cause endocrine disruption. |
| <b>Other hazards which do not result in classification</b>  | : None known.   |

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures : Mixture

| Product/ingredient name  | Identifiers   | %    | Classification   | Specific Conc. Limits, M-factors and ATEs  | Type |
|--|---|------|--|--|------|
| <input checked="" type="checkbox"/> Propyleneglycolmethylether | REACH #:<br>01-2119450011-60<br>EC: 252-104-2<br>CAS: 34590-94-8  | ≤3   | Not classified.  | -  | [2]  |
| Alcohols, C16-18 and C18-unsatd., ethoxylated (8 EO)           | REACH #:<br>01-2119489407-26<br>EC: 500-236-9<br>CAS: 68920-66-1  | ≤3   | Skin Irrit. 2, H315<br>Aquatic Acute 1, H400<br>Aquatic Chronic 3, H412  | M [Acute] = 1  | [1]  |
| Propiconazole  | EC: 262-104-4<br>CAS: 60207-90-1<br>Index: 613-205-00-0           | <1   | Acute Tox. 4, H302<br>Skin Sens. 1, H317<br>Repr. 1B, H360D<br>ED HH 1, EUH380<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410<br>ED ENV 1, EUH430             | ATE [Oral] = 1517 mg/kg<br>M [Acute] = 1<br>M [Chronic] = 1  | [1]  |
| 3-iodo-2-propynyl-butyl carbamate                              | EC: 259-627-5<br>CAS: 55406-53-6<br>Index: 616-212-00-7           | ≤0.3 | Acute Tox. 4, H302<br>Acute Tox. 2, H330<br>Eye Dam. 1, H318<br>Skin Sens. 1, H317<br>STOT RE 1, H372 (larynx)<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 | ATE [Oral] = 400 mg/kg<br>ATE [Inhalation (dusts and mists)] = 0.17 mg/l<br>M [Acute] = 10<br>M [Chronic] = 10 | [1]  |
| Tebuconazol  | REACH #:<br>01-0000015329-67<br>EC: 403-640-2<br>CAS: 107534-96-3 | ≤0.3 | Acute Tox. 4, H302<br>Repr. 2, H361d<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1,  | ATE [Oral] = 500 mg/kg<br>M [Acute] = 1<br>M [Chronic] = 10  | [1]  |

Date of issue/Date of revision : 06/05/2026 Date of previous issue : 22/04/2025 Version : 1.01 2/27

TEKNOL AQUA 1412-01 - All variants

Label No :  44825

## SECTION 3: Composition/information on ingredients

|          |   |      |  |   |     |
|----------|---|------|--|---|-----|
| Bronopol | Index: 603-197-00-7<br>EC: 200-143-0<br>CAS: 52-51-7<br>Index: 603-085-00-8 | ≤0.1 | H410<br>Acute Tox. 4, H302<br>Acute Tox. 4, H312<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>STOT SE 3, H335<br>Aquatic Acute 1, H400<br><b>See Section 16 for the full text of the H statements declared above.</b> | ATE [Oral] = 307 mg/kg<br>ATE [Dermal] = 1100 mg/kg<br>M [Acute] = 10 | [1] |
|----------|---|------|--|---|-----|

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

### Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Over-exposure signs/symptoms

- Eye contact** : No specific data.
- Inhalation** : Adverse symptoms may include the following:  
reduced foetal weight  
increase in foetal deaths  
skeletal malformations

## SECTION 4: First aid measures

- Skin contact** : Adverse symptoms may include the following:  
reduced foetal weight  
increase in foetal deaths  
skeletal malformations
- Ingestion** : Adverse symptoms may include the following:  
reduced foetal weight  
increase in foetal deaths  
skeletal malformations

### 4.3 Indication of any immediate medical attention and special treatment needed


- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

### 5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** :  In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life with long lasting effects. This material may cause endocrine disruption in the environment. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
- Hazardous combustion products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide

### 5.3 Advice for firefighters

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- 6.2 Environmental precautions** : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

### 6.3 Methods and material for containment and cleaning up

## SECTION 6: Accidental release measures

- Small spill** : Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
- 6.4 Reference to other sections** : See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### Seveso Directive - Reporting thresholds

##### Danger criteria

| Category | Notification and MAPP threshold | Safety report threshold |
|----------|---------------------------------|-------------------------|
| E2       | 200 tonnes                      | 500 tonnes              |

### 7.3 Specific end use(s)

- Recommendations** : Not available.
- Industrial sector specific solutions** : Not available.

## SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control parameters

#### Occupational exposure limits

| Product/ingredient name     | Exposure limit values  |
|-----------------------------|--|
| Dipropylenglycolmethylether | <b>Regulation on Limit Values - MAC (Austria, 12/2024)</b><br><b>[Dipropylenglykolmonomethylether (Isomerengemisch)]</b><br>Absorbed through skin.<br>TWA 8 hours: 50 ppm.<br>TWA 8 hours: 307 mg/m <sup>3</sup> .<br>CEIL 5 minutes: 100 ppm 8 times per shift.<br>CEIL 5 minutes: 614 mg/m <sup>3</sup> 8 times per shift. |
| Tebuconazol                 | <b>Regulation on Limit Values - MAC (Austria, 12/2024) d.</b>  |
| Dipropylenglycolmethylether | <b>Limit values (Belgium, 12/2023)</b><br><b>[Dipropyleenglykolmonomethylether]</b> Absorbed through skin.<br>TWA 8 hours: 50 ppm.<br>TWA 8 hours: 308 mg/m <sup>3</sup> .   |
| Dipropylenglycolmethylether | <b>Ministry of Labour and Social Policy and the Ministry of Health - Ordinance No 13/2003. (Bulgaria, 4/2024) [(2-Methoxymethyletoxy)propanol]</b> Absorbed through skin.<br>Limit value 8 hours: 308 mg/m <sup>3</sup> .<br>Limit value 8 hours: 50 ppm.  |
| Dipropylenglycolmethylether | <b>Ordinance on the protection of workers from exposure to hazardous chemicals at work, exposure limit values (Annex I) (Croatia, 1/2025) [(2-metoksimetiletoksi)-propanol]</b> Absorbed through skin.<br>ELV 8 hours: 308 mg/m <sup>3</sup> .<br>ELV 8 hours: 50 ppm.   |
| Dipropylenglycolmethylether | <b>Department of labour inspection (Cyprus, 7/2021)</b> Absorbed through skin.<br>TWA 8 hours: 50 ppm.<br>TWA 8 hours: 308 mg/m <sup>3</sup> .   |
| Dipropylenglycolmethylether | <b>Government regulation of Czech Republic PEL/NPK-P (Czech Republic, 2/2025) [(2-methoxymethylethoxy)propanol]</b><br>Absorbed through skin.<br>TWA 8 hours: 270 mg/m <sup>3</sup> .<br>TWA 8 hours: 43.8 ppm.<br>STEL 15 minutes: 550 mg/m <sup>3</sup> .<br>STEL 15 minutes: 89.3 ppm.                                    |
| Dipropylenglycolmethylether | <b>Working Environment Authority (Denmark, 12/2024)</b><br><b>[dipropylenglycolmethylether]</b> Absorbed through skin.<br>TWA 8 hours: 50 ppm.<br>TWA 8 hours: 309 mg/m <sup>3</sup> .<br>STEL 15 minutes: 618 mg/m <sup>3</sup> .<br>STEL 15 minutes: 100 ppm.  |
| Dipropylenglycolmethylether | <b>Occupational exposure limits, Regulation No. 293 (Estonia, 4/2024) [dipropüleenglükooli monometüüleeter]</b> Absorbed through skin.<br>TWA 8 hours: 308 mg/m <sup>3</sup> .<br>TWA 8 hours: 50 ppm.   |
| Dipropylenglycolmethylether | <b>EU OEL (Europe, 1/2022) [(2-Methoxymethylethoxy)-propanol]</b><br>Absorbed through skin.<br>TWA 8 hours: 50 ppm.<br>TWA 8 hours: 308 mg/m <sup>3</sup> .  |

## SECTION 8: Exposure controls/personal protection

|  |  |
|--|--|
| <p>Diisopropylenglycolmethylether</p>    | <p><b>Institute of Occupational Health, Ministry of Social Affairs (Finland, 2/2025) [(2-Metoksimetyylietoksi)-propanoli]</b><br/>Absorbed through skin.<br/>TWA 8 hours: 50 ppm.<br/>TWA 8 hours: 310 mg/m<sup>3</sup>.</p>   |
| <p>Dipropylenglycolmethylether</p>       | <p><b>Ministry of Labor (France, 6/2024) [(2-méthoxyméthyléthoxy)-propanol]</b> Absorbed through skin.<br/>TWA 8 hours: 50 ppm. Notes: Binding regulatory limit values (article R. 4412-149 of the Labor Code)<br/>TWA 8 hours: 308 mg/m<sup>3</sup>. Notes: Binding regulatory limit values (article R. 4412-149 of the Labor Code)</p>   |
| <p>Diisopropylenglycolmethylether</p>    | <p><b>TRGS 900 OEL (Germany, 3/2025) [(2-Methoxymethylethoxy)propanol]</b><br/>TWA 8 hours: 310 mg/m<sup>3</sup>.<br/>PEAK 15 minutes: 310 mg/m<sup>3</sup>.<br/>TWA 8 hours: 50 ppm.<br/>PEAK 15 minutes: 50 ppm.<br/><b>DFG MAC-values list (Germany, 7/2025) [Dipropylene glycol monomethyl ether]</b> Develop D.<br/>TWA 8 hours: 50 ppm.<br/>PEAK 15 minutes: 50 ppm 4 times per shift [Interval: 1 hour].<br/>TWA 8 hours: 310 mg/m<sup>3</sup>.<br/>PEAK 15 minutes: 310 mg/m<sup>3</sup> 4 times per shift [Interval: 1 hour].</p> |
| <p>3-iodo-2-propynyl-butyl carbamate</p> | <p><b>TRGS 900 OEL (Germany, 3/2025)</b> Skin sensitiser.<br/>PEAK 15 minutes: 0.116 mg/m<sup>3</sup>.<br/>PEAK 15 minutes: 0.01 ppm.<br/>TWA 8 hours: 0.058 mg/m<sup>3</sup>.<br/>TWA 8 hours: 0.005 ppm.<br/><b>DFG MAC-values list (Germany, 7/2025)</b> Develop C. Skin sensitiser.<br/>PEAK 15 minutes: 0.116 mg/m<sup>3</sup> 4 times per shift [Interval: 1 hour].<br/>PEAK 15 minutes: 0.01 ppm 4 times per shift [Interval: 1 hour].<br/>TWA 8 hours: 0.058 mg/m<sup>3</sup>.<br/>TWA 8 hours: 0.005 ppm.</p>                     |
| <p>Bronopol</p>                          | <p><b>DFG MAC-values list (Germany, 7/2025)</b> Absorbed through skin , Skin sensitiser.</p>   |
| <p>Diisopropylenglycolmethylether</p>    | <p><b>Presidential Decree 307/1986: Occupational exposure limit values (Greece, 8/2024) [μεθοξυμεθυλ-αιθοξυ-προπανόλη, 2-]</b><br/>Absorbed through skin.<br/>TWA 8 hours: 100 ppm.<br/>TWA 8 hours: 600 mg/m<sup>3</sup>.<br/>STEL 15 minutes: 150 ppm.<br/>STEL 15 minutes: 900 mg/m<sup>3</sup>.</p>  |
| <p>Diisopropylenglycolmethylether</p>    | <p><b>5/2020. (II. 6.) ITM Decree (Hungary, 2/2026) [(2-metoximetiletoxi)-propanol]</b><br/>TWA 8 hours: 308 mg/m<sup>3</sup>.<br/>TWA 8 hours: 50 ppm.</p>  |
| <p>Diisopropylenglycolmethylether</p>    | <p><b>Ministry of Welfare, List of Exposure Limits (Iceland, 11/2024) [Díprópylenglýkólmetýleter]</b> Absorbed through skin.<br/>TWA 8 hours: 300 mg/m<sup>3</sup>.<br/>TWA 8 hours: 50 ppm.</p>   |
| <p>Dipropylenglycolmethylether</p>       | <p><b>NAOSH (Ireland, 4/2024) [(2-methoxymethylethoxy)-1-propanol]</b><br/>Absorbed through skin. Notes: EU derived Occupational Exposure Limit Values<br/>OELV 8 hours: 50 ppm.<br/>OELV 8 hours: 308 mg/m<sup>3</sup>.</p>   |
| <p>Diisopropylenglycolmethylether</p>    | <p><b>Legislative Decree No. 81/2008. Title IX. Protection from chemical agents, carcinogens and mutagens (Italy, 9/2024)</b><br/>Absorbed through skin.<br/>Limit value 8 hours: 50 ppm.<br/>Limit value 8 hours: 308 mg/m<sup>3</sup>.</p>   |

## SECTION 8: Exposure controls/personal protection

|  |  |
|--|--|
| Dipropyleneglycolmethylether   | <b>Ministers Cabinet Regulations Nr.325 - AER (Latvia, 3/2024) [Metoksipropoksi propanols]</b> Absorbed through skin.<br>TWA 8 hours: 50 ppm.<br>TWA 8 hours: 308 mg/m <sup>3</sup> .  |
|  Dipropyleneglycolmethylether   | <b>Lithuanian Hygiene Standard HN 23 (Lithuania, 10/2025)</b><br>Absorbed through skin.<br>TWA 8 hours: 308 mg/m <sup>3</sup> .<br>TWA 8 hours: 50 ppm.<br>STEL 15 minutes: 450 mg/m <sup>3</sup> .<br>STEL 15 minutes: 75 ppm.  |
| Dipropyleneglycolmethylether   | <b>Grand-Duchy Regulation 2016. Chemical agents. Annex I (Luxembourg, 3/2021) [(2-méthoxyméthyléthoxy)-propanol]</b><br>Absorbed through skin.<br>TWA 8 hours: 50 ppm.<br>TWA 8 hours: 308 mg/m <sup>3</sup> .   |
| Dipropyleneglycolmethylether   | <b>EU OEL (Europe, 1/2022) [(2-Methoxymethylethoxy)-propanol]</b><br>Absorbed through skin.<br>TWA 8 hours: 50 ppm.<br>TWA 8 hours: 308 mg/m <sup>3</sup> .  |
|  Dipropyleneglycolmethylether   | <b>Ministry of Social Affairs and Employment, Legal limit values (Netherlands, 5/2024) [dipropyleenglycolmethylether]</b><br>TWA 8 hours: 300 mg/m <sup>3</sup> .<br>TWA 8 hours: 48.7 ppm.  |
|  Dipropyleneglycolmethylether   | <b>FOR-2011-12-06-1358 (Norway, 5/2024) [(2-metoksymetyletoksy)-propanol]</b> Absorbed through skin.<br>TWA 8 hours: 50 ppm.<br>TWA 8 hours: 300 mg/m <sup>3</sup> .   |
|  Dipropyleneglycolmethylether  | <b>Regulation of the Minister of Family, Labor and Social Policy of June 12, 2018 on the maximum permissible concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286) (Poland, 7/2024) [dipropylene glycol methyl ether]</b> Absorbed through skin.<br>TWA 8 hours: 240 mg/m <sup>3</sup> .<br>STEL 15 minutes: 480 mg/m <sup>3</sup> .  |
|  Dipropyleneglycolmethylether | <b>Portuguese Institute of Quality (Portugal, 11/2014) [2-metoximetiletoksiopropanol]</b> Absorbed through skin.<br>TWA 8 hours: 100 ppm.<br>STEL 15 minutes: 150 ppm.<br><b>Decree-Law 24/2012 - Occupational exposure limits for chemical agents (Portugal, 6/2021) [2-metoximetiletoksiopropanol]</b> Absorbed through skin.<br>TWA 8 hours: 50 ppm.<br>TWA 8 hours: 308 mg/m <sup>3</sup> .  |
| Dipropyleneglycolmethylether   | <b>HG 1218/2006, Annex 1, with subsequent modifications and additions (Romania, 3/2024)</b> Absorbed through skin.<br>VLA 8 hours: 308 mg/m <sup>3</sup> .<br>VLA 8 hours: 50 ppm.   |
|  Dipropyleneglycolmethylether | <b>Government regulation SR c. 355/2006 (Slovakia, 6/2024) [2-metoxymetyl-etoxypropanol]</b> Absorbed through skin ,<br>Inhalation sensitiser.<br>TWA 8 hours: 308 mg/m <sup>3</sup> .<br>TWA 8 hours: 50 ppm.   |
|  Dipropyleneglycolmethylether | <b>Regulation on protection of workers from the risks related to exposure to chemical substances at work (Slovenia, 4/2025) [(2-metoksimetiletoksi)propanol]</b> Absorbed through skin.<br>TWA 8 hours: 308 mg/m <sup>3</sup> .<br>TWA 8 hours: 50 ppm.<br>KTV 15 minutes: 50 ppm 4 times per shift [time between two exposure events at this concentration must be at least 60 minutes].<br>KTV 15 minutes: 308 mg/m <sup>3</sup> 4 times per shift [time between two |



## SECTION 8: Exposure controls/personal protection

No exposure indices known.  
No exposure indices known.  
No exposure indices known.  
No exposure indices known.  
No exposure indices known.  
No exposure indices known.  
No exposure indices known.  
No exposure indices known.  
No exposure indices known.  
No exposure indices known.  
No exposure indices known.  
No exposure indices known.  
No exposure indices known.  
No exposure indices known.  
No exposure indices known.

**Recommended monitoring procedures** : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### DNELs/DMELs

#### **Product/ingredient name**

 Dipropylenglycolmethylether

Alcohols, C16-18 and C18-unsatd.,  
ethoxylated (8 EO)

#### **Result**

##### **DNEL - General population - Long term - Oral**

36 mg/kg bw/day  
Effects: Systemic

##### **DNEL - General population - Long term - Inhalation**

37.2 mg/m<sup>3</sup>  
Effects: Systemic

##### **DNEL - General population - Long term - Dermal**

121 mg/kg bw/day  
Effects: Systemic

##### **DNEL - Workers - Long term - Dermal**

283 mg/kg bw/day  
Effects: Systemic

##### **DNEL - Workers - Long term - Inhalation**

308 mg/m<sup>3</sup>  
Effects: Systemic

##### **DNEL - General population - Long term - Oral**

1.5 mg/kg bw/day  
Effects: Systemic

##### **DNEL - General population - Long term - Inhalation**

3.92 mg/m<sup>3</sup>  
Effects: Systemic

##### **DNEL - Workers - Long term - Inhalation**

22.2 mg/m<sup>3</sup>  
Effects: Systemic

## SECTION 8: Exposure controls/personal protection

### **DNEL - General population - Long term - Dermal**

75 mg/kg bw/day

Effects: Systemic

### **DNEL - Workers - Long term - Dermal**

210 mg/kg bw/day

Effects: Systemic

Propiconazole

### **DNEL - General population - Long term - Oral**

0.08 mg/kg bw/day

Effects: Systemic

### **DNEL - General population - Long term - Dermal**

0.14 mg/kg bw/day

Effects: Systemic

### **DNEL - General population - Long term - Inhalation**

0.24 mg/m<sup>3</sup>

Effects: Systemic

### **DNEL - Workers - Long term - Dermal**

0.38 mg/kg bw/day

Effects: Systemic

### **DNEL - Workers - Long term - Inhalation**

1.35 mg/m<sup>3</sup>

Effects: Systemic

3-iodo-2-propynyl-butyl carbamate

### **DNEL - Workers - Long term - Inhalation**

0.023 mg/m<sup>3</sup>

Effects: Systemic

### **DNEL - Workers - Short term - Inhalation**

0.07 mg/m<sup>3</sup>

Effects: Systemic

### **DNEL - Workers - Short term - Inhalation**

1.16 mg/m<sup>3</sup>

Effects: Local

### **DNEL - Workers - Long term - Inhalation**

1.16 mg/m<sup>3</sup>

Effects: Local

### **DNEL - Workers - Long term - Dermal**

2 mg/kg bw/day

Effects: Systemic

Bronopol

### **DNEL - General population - Short term - Oral**

0.5 mg/kg bw/day

Effects: Systemic

### **DNEL - General population - Short term - Inhalation**

1.8 mg/m<sup>3</sup>

Effects: Systemic

### **DNEL - General population - Short term - Dermal**

2.1 mg/kg bw/day

Effects: Systemic

### **DNEL - Workers - Short term - Dermal**

6 mg/kg bw/day

Effects: Systemic

### **DNEL - Workers - Short term - Inhalation**

10.5 mg/m<sup>3</sup>

## SECTION 8: Exposure controls/personal protection

Effects: Systemic

**DNEL - General population - Short term - Dermal**

4 µg/cm<sup>2</sup>

Effects: Local

**DNEL - General population - Long term - Dermal**

4 µg/cm<sup>2</sup>

Effects: Local

**DNEL - Workers - Short term - Dermal**

8 µg/cm<sup>2</sup>

Effects: Local

**DNEL - Workers - Long term - Dermal**

8 µg/cm<sup>2</sup>

Effects: Local

**DNEL - General population - Long term - Oral**

0.18 mg/kg bw/day

Effects: Systemic

**DNEL - General population - Short term - Inhalation**

0.6 mg/m<sup>3</sup>

Effects: Local

**DNEL - General population - Long term - Inhalation**

0.6 mg/m<sup>3</sup>

Effects: Local

**DNEL - General population - Long term - Inhalation**

0.6 mg/m<sup>3</sup>

Effects: Systemic

**DNEL - General population - Long term - Dermal**

0.7 mg/kg bw/day

Effects: Systemic

**DNEL - Workers - Long term - Dermal**

2 mg/kg bw/day

Effects: Systemic

**DNEL - Workers - Short term - Inhalation**

2.5 mg/m<sup>3</sup>

Effects: Local

**DNEL - Workers - Long term - Inhalation**

2.5 mg/m<sup>3</sup>

Effects: Local

**DNEL - Workers - Long term - Inhalation**

3.5 mg/m<sup>3</sup>

Effects: Systemic

### PNECs

Not available.

### 8.2 Exposure controls

#### **Appropriate engineering controls**

: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

*Date of issue*/*Date of revision*

: 06/05/2026

*Date of previous issue*

: 22/04/2025

*Version* : 1.01 12/27

TEKNOL AQUA 1412-01 - All variants

**Label No** : 44825

## SECTION 8: Exposure controls/personal protection

### Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Recommendations : Wear suitable gloves tested to EN374.
- > 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm
- Not recommended polyvinyl alcohol (PVA) gloves
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
- Filter type (spray application): A P
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

#### Appearance

- Physical state** : Liquid.
- Colour** : Colourless.
- Odour** : Slight
- Odour threshold** : Not available.
- Melting point/freezing point** : Not available.
- Initial boiling point and boiling range** :

| Ingredient name              | °C    | °F    | Method |
|------------------------------|-------|-------|--------|
| Water                        | 100   | 212   |        |
| Dipropyleneglycolmethylether | 189.6 | 373.3 | EU A.2 |

- Flammability** : Not available.
- Lower and upper explosion limit** : Lower: 1.1% ((2-methoxymethylethoxy)propanol)  
Upper: 14% ((2-methoxymethylethoxy)propanol)

Date of issue/Date of revision : 06/05/2026 Date of previous issue : 22/04/2025 Version : 1.01 13/27

TEKNOL AQUA 1412-01 - All variants

Label No : 44825

## SECTION 9: Physical and chemical properties

**Flash point** : Closed cup: >100°C (>212°F)

**Auto-ignition temperature** :

| Ingredient name            | °C  | °F    | Method  |
|----------------------------|-----|-------|---------|
| Propyleneglycolmethylether | 207 | 404.6 | EU A.15 |

**Decomposition temperature** : Not available.

**pH** : 7 to 9 [Conc. (% w/w): 100%]

**Viscosity** : Kinematic (40°C): >20.5 mm<sup>2</sup>/s

**Solubility(ies)** :

Not available.

**Solubility in water** : Not available.

**Partition coefficient: n-octanol/  
water** : Not applicable.

**Vapour pressure** :

| Ingredient name | Vapour Pressure at 20°C |     |        | Vapour pressure at 50°C |     |        |
|-----------------|-------------------------|-----|--------|-------------------------|-----|--------|
|                 | mm Hg                   | kPa | Method | mm Hg                   | kPa | Method |
| Water           | 17.5                    | 2.3 |        |                         |     |        |

**Relative density** : Not available.

**Density** : 1 g/cm<sup>3</sup>

**Vapour density** : Not available.

### Particle characteristics

**Median particle size** : Not applicable.

## 9.2 Other information

### 9.2.1 Information with regard to physical hazard classes

**Explosive properties** : Not available.

**Oxidising properties** : Not available.

### 9.2.2 Other safety characteristics

Not applicable.

## SECTION 10: Stability and reactivity

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

**10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.

**10.4 Conditions to avoid** : No specific data.

**10.5 Incompatible materials** : No specific data.

**10.6 Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product/ingredient name

Propiconazole

##### Result

**Rat - Oral - LD50**  
1517 mg/kg

**Rat - Dermal - LD50**  
>4000 mg/kg

**Rat - Inhalation - LC50 Dusts and mists**  
5.8 mg/l [4 hours]

3-iodo-2-propynyl-butyl carbamate

**Rat - Oral - LD50**  
400 mg/kg

**Rat - Dermal - LD50**  
>2000 mg/kg

**Rat - Inhalation - LC50 Dusts and mists**  
0.763 mg/l [4 hours]

**Rat - Inhalation - LC50 Dusts and mists**  
0.67 g/m<sup>3</sup> [4 hours]

Tebuconazol

**Rat - Oral - LD50**  
3352 mg/kg

Toxic effects: Behavioral - Somnolence (general depressed activity) Behavioral - Ataxia Kidney, Ureter, and Bladder - Urine volume increased

**Rat - Dermal - LD50**  
>5 g/kg

**Rabbit - Dermal - LD50**  
>5000 mg/kg

**Rat - Inhalation - LC50 Vapour**  
0.371 g/m<sup>3</sup> [4 hours]

Bronopol

**Rat - Dermal - LD50**  
4750 mg/kg

**Rat - Oral - LD50**  
307 mg/kg

**Rat - Inhalation - LC50 Dusts and mists**  
>0.588 mg/l [4 hours]

**Conclusion/Summary [Product]** : Not available.

#### Acute toxicity estimates

| Product/ingredient name           | Oral (mg/kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapours) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|-----------------------------------|--------------|----------------|--------------------------|-----------------------------|-------------------------------------|
| TEKNOL AQUA 1412-01               | N/A          | N/A            | N/A                      | N/A                         | 56.7                                |
| Propiconazole                     | 1517         | N/A            | N/A                      | N/A                         | 5.8                                 |
| 3-iodo-2-propynyl-butyl carbamate | 400          | N/A            | N/A                      | N/A                         | 0.17                                |
| Tebuconazol                       | 500          | N/A            | N/A                      | N/A                         | N/A                                 |
| Bronopol                          | 307          | 1100           | N/A                      | N/A                         | N/A                                 |

#### Skin corrosion/irritation

Date of issue/Date of revision

: 06/05/2026

Date of previous issue

: 22/04/2025

Version : 1.01 15/27

TEKNOL AQUA 1412-01 - All variants

Label No : 44825

## SECTION 11: Toxicological information

### Product/ingredient name

Dipropyleneglycolmethylether

Bronopol

### Result

#### Rabbit - Skin - Mild irritant

Amount/concentration applied: 500 mg

#### Human - Skin - Moderate irritant

Amount/concentration applied: 10 mg

#### Rabbit - Skin - Mild irritant

Duration of treatment/exposure: 24 hours

Amount/concentration applied: 500 mg

#### Rabbit - Skin - Moderate irritant

Amount/concentration applied: 80 mg

**Conclusion/Summary [Product]** : Not available.

### Serious eye damage/eye irritation

#### Product/ingredient name

Dipropyleneglycolmethylether

3-iodo-2-propynyl-butyl carbamate

### Result

#### Human - Eyes - Mild irritant

Amount/concentration applied: 8 mg

#### Rabbit - Eyes - Mild irritant

Duration of treatment/exposure: 24 hours

Amount/concentration applied: 500 mg

#### Rabbit - Eyes - Severe irritant

**Conclusion/Summary [Product]** : Not available.

### Respiratory corrosion/irritation

Not available.

**Conclusion/Summary [Product]** : Not available.

### Respiratory or skin sensitization

#### Product/ingredient name

Propiconazole

3-iodo-2-propynyl-butyl carbamate

### Result

#### Guinea pig - skin

Result: Sensitising

#### Guinea pig - skin

Result: Not sensitizing

### Skin

**Conclusion/Summary [Product]** : Not available.

### Respiratory

**Conclusion/Summary [Product]** : Not available.

### Germ cell mutagenicity

#### Product/ingredient name

Propiconazole

3-iodo-2-propynyl-butyl carbamate

### Result

#### Bacteria

OECD [Bacterial Reverse Mutation Test]

Result: Negative

#### In vitro - Bacteria

Result: Negative

**Conclusion/Summary [Product]** : Not available.

## SECTION 11: Toxicological information

### Carcinogenicity

Not available.

**Conclusion/Summary [Product]** : Not available.

### Reproductive toxicity

#### Product/ingredient name

Tropiconazole

3-iodo-2-propynyl-butyl carbamate

#### **Result**

##### **Mouse - Unreported**

Maternal toxicity: Positive

Developmental: Positive

##### **Rabbit - Female - Oral**

50 mg/kg [7 days per week] [13 days]

Maternal toxicity: Positive

Developmental: Negative

##### **Rabbit - Female - Oral**

20 mg/kg [7 days per week] [13 days]

Maternal toxicity: Negative

Developmental: Negative

**Conclusion/Summary [Product]** : May damage the unborn child.

### Specific target organ toxicity (single exposure)

#### Product/ingredient name

Bronopol

#### **Result**

STOT SE 3, H335 (Respiratory tract irritation)

### Specific target organ toxicity (repeated exposure)

#### Product/ingredient name

3-iodo-2-propynyl-butyl carbamate

#### **Result**

STOT RE 1, H372 (larynx)

### Aspiration hazard

Not available.

### Information on likely routes of exposure

Not available.

### Potential acute health effects

**Eye contact** : No known significant effects or critical hazards.

**Inhalation** : No known significant effects or critical hazards.

**Skin contact** : No known significant effects or critical hazards.

**Ingestion** : No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : No specific data.

**Inhalation** : Adverse symptoms may include the following:  
reduced foetal weight  
increase in foetal deaths  
skeletal malformations

**Skin contact** : Adverse symptoms may include the following:  
reduced foetal weight  
increase in foetal deaths  
skeletal malformations

**Ingestion** : Adverse symptoms may include the following:  
reduced foetal weight  
increase in foetal deaths  
skeletal malformations

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

## SECTION 11: Toxicological information

### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

### Potential chronic health effects

Not available.

**Conclusion/Summary [Product]** : Not available.

**General** : No known significant effects or critical hazards.

**Carcinogenicity** : No known significant effects or critical hazards.

**Mutagenicity** : No known significant effects or critical hazards.

**Reproductive toxicity** : May damage the unborn child.

## 11.2 Information on other hazards

### 11.2.1 Endocrine disrupting properties

Not available.

**Conclusion/Summary [Product]** :  May cause endocrine disruption in humans.

### 11.2.2 Other information

Not available.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product/ingredient name

 Propiconazole

#### Result

##### LC50

Fish - *Oncorhynchus mykiss*  
4.3 mg/l [96 hours]

##### EC50

Daphnia - *Daphnia magna*  
10.2 mg/l [48 hours]

3-iodo-2-propynyl-butyl carbamate

##### Acute - LC50 - Fresh water

EU  
Fish - Trout - *Oncorhynchus mykiss*  
0.067 mg/l [96 hours]

##### Acute - NOEC - Fresh water

EU  
Fish - Trout - *Oncorhynchus mykiss*  
0.049 mg/l [96 hours]

##### Acute - EC50 - Fresh water

EU  
Daphnia - Daphnia - *Daphnia magna*  
0.16 mg/l [48 hours]

##### Chronic - NOEC - Fresh water

EU  
Daphnia - Daphnia - *Daphnia Magna*  
0.05 mg/l [21 days]

##### Acute - EC50 - Fresh water

EU  
Algae - Algae - *Scenedemus subspicatus*  
0.022 mg/l [72 hours]

## SECTION 12: Ecological information

Tebuconazol

### Chronic - NOEC - Fresh water

US EPA

Daphnia - Water flea - *Daphnia magna*

0.12 ppm [21 days]

Effect: Growth

### Chronic - NOEC

US EPA

Fish - Rainbow trout,donaldson trout - *Oncorhynchus mykiss*

0.012 ppm [83 days]

Effect: Growth

### Acute - EC50 - Fresh water

US EPA

Algae - Green algae - *Scenedesmus subspicatus*

1.45 ppm [4 days]

Effect: Population

### Acute - LC50 - Fresh water

Fish - common carp - *Cyprinus carpio* - Fingerling

Age: 90 days; Weight: 2.1 g

2.37 mg/l [96 hours]

Effect: Mortality

### Chronic - IC10 - Fresh water

Algae - Green algae - *Pseudokirchneriella subcapitata*

1200 µg/l [72 hours]

Effect: Population

### Acute - LC50 - Fresh water

Daphnia - Water flea - *Daphnia magna* - Neonate

Age: 26 hours

750 µg/l [48 hours]

Effect: Mortality

Bronopol

### Acute - EC50

Daphnia

1.4 mg/l [48 hours]

### Acute - LC50

Fish

41.2 mg/l [96 hours]

### Chronic - NOEC

US EPA

Fish - Rainbow trout,donaldson trout - *Oncorhynchus mykiss*

1.94 ppm [49 days]

Effect: Growth

### Acute - EC50 - Fresh water

US EPA

Algae - Green algae - *Scenedesmus subspicatus*

0.02 ppm [96 hours]

### Acute - LC50 - Fresh water

US EPA

Fish - Bluegill - *Lepomis macrochirus*

Weight: 0.34 g

11.17 ppm [96 hours]

Effect: Mortality

**Conclusion/Summary [Product]** : Harmful to aquatic life with long lasting effects.

## 12.2 Persistence and degradability

**Date of issue**/**Date of revision**

: 06/05/2026

**Date of previous issue**

: 22/04/2025

**Version** : 1.01 19/27

TEKNOL AQUA 1412-01 - All variants

**Label No** : 44825

## SECTION 12: Ecological information

Not available.

**Conclusion/Summary [Product]** : Based on available data, the classification criteria are not met.

| Product/ingredient name           | Aquatic half-life | Photolysis | Biodegradability |
|-----------------------------------|-------------------|------------|------------------|
| 3-iodo-2-propynyl-butyl carbamate | -                 | -          | Not readily      |
| Bronopol                          | -                 | -          | Readily          |

### 12.3 Bioaccumulative potential

| Product/ingredient name                              | LogP <sub>ow</sub> | BCF | Potential |
|--|--------------------|-----|-----------|
| Diipropyleneglycolmethylether                        | 0.004              | -   | Low       |
| Alcohols, C16-18 and C18-unsatd., ethoxylated (8 EO) | 4.2                | -   | High      |
| Propiconazole  | 3.72               | -   | Low       |
| 3-iodo-2-propynyl-butyl carbamate                    | >1                 | -   | Low       |
| Tebuconazol  | 3.7                | -   | Low       |
| Bronopol   | 0.18               | -   | Low       |

### 12.4 Mobility in soil

#### Soil/water partition coefficient

| Product/ingredient name           | logKoc | Koc     |
|-----------------------------------|--------|---------|
| Propiconazole                     | 3.4    | 2451.91 |
| 3-iodo-2-propynyl-butyl carbamate | 1.1    | 13.4558 |
| Tebuconazol                       | 3      | 994.153 |
| Bronopol                          | 1      | 10.3771 |

#### Results of PMT and vPvM assessment

| Product/ingredient name                              | PMT | P  | M  | T  | vPvM | vP | vM |
|--|-----|----|----|----|------|----|----|
| Diipropyleneglycolmethylether                        | No  | No | No | No | No   | No | No |
| Alcohols, C16-18 and C18-unsatd., ethoxylated (8 EO) | No  | No | No | No | No   | No | No |
| Propiconazole  | No  | No | No | No | No   | No | No |
| 3-iodo-2-propynyl-butyl carbamate                    | No  | No | No | No | No   | No | No |
| Tebuconazol  | No  | No | No | No | No   | No | No |
| Bronopol   | No  | No | No | No | No   | No | No |

**Mobility** : Not available.

**Conclusion/Summary** : The product does not meet the criteria to be considered as a PMT or vPvM.

### 12.5 Results of PBT and vPvB assessment

#### Regulation (EC) No. 1907/2006 [REACH]

| Product/ingredient name                              | PBT | P   | B   | T   | vPvB | vP  | vB  |
|--|-----|-----|-----|-----|------|-----|-----|
| Diipropyleneglycolmethylether                        | No  | N/A | N/A | No  | N/A  | N/A | N/A |
| Alcohols, C16-18 and C18-unsatd., ethoxylated (8 EO) | No  | N/A | N/A | No  | N/A  | N/A | N/A |
| Propiconazole  | N/A | N/A | N/A | Yes | N/A  | N/A | N/A |
| 3-iodo-2-propynyl-butyl carbamate                    | N/A | N/A | N/A | Yes | N/A  | N/A | N/A |
| Tebuconazol  | N/A | N/A | N/A | Yes | N/A  | N/A | N/A |
| Bronopol   | No  | N/A | N/A | No  | N/A  | N/A | N/A |

#### Regulation (EC) No. 1272/2008 [CLP]

## SECTION 12: Ecological information

| Product/ingredient name  | PBT | P  | B  | T  | vPvB | vP | vB |
|--|-----|----|----|----|------|----|----|
| <input checked="" type="checkbox"/> Dipropylenglycolmethylether Alcohols, C16-18 and C18-unsatd., ethoxylated (8 EO) | No  | No | No | No | No   | No | No |
| <input type="checkbox"/> Propiconazole   | No  | No | No | No | No   | No | No |
| <input type="checkbox"/> 3-iodo-2-propynyl-butyl carbamate   | No  | No | No | No | No   | No | No |
| <input type="checkbox"/> Tebuconazol   | No  | No | No | No | No   | No | No |
| <input type="checkbox"/> Bronopol  | No  | No | No | No | No   | No | No |

**Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP]** : The product does not meet the criteria to be considered as a PBT or vPvB.

### 12.6 Endocrine disrupting properties

Not available.

**Conclusion/Summary [Product]** :  May cause endocrine disruption in the environment.

### 12.7 Other adverse effects

No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** : Yes.

#### European waste catalogue (EWC)

| Waste code | Waste designation                    |
|------------|--------------------------------------|
| 03 02 02*  | organochlorinated wood preservatives |

#### Packaging

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spill material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information





|                                    | ADR/RID | ADN    | IMDG   | IATA   |
|------------------------------------|---------|--------|--------|--------|
| <b>14.1 UN number or ID number</b> | UN3082  | UN3082 | UN3082 | UN3082 |
|                                    |         |        |        |        |

**Date of issue/Date of revision** : 06/05/2026 **Date of previous issue** : 22/04/2025 **Version** : 1.01 21/27

TEKNOL AQUA 1412-01 - All variants

**Label No** :  44825

## SECTION 14: Transport information

|  |  |  |   |  |
|--|--|--|---|--|
| <b>14.2 UN proper shipping name</b>    | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (WOOD PRESERVATIVES, LIQUID)       | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (WOOD PRESERVATIVES, LIQUID)       | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (WOOD PRESERVATIVES, LIQUID)        | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (WOOD PRESERVATIVES, LIQUID)         |
| <b>14.3 Transport hazard class(es)</b> | 9<br> | 9<br> | 9<br> | 9<br> |
| <b>14.4 Packing group</b>              | III  | III  | III   | III  |
| <b>14.5 Environmental hazards</b>      | Yes.   | Yes.   | Yes.  | Yes.   |

### Additional information

- ADR/RID** : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.  
**Tunnel code (-)**
- ADN** : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
- IMDG** : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
- IATA** : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Maritime transport in bulk according to IMO instruments** : Not relevant/applicable due to nature of the product.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulation (EC) No. 1907/2006 (REACH)

##### Annex XIV - List of substances subject to authorisation

###### Annex XIV

None of the components are listed.

###### Substances of very high concern

None of the components are listed.

##### Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

| Product/ingredient name | %   | Designation [Usage] |
|-------------------------|-----|---------------------|
| TEKNOL AQUA 1412-01     | ≥90 | 3                   |
| Propiconazole           | <1  | 30<br>30            |

**Labelling** : Restricted to professional users.

## SECTION 15: Regulatory information

### Other EU regulations

**Industrial emissions (integrated pollution prevention and control) - Air** : Not listed

**Industrial emissions (integrated pollution prevention and control) - Water** : Not listed

**Explosive precursors** : Not applicable.

### Ozone depleting substances (EU 2024/590)

Not listed.

### Prior Informed Consent (PIC) (649/2012/EU)

| Annex            | Ingredient name | Status |
|------------------|-----------------|--------|
| Annex I - Part 1 | propiconazole   | Listed |

### Persistent Organic Pollutants

Not listed.

### Seveso Directive

This product is controlled under the Seveso Directive.

#### Danger criteria

| Category |
|----------|
| E2       |

### National regulations

**Biocidal products regulation** : This product is a biocidal product as defined in EU Regulation 528/2012. Its supply and use may be subject to certain requirements or restrictions specified in this regulation.

#### Austria

**Limitation of the use of organic solvents** : Permitted.

#### Belgium

#### Czech Republic

**Storage code** : IV

#### Denmark

**Fire class** : IV-1

**MAL-code** : 0-3

**Protection based on MAL** : **According to the regulations on work involving coded products, the following stipulations apply to the use of personal protective equipment:**

**General:** Gloves must be worn for all work that may result in soiling. Apron/coveralls/protective clothing must be worn when soiling is so great that regular work clothes do not adequately protect skin against contact with the product. A face shield must be worn in work involving spattering if a full mask is not required. In this case, other recommended use of eye protection is not required.

In all spraying operations in which there is return spray, the following must be worn: respiratory protection and arm protectors/apron/coveralls/protective clothing as appropriate or as instructed.

## SECTION 15: Regulatory information

MAL-code: 0-3

**Application:** During downtimes, cleaning and repair in closed facilities, spray booths or cabins, if there is a risk of contact with wet paint or organic solvents. When using scraper or knife, brush, roller, etc, for pre- and post-treatments in cabins or booths of the existing\* facility type, if the operator is inside the spray zone.

- Coveralls must be worn.

When spraying in existing\* spray booths, if the operator is outside the spray zone.

- Arm protectors and apron must be worn.

During non-atomising spraying in existing\* facilities of the combined-cabin, spray-cabin and spray-booth type where the operator is working inside the spray zone.

- Gas filter mask must be worn.

During all spraying where atomisation occurs in cabins or spray booths where the operator is inside the spray zone and during spraying outside a closed facility, cabin or booth.

- Air-supplied full mask, coveralls and hood must be worn.

**Drying:** Items for drying/drying ovens that are temporarily placed on such things as rack trolleys, etc, must be equipped with a mechanical exhaust system to prevent fumes from wet items from passing through workers' inhalation zone.

**Polishing:** When polishing treated surfaces, a mask with dust filter must be worn. When machine grinding, eye protection must be worn. Work gloves must always be worn.

**Caution** The regulations contain other stipulations in addition to the above.

\*See Regulations.

**Restrictions on use** : Not to be used by professional users below 18 years of age. See the National Working Environment Authorities Executive Order regarding Young People At Work.

**List of undesirable substances** : Not listed

### Finland

### France

**Social Security Code, Articles L 461-1 to L 461-7** : Dipropyleneglycolmethylether RG 84

**Reinforced medical surveillance** : Act of July 11, 1977 determining the list of activities which require reinforced medical surveillance: not applicable

### Germany

**Storage class (TRGS 510)** : 6.1C

### Hazardous incident ordinance

This product is controlled under the Germany Hazardous Incident Ordinance.

### Danger criteria

| Category | Reference number |
|----------|------------------|
| E2       | 1.3.2            |

**Hazard class for water** : 3

**Technical instruction on air quality control (TA Luft)**

## SECTION 15: Regulatory information

| Number [Class] | Description  | %     |
|----------------|--|-------|
| 5.2.1          | Total dust   | 0.049 |
| 5.2.5          | Organic substances   | 6.4   |
| 5.2.5 [I]      | Organic substances   | 2.6   |
| 5.2.7.1.3      | Reproductive toxic substances  | 0.95  |
| 5.2.7.2        | Poorly degradable, easily accumulating and highly toxic organic substances | 1.5   |

**AOX** : The product contains organically bound halogens and can contribute to the AOX value in waste water.

### Italy

**D.Lgs. 152/06** : Not determined.

### Netherlands

**Ministry of Social Affairs and Employment (SZW) - Carcinogenic substances and processes, mutagenic or reprotoxic substances**

| Ingredient name     | Carcinogen | Mutagen | Reproductive toxicity - Fertility | Reproductive toxicity - Development | Harmful via breastfeeding |
|---------------------|------------|---------|-----------------------------------|-------------------------------------|---------------------------|
| propiconazool (ISO) | -          | -       | -                                 | Development 1B                      | -                         |
| tebuconazool (ISO)  | -          | -       | -                                 | Development 2                       | -                         |

**Water Discharge Policy (ABM)** : Z(1) Non biodegradable substances with hazardous properties for humans and the environment (carcinogenicity/ mutagenicity/ reprotoxicity/ bioaccumulative potential/ toxicity or persistence). Decontamination effort: Z

### Norway

**Product registration number** : 672881

### Sweden

### Switzerland

**VOC content** : Exempt.

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

**15.2 Chemical safety assessment** : This product contains substances for which Chemical Safety Assessments are still required.

## SECTION 16: Other information

Indicates information that has changed from previously issued version.

### **Abbreviations and acronyms**

: ATE = Acute Toxicity Estimate  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
DMEL = Derived Minimal Effect Level  
DNEL = Derived No Effect Level  
EUH statement = CLP-specific Hazard statement  
N/A = Not available

**Date of issue/Date of revision** : 06/05/2026 **Date of previous issue** : 22/04/2025

**Version** : 1.01 25/27

TEKNOL AQUA 1412-01 - All variants

**Label No** : 44825

## SECTION 16: Other information

PBT = Persistent, Bioaccumulative and Toxic  
PNEC = Predicted No Effect Concentration  
RRN = REACH Registration Number  
SGG = Segregation Group  
vPvB = Very Persistent and Very Bioaccumulative

### [Procedure used to derive the classification according to Regulation \(EC\) No. 1272/2008 \[CLP/GHS\]](#)

| Classification  | Justification  |
|---|--|
| Repr. 1B, H360D<br>ED HH 1, EUH380<br>Aquatic Chronic 2, H411<br>ED ENV 1, EUH430 | Calculation method<br>Calculation method<br>Calculation method<br>Calculation method |

### [Full text of abbreviated H statements](#)

|        |   |
|--------|---|
| H302   | Harmful if swallowed.   |
| H312   | Harmful in contact with skin.                                   |
| H315   | Causes skin irritation.   |
| H317   | May cause an allergic skin reaction.                            |
| H318   | Causes serious eye damage.                                      |
| H330   | Fatal if inhaled.   |
| H335   | May cause respiratory irritation.                               |
| H360D  | May damage the unborn child.                                    |
| H361d  | Suspected of damaging the unborn child.                         |
| H372   | Causes damage to organs through prolonged or repeated exposure. |
| EUH380 | May cause endocrine disruption in humans.                       |
| H400   | Very toxic to aquatic life.                                     |
| H410   | Very toxic to aquatic life with long lasting effects.           |
| H411   | Toxic to aquatic life with long lasting effects.                |
| H412   | Harmful to aquatic life with long lasting effects.              |
| EUH430 | May cause endocrine disruption in the environment.              |

### [Full text of classifications \[CLP/GHS\]](#)

|                   |   |
|-------------------|---|
| Acute Tox. 2      | ACUTE TOXICITY - Category 2                                     |
| Acute Tox. 4      | ACUTE TOXICITY - Category 4                                     |
| Aquatic Acute 1   | SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1                  |
| Aquatic Chronic 1 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1                 |
| Aquatic Chronic 2 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2                 |
| Aquatic Chronic 3 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3                 |
| ED ENV 1          | ENDOCRINE DISRUPTOR FOR THE ENVIRONMENT - Category 1            |
| ED HH 1           | ENDOCRINE DISRUPTOR FOR HUMAN HEALTH - Category 1               |
| Eye Dam. 1        | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1                  |
| Repr. 1B          | REPRODUCTIVE TOXICITY - Category 1B                             |
| Repr. 2           | REPRODUCTIVE TOXICITY - Category 2                              |
| Skin Irrit. 2     | SKIN CORROSION/IRRITATION - Category 2                          |
| Skin Sens. 1      | SKIN SENSITISATION - Category 1                                 |
| STOT RE 1         | SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 1 |
| STOT SE 3         | SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3   |

**Date of issue/ Date of revision** : 06/05/2026

**Date of previous issue** : 22/04/2025

**Version** : 1.01

TEKNOL AQUA 1412-01

All variants

### [Notice to reader](#)

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

**Date of issue/Date of revision** : 06/05/2026 **Date of previous issue** : 22/04/2025

**Version** : 1.01 26/27

TEKNOL AQUA 1412-01 - All variants

**Label No** : 44825

