Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - United Kingdom: Northern Ireland

SAFETY DATA SHEET



TEKNOSHIELD 4005-00 - TM 4131/98 YELLOW

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
-------------------------------	--

Product name : TEKNOSHIELD 4005-00 - TM 4131/98 YELLOW

1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use: Paint.

1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

e-mail address of person : Prod-safe@teknos.com

responsible for this SDS

National contact

Teknos Ireland Limited, 52 Ballymoughan Road, Magherafelt, BT45 6HN, UK. Tel. +44 (0) 2879 301 472.

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number : NHS: 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture <u>Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]</u> Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	o signal word.	
Hazard statements	o known significant effects or critical hazards.	
Precautionary statements		
Prevention	ot applicable.	
Response	ot applicable.	
Storage	ot applicable.	
Disposal	ot applicable.	
Supplemental label elements	ontains 1,2-benzisothiazol-3(2H)-one and 2-Methyl-1,2-benzisothiazol-3(2H) ay produce an allergic reaction. afety data sheet available on request. Contains biocidal products for dry film can preservation: IPBC and BIT and 2,2'-dithiobis[N-methylbenzamide] and sk of skin sensitisation.	n and
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles		

2.3 Other hazards

Date of issue/Date of revision	: 22/04/2025	Date of previous issue	: 27/11/2023
TEKNOSHIELD 4005-00 - TM 4131/98 YELLO		W	

SECTION 2: Hazards identification

 Product meets the criteria
 : This mixture does not contain any substances that are assessed to be a PBT or a vPvB according vPvB.

 to Regulation (EC) No.
 1907/2006, Annex XIII

Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
2-(2-butoxyethoxy)ethanol	REACH #: 01-2119475104-44 EC: 203-961-6 CAS: 112-34-5 Index: 603-096-00-8	≤3	Eye Irrit. 2, H319	-	[1] [2]
1,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.036	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = 0.21 mg/l Skin Sens. 1, H317: C $\ge 0.036\%$ M [Acute] = 1 M [Chronic] = 1	[1]
2-Methyl-1,2-benzisothiazol- 3(2H)-one	EC: 695-989-4 CAS: 2527-66-4 Index: 613-336-00-3	<0.0015	Acute Tox. 3, H301 Acute Tox. 4, H312 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 EUH071 See Section 16 for the full text of the H statements declared above.	ATE [Oral] = 175 mg/kg ATE [Dermal] = 1100 mg/kg Skin Sens. 1, H317: C ≥ 0.0015% M [Acute] = 1	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

SECTION 4: First aid	d measures
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
4.2 Most important sympton	ns and effects, both acute and delayed
Over-exposure signs/symp	<u>otoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
4.3 Indication of any immed	iate medical attention and special treatment needed
Notes to physician	: Freat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
SECTION 5: Firefigh	ting measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising	from the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
5.3 Advice for firefighters	
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident i there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures			
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.	
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	

Date of issue/Date of revision	: 22/04/2025	Date of previous issue	: 27/11/2023	Version	:2	3/15
TEKNOSHIELD 4005-00 ·	- TM 4131/98 YELLO	W		Label No	: <mark>11</mark> 56	641

SECTION 6: Accidental release measures

6.3 Methods and material	for containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e. g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s) Recommendations : Not available. Industrial sector specific : Not available. solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
2-(2-butoxyethoxy)ethanol	EH40/2005 WELs (United Kingdom (UK), 1/2020)
	TWA 8 hours: 10 ppm.
	TWA 8 hours: 67.5 mg/m ³ . STEL 15 minutes: 15 ppm.
	STEL 15 minutes: 10 ppm. STEL 15 minutes: 101.2 mg/m ³ .

Biological exposure indices

Product/ingredient name	Exposure indices
No exposure indices known.	

SECTION 8: Exposure controls/personal protection

Recommended monitoring : procedures	: Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.		
DNELs/DMELs			
Product/ingredient name	Result		
2-(2-butoxyethoxy)ethanol	DNEL - General population - Long term - Oral 6.25 mg/kg bw/day <u>Effects</u> : Systemic		
	DNEL - Workers - Long term - Inhalation 67.5 mg/m³ <u>Effects</u> : Local		
	DNEL - Workers - Short term - Inhalation 101.2 mg/m³ <u>Effects</u> : Local		
1,2-benzisothiazol-3(2H)-one	DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day <u>Effects</u> : Systemic		
	DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day <u>Effects</u> : Systemic		
	DNEL - General population - Long term - Inhalation 1.2 mg/m ³ <u>Effects</u> : Systemic		
	DNEL - Workers - Long term - Inhalation 6.81 mg/m³ <u>Effects</u> : Systemic		
PNECs Not available.			

8.2 Exposure controls

Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to airl contaminants.	oorne
Individual protection meas		
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working performing techniques should be used to remove potentially contaminated clow Wash contaminated clothing before reusing. Ensure that eyewash stations an safety showers are close to the workstation location.	othing.
Eye/face protection	Safety eyewear complying with an approved standard should be used when a assessment indicates this is necessary to avoid exposure to liquid splashes, n gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses side-shields.	nists,
Skin protection		

5/15

SECTION 8: Exposure controls/personal protection

SECTION 6. Exposul	e controls/personal protection
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
	Recommendations : Wear suitable gloves tested to EN374.
	> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm
	Not recommended polyvinyl alcohol (PVA) gloves
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
	Filter type (spray application): A P
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance	
Physical state	: Liquid.
Colour	: Yellow.
Odour	: Slight
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	:

	Ingredient name		°C	°F	Method
	water		100	212	
	2-(2-butoxyethoxy)ethanol		225 to 227.6	437 to 441.7	
F	Flammability : Not avail		ilable.	I	
	ower and upper explosion mit		Not applicable. Not applicable.		

Flash point

: Closed cup: >100°C (>212°F)

2

Auto-ignition temperature

Ingredient name	°C	°F	Method
₽ (2-butoxyethoxy)ethanol	210	410	DIN 51794

Date of issue/Date of revision	: 22/04/2025	Date of previous issue	: 27/11/2023	Version
Partition coefficient: n-octano water	I/ : Not app	licable.		
Solubility in water	: Not ava	ilable.		
Solubility(ies) Not available.	:			
Viscosity	: Not ava	ilable.		
рН	∶ <mark>8</mark> .5 to 9	[Conc. (% w/w): 100%]		
Decomposition temperature	: Not ava	ilable.		

TEKNOSHIELD 4005-00 - TM 4131/98 YELLOW

SECTION 9: Physical and chemical properties

Vapour pressure	:					
	Vá	apour Pres	sure at 20°C	V	apour pres	sure at 50°C
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	17.5	2.3				
2-(2-butoxyethoxy)ethanol	0.022	0.0029				
Relative density	: Not	available.				
Density	: 1 g/	′cm³				
Vapour density	: Not	available.				
Particle characteristics						
Median particle size	: Not	applicable.				
9.2 Other information						
9.2.1 Information with rega	rd to physic	cal hazard o	classes			
Explosive properties	: Not	available.				
Oxidising properties	: Not	available.				
9.2.2 Other safety characte	ristics					
Not applicable.						
SECTION 10: Stabili	ty and re	activity	,			
I0.1 Reactivity	: No spe	cific test dat	a related to react	ivity available fo	or this produ	uct or its ingredien
10.2 Chemical stability	: The pro	oduct is stab	le.			
10.3 Possibility of nazardous reactions	: Under r	normal cond	litions of storage a	and use, hazaro	lous reactio	ons will not occur.
10.4 Conditions to avoid	: No spe	cific data.				
10.5 Incompatible materials	: No spe	cific data.				
10.6 Hazardous decomposition products		normal cond not be prod		and use, hazaro	lous decorr	position products

SECTION 11: Toxicological information

Product/ingredient name	Result
2-(2-butoxyethoxy)ethanol	Rabbit - Dermal - LD50
	2700 mg/kg
	Rat - Oral - LD50
	4500 mg/kg
	Toxic effects: Behavioral - Tetany Lung, Thorax, or Respiration
	- Dyspnea Liver - Other changes
1,2-benzisothiazol-3(2H)-one	Rat - Oral - LD50
	1020 mg/kg
Conclusion/Summary [Product] :	Not available.
Acute toxicity estimates	

: 27/11/2023

Product/ingredient name	Oral (mg kg)	/ Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists (mg/l)
FEKNOSHIELD 4005-00 2-(2-butoxyethoxy)ethanol 1,2-benzisothiazol-3(2H)-one 2-Methyl-1,2-benzisothiazol-3(2H)-one	N/A 4500 450 175	N/A 2700 N/A 1100	N/A N/A N/A N/A	393.3 N/A N/A N/A	N/A N/A 0.21 N/A
Skin corrosion/irritation					
Product/ingredient name	Result				
7,2-benzisothiazol-3(2H)-one	Duration	- Skin - Mild in of treatment/ex /concentration a	xposure: 48 ho	ours	
Conclusion/Summary [Product] : No	t available.				
Serious eye damage/eye irritation					
Product/ingredient name	Result				
-(2-butoxyethoxy)ethanol	Duration	• Eyes - Modera of treatment/ex- /concentration a	<u>kposure</u> : 24 ho		
		• Eyes - Severe /concentration a			
Conclusion/Summary [Product] : No	t available.				
Respiratory corrosion/irritation Not available.					
Conclusion/Summary [Product] : No	t available.				
Respiratory or skin sensitization Not available.					
Skin Conclusion/Summary [Product] : No	t available.				
Respiratory					
Conclusion/Summary [Product] : No	t available.				
<mark>Germ cell mutagenicity</mark> Not available.					
Conclusion/Summary [Product] : No	t available.				
C <mark>arcinogenicity</mark> Not available.					
Conclusion/Summary [Product] : No	t available.				
Reproductive toxicity					

TEKNOSHIELD 4005-00 - TM 4131/98 YELLOW

SECTION 11: Toxicological information

Conclusion/Summary [Product] : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure) Not available.

Aspiration hazard	
Not available.	
Information on likely routes	of exposure
Not available.	
Potential acute health effect	<u>š</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the ph	vsical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Delayed and immediate effe	ts as well as chronic effects from short and long-term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	<u>cts</u>
Not available.	
Conclusion/Summary [Pro	duct] : Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.
11.2 Information on other haz	ards

11.2.1 Endocrine disrupting properties

Not available.

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name

2-(2-butoxyethoxy)ethanol

1,2-benzisothiazol-3(2H)-one

2-Methyl-1,2-benzisothiazol-3(2H)-one

Result

Acute - LC50 - Fresh water

Fish - Bluegill - *Lepomis macrochirus* <u>Size</u>: 33 to 75 mm 1300000 µg/l [96 hours] <u>Effect</u>: Mortality

Acute - LC50 - Fresh water

OECD [Fish, Acute Toxicity Test] Fish - Trout - *Onorhynchus Mykiss* 1.9 mg/l [96 hours]

Acute - EC50

OECD 202 [Daphnia sp. Acute Immobilization Test and Reproduction Test] Daphnia - Daphnia - *Daphnia Magna* 3.7 mg/l [48 hours]

Acute - EC50 - Marine water

OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - *Skeletonema Costatum* 0.36 mg/l [72 hours]

Acute - NOEC - Marine water

OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - *Skeletonema Costatum* 0.15 mg/l [72 hours]

Acute - EC50 - Fresh water

US EPA Daphnia - Water flea - *Daphnia magna* <u>Age</u>: <24 hours 0.92 ppm [48 hours] <u>Effect</u>: Intoxication

Acute - EC50 - Fresh water

US EPA Algae - Green algae - *Pseudokirchneriella subcapitata* 0.22 ppm [96 hours] <u>Effect</u>: Population

Acute - LC50 - Fresh water

US EPA Fish - Rainbow trout,donaldson trout - *Oncorhynchus mykiss* -Juvenile (Fledgling, Hatchling, Weanling) 0.24 ppm [96 hours] <u>Effect</u>: Mortality

Chronic - NOEC

US EPA Fish - Fathead minnow - *Pimephales promelas* 0.16 ppm [32 days]

Conclusion/Summary [Product] : Not available.

12.2 Persistence and degradability

Product/ingredient name

1,2-benzisothiazol-3(2H)-one

Result

EU 24% [28 days]

Conclusion/Summary [Product] : Not available.

Date of issue/Date of revision: 22/04/2025Date of previous issueTEKNOSHIELD 4005-00 - TM 4131/98 YELLOW

: 27/11/2023

Product/ingredient name	Aquatic h	alf-life	Pł	notolysis		Biodegrad	dability
2-benzisothiazol-3(2H)-one	-		-		Inherent		
2.3 Bioaccumulative potenti	al		ļ			-1	
Product/ingredient name	LogPow		B	CF		Potential	
(2-butoxyethoxy)ethanol 1,2-benzisothiazol-3(2H)-one	1 -	1		2		Low Low	
Soil/water partition coefficie	nt						
Product/ingredient name	nt	logKoc			Кос		
Product/ingredient name 2-(2-butoxyethoxy)ethanol		1.56			36.5981		
Product/ingredient name 2-(2-butoxyethoxy)ethanol 1,2-benzisothiazol-3(2H)-one		1.56 1.86			36.5981 73.142		
Product/ingredient name 2-(2-butoxyethoxy)ethanol 1,2-benzisothiazol-3(2H)-one 2-Methyl-1,2-benzisothiazol-3	(2H)-one	1.56 1.86 1.72			36.5981		
Product/ingredient name (2-butoxyethoxy)ethanol 1,2-benzisothiazol-3(2H)-one	(2H)-one	1.56 1.86 1.72		T	36.5981 73.142	vP	
Product/ingredient name 2-(2-butoxyethoxy)ethanol 1,2-benzisothiazol-3(2H)-one 2-Methyl-1,2-benzisothiazol-3 Results of PMT and vPvM as Product/ingredient name	(2H)-one ssessmen	1.56 1.86 1.72	<u>M</u>	T No	36.5981 73.142 52.5063	vP No	
Product/ingredient name 2-(2-butoxyethoxy)ethanol 1,2-benzisothiazol-3(2H)-one 2-Methyl-1,2-benzisothiazol-3 Results of PMT and vPvM as Product/ingredient name 2-(2-butoxyethoxy)ethanol 1,2-benzisothiazol-3(2H)-one	(2H)-one ssessmen PMT	1.56 1.86 1.72 t			36.5981 73.142 52.5063		VM No No
Product/ingredient name 2-(2-butoxyethoxy)ethanol 1,2-benzisothiazol-3(2H)-one 2-Methyl-1,2-benzisothiazol-3 Results of PMT and vPvM as Product/ingredient name 2-(2-butoxyethoxy)ethanol	(2H)-one ssessmen PMT No	1.56 1.86 1.72 t P No	No	No	36.5981 73.142 52.5063	No	Nc

Conclusion/Summary

: The product does not meet the criteria to be considered as a PMT or vPvM.

12.5 Results of PBT and vPvB assessment

Regulation (EC) No. 1907/2006 [REACH]

	-	-					
Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
2-(2-butoxyethoxy)ethanol	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
2-Methyl-1,2-benzisothiazol- 3(2H)-one	No	No	No	No	No	No	No
Regulation (EC) No. 1272/20	08 [CLF	']					
Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
2-(2-butoxyethoxy)ethanol	No	No	No	No	No	No	No
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
2-Methyl-1,2-benzisothiazol- 3(2H)-one	No	No	No	No	No	No	No
Conclusion/Summary Regulation (EC) No. 1272/2 [CLP]	2008	: The product	t does not n	neet the crite	eria to be cons	idered as a	PBT or vPvB

12.6 Endocrine disrupting properties

Not available.

Conclusion/Summary [Product] : The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment meth	ods
Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
European waste catalogue (EWC)	: 080112
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	-			
	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

user

- **14.6 Special precautions for** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
- 14.7 Maritime transport in bulk according to IMO instruments
- : Not relevant/applicable due to nature of the product.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Date of issue/Date of revision	: 22/04/2025	Date of previous issue
TEKNOSHIELD 4005-00 - TM 4131/98 YELLOW		W

: 27/11/2023

SECTION 15: Regulatory inform		
Product/ingredient name	%	Designation [Usage]
2-(2-butoxyethoxy)ethanol	≤3	55 [Consumer paint]
Labelling : Other EU regulations		
Industrial emissions : Not listed (integrated pollution prevention and control) - Air		
Industrial emissions : Not listed (integrated pollution prevention and control) - Water		
Explosive precursors: Not applicabOzone depleting substances (EU 2024/590)Not listed.		
Prior Informed Consent (PIC) (649/2012/EU Not listed.	<u>(L</u>	
Persistent Organic Pollutants Not listed.		
Seveso Directive This product is not controlled under the Seve International regulations Chemical Weapon Convention List Schedu		<u>Chemicals</u>
Not listed.		
Montreal Protocol Not listed.		
Stockholm Convention on Persistent Organ Not listed.	nic Pollutant	<u>'s</u>
Rotterdam Convention on Prior Informed C Not listed.	onsent (PIC)
UNECE Aarhus Protocol on POPs and Heav Not listed.	vy Metals	
5.2 Chemical safety : This product seessment required.	contains sub	ostances for which Chemical Safety Assessments are still
SECTION 16: Other information		

✓ Indicates information that has changed from previously issued version.

Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group
	vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Date of issue/Date of revision	: 22/04/2025	Date of previous issue	: 27/11/2023	Version	:2	13/15
TEKNOSHIELD 4005-00 - TM 4131/98 YELLOW				Label No :	1156	41

SECTION 16: Other information

Not classified.

Full text of abbreviated H statements

<mark>⊮</mark> 301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
Full text of class	sifications [CLP/GHS]
Cute Tox. 2	ACUTE TOXICITY - Category 2
Acute Tox. 3	ACUTE TOXICITY - Category 3
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic	
Aquatic Chronic	
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Skin Corr. 1C	SKIN CORROSION/IRRITATION - Category 1C
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1A	SKIN SENSITISATION - Category 1A

	• •
Date of issue/ Date of revision	: 22/04/2025
Date of previous issue	: 27/11/2023
Version	: 2
	TEKNOSHIELD 4005.00 TM 4131/08 VELLOW TM 4131/08 VELLOW

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision: 22/04/2025Date of previous issueTEKNOSHIELD 4005-00 - TM 4131/98 YELLOW

: 27/11/2023

 Version
 : 2
 15/15

 Label No
 : 15/641