Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

SAFETY DATA SHEET



TEKNOSTAIN AQUA 1996-00 - EKORNES-WALNUT 708

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Product name : TEKNOSTAIN AQUA 1996-00 - EKORNES-WALNUT 708

1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use: Paint.

1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091. e-mail address of person : Prod-safe@teknos.com

responsible for this SDS

SDS

National contact

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number: In an emergency, call 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Sens. 1, H317

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



Signal word	: Warning
Hazard statements	: H317 - May cause an allergic skin reaction.
Precautionary statements	
Prevention	: P280 - Wear protective gloves. P261 - Avoid breathing vapour.
Response	 ▶302 + P352 - IF ON SKIN: Wash with plenty of water. P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention. P362 + P364 - Take off contaminated clothing and wash it before reuse.
Storage	: Not applicable.
Disposal	 P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous ingredients	: Contains: 1,2-benzisothiazol-3(2H)-one and 2-methyl-2H-isothiazol-3-one
Supplemental label elements	: Contains biocidal products for in-can preservation: BIT and MIT.

SECTION 2: H	Hazards	identification
--------------	---------	----------------

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:
2.3 Other hazards	
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	: None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
√,2-benzisothiazol-3(2H)- one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.036	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	ATE [Oral] = 450 mg/kg ATE [Inhalation (dusts and mists)] = 0.21 mg/l Skin Sens. 1, H317: C $\geq 0.036\%$ M [Acute] = 1 M [Chronic] = 1	[1]
2-methyl-2H-isothiazol- 3-one	EC: 220-239-6 CAS: 2682-20-4 Index: 613-326-00-9	<0.01	Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071 See Section 16 for the full text of the H statements declared above.	ATE [Oral] = 100 mg/kg ATE [Dermal] = 300 mg/kg ATE [Inhalation (dusts and mists)] = 0.11 mg/l Skin Sens. 1, H317: $C \ge 0.0015\%$ M [Acute] = 10 M [Chronic] = 1	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Eye contact
- : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

SECTION 4: First aid measures

	u measures
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact Inhalation	No specific data.No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.	
Unsuitable extinguishing media	: None known.	
5.2 Special hazards arising f	om the substance or mixture	
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.	
Hazardous combustion products	: No specific data.	
5.3 Advice for firefighters		
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident there is a fire. No action shall be taken involving any personal risk or without suitable training.	t if
Date of issue/Date of revision	: 22/04/2025 Date of previous issue : 26/09/2022 Version : 2 3/18	8
TEKNOSTAIN AQUA 1996-00	- EKORNES-WALNUT 708 Label No :94727	

SECTION 5: Firefighting measures

Special protective	Fire-fighters should wear appropriate protective equipment and self-contained	
equipment for fire-fighters	breathing apparatus (SCBA) with a full face-piece operated in positive pressure	
	mode. Clothing for fire-fighters (including helmets, protective boots and gloves)	
	conforming to European standard EN 469 will provide a basic level of protection fo	r
	chemical incidents.	

SECTION 6: Accidental release measures

ective equipment and emergency procedures
No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
 If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

SECTION 7: Handling and storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
2-methyl-2H-isothiazol-3-one	Regulation on Limit Values - MAC (Austria, 4/2021) [5-Chlor- 2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-di- hydroisothiazol-3-on (Gemisch im Verhältnis 3:1)] Skin sensitiser. TWA 8 hours: 0.05 mg/m ³ .
No exposure limit value known.	
2-benzisothiazol-3(2H)-one 2-methyl-2H-isothiazol-3-one	DFG MAC-values list (Germany, 7/2023) Skin sensitiser. DFG MAC-values list (Germany, 7/2023) Skin sensitiser.
No exposure limit value known.	

Date of issue/Date of revision: 22/04/2025Date of previous issueTEKNOSTAIN AQUA 1996-00 - EKORNES-WALNUT 708

: 26/09/2022

SECTION 8: Exposure controls/pe	rsonal protection
No exposure limit value known.	
Biological exposure indices	
Product/ingredient name	Exposure indices
No exposure indices known.	

SECTION 8: Exposure controls/personal protection

Recommended monitoring : procedures	Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
DNELs/DMELs	
Product/ingredient name	Result
X,2-benzisothiazol-3(2H)-one	DNEL - General population - Long term - Dermal 0.345 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - Workers - Long term - Dermal 0.966 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - General population - Long term - Inhalation 1.2 mg/m ³ <u>Effects</u> : Systemic
	DNEL - Workers - Long term - Inhalation 6.81 mg/m³ <u>Effects</u> : Systemic
2-methyl-2H-isothiazol-3-one	DNEL - General population - Long term - Inhalation 0.021 mg/m ³ Effects: Local
	DNEL - Workers - Long term - Inhalation 0.021 mg/m ³ <u>Effects</u> : Local
	DNEL - General population - Long term - Oral 0.027 mg/kg bw/day <u>Effects</u> : Systemic
	DNEL - General population - Short term - Inhalation 0.043 mg/m ³ Effects: Local
	DNEL - Workers - Short term - Inhalation 0.043 mg/m ³ Effects: Local
	DNEL - General population - Short term - Oral 0.053 mg/kg bw/day <u>Effects</u> : Systemic
<u>PNECs</u> Not available.	

8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

: 26/09/2022

SECTION 8: Exposure controls/personal protection

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
	Recommendations : Wear suitable gloves tested to EN374.
	> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm
	Not recommended polyvinyl alcohol (PVA) gloves
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
	Filter type (spray application): A P
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance	
Physical state	: Liquid.
Colour	: Brown.
Odour	: Slight
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and	:
boiling range	

	Ingredient name	°C	°F	Method
	water	100	212	
F	lammability : No	ot available.		

•	
Lower and upper explosion	: Lower: Not applicable.
limit	Upper: Not applicable.

Date of issue/Date of revision: 22/04/2025Date of previous issueTEKNOSTAIN AQUA 1996-00 - EKORNES-WALNUT 708

SECTION 9: Physical and chemical properties

•	• •
Flash point	:
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
рН	: ௺to 9 [Conc. (% w/w): 100%]
Viscosity	: Not available.
Solubility(ies)	:
Not available.	
Solubility in water	: Not available.
Partition coefficient: n-octanol/ water	: Not applicable.

2

Vapour pressure

		Vapour Pressure at 20°C		Vapour pressure at 50°C	
mm Hg	kPa	Method	mm Hg	kPa	Method
17.5	2.3				
: Not	available.	 			
: 1 g/	cm³				
: Not	available.				
: Not	applicable.				
	17.5 : Not : 1 g/ : Not	17.52.3: Not available.: 1 g/cm³: Not available.	17.5 2.3 : Not available. : 1 g/cm³	17.5 2.3 : Not available. : 1 g/cm³ : Not available.	17.5 2.3 : Not available. : 1 g/cm³ : Not available.

9.2.1 mormation with regard	u to physical hazaru ci
Explosive properties	: Not available.
Oxidising properties	: Not available.

9.2.2 Other safety characteristics

Not applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity	ecific test data related to reactivity available f	or this product or its ingredients.
10.2 Chemical stability	roduct is stable.	
10.3 Possibility of hazardous reactions	r normal conditions of storage and use, hazar	rdous reactions will not occur.
10.4 Conditions to avoid	ecific data.	
10.5 Incompatible materials	ecific data.	
10.6 Hazardous decomposition products	r normal conditions of storage and use, hazar d not be produced.	dous decomposition products

SECTION 11: Toxicological information

11.1 Information on hazard cla	sses as defin	ed in Regulation (EC)	No 1272/2008		
Acute toxicity					
Product/ingredient name		Result			
7,2-benzisothiazol-3(2H)-one		Rat - Oral - LE 1020 mg/kg	050		
2-methyl-2H-isothiazol-3-one		Rat - Inhalatic 0.11 mg/l [4 hc	on - LC50 Dusts an ours]	id mists	
Date of issue/Date of revision	: 22/04/2025	Date of previous issue	: 26/09/2022	Version :2	2 9/18
TEKNOSTAIN AQUA 1996-00 -	EKORNES-W	ALNUT 708		Label No :94	1727

SECTION 11: Toxicological information

Conclusion/Summary [Product] : Not available.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
✓2-benzisothiazol-3(2H)-one	450	N/A	N/A	N/A	0.21
2-methyl-2H-isothiazol-3-one	100	300	N/A	N/A	0.11

Product/ingredient name		Result		
2-benzisothiazol-3(2H)-one		Human - Skin - Mild irritant Duration of treatment/exposure: 48 hours Amount/concentration applied: 5 %		
Conclusion/Summary [Product]	: Not available			
Serious eye damage/eye irritation Not available.				
Conclusion/Summary [Product]	: Not available			
Respiratory corrosion/irritation Not available.				
Conclusion/Summary [Product]	: Not available			
Respiratory or skin sensitization Not available.				
Skin Conclusion/Summary [Product]	: Not available			
Respiratory Conclusion/Summary [Product]	: Not available			
Germ cell mutagenicity Not available.				
Conclusion/Summary [Product]	: Not available			
Carcinogenicity Not available.				
Conclusion/Summary [Product]	: Not available			
Reproductive toxicity Not available.				

SECTION 11: Toxicological information

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard		
Not available.		
Information on likely routes	of	exposure
Not available. Potential acute health effect		
		No known aignificant offacta ar aritical bazarda
Eye contact		No known significant effects or critical hazards.
Inhalation		No known significant effects or critical hazards.
Skin contact		May cause an allergic skin reaction.
Ingestion		No known significant effects or critical hazards.
		cal, chemical and toxicological characteristics
Eye contact		No specific data.
Inhalation		No specific data.
Skin contact	-	Adverse symptoms may include the following: irritation
		redness
Ingestion	:	No specific data.
Delayed and immediate effe	cts	as well as chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	;	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effe	ect	S.
Not available.		
Conclusion/Summary [Pro	odu	ict] : Not available.
General	;	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Reproductive toxicity	:	No known significant effects or critical hazards.
11.2 Information on other haz	ar	ds

11.2.1 Endocrine disrupting properties

Not available.

Conclusion/Summary [Product] : The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

11.2.2 Other information

Not available.

2.1 Toxicity	
Product/ingredient name	Result
2-benzisothiazol-3(2H)-one	Acute - LC50 - Fresh water
	OECD [Fish, Acute Toxicity Test] Fish - Trout - <i>Onorhynchus Mykiss</i>
	1.9 mg/l [96 hours]
	Acute - EC50
	OECD 202 [Daphnia sp. Acute Immobilization Test and Reproduction Test]
	Daphnia - Daphnia - <i>Daphnia Magna</i>
	3.7 mg/l [48 hours]
	Acute - EC50 - Marine water
	OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - <i>Skeletonema Costatum</i>
	0.36 mg/l [72 hours]
	Acute - NOEC - Marine water
	OECD 201 [Alga, Growth Inhibition Test] Algae - Algae - <i>Skeletonema Costatum</i>
	0.15 mg/l [72 hours]
2-methyl-2H-isothiazol-3-one	Acute - EC50 - Fresh water
	US EPA Daphnia - Water flea - <i>Daphnia magna</i>
	Age: <24 hours
	0.18 ppm [48 hours]
	Effect: Intoxication
	Acute - LC50 - Fresh water
	US EPA Fish - Rainbow trout,donaldson trout - <i>Oncorhynchus mykis</i> s
	Weight: 0.73 g
	0.07 ppm [96 hours] <u>Effect</u> : Mortality
Conclusion/Summary [Product] : Mo	, ot available.
12.2 Persistence and degradability	

Product/ingredient name	Result
✓,2-benzisothiazol-3(2H)-one	EU
	24% [28 days]

Conclusion/Summary [Product] : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
7,2-benzisothiazol-3(2H)-one	-	-	Inherent

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
2-benzisothiazol-3(2H)-one	-	3.2	Low

12.4 Mobility in soil

Soil/water partition coefficient

Product/ingredient name	logKoc	Кос
7.2-benzisothiazol-3(2H)-one	1.86	73.142
2-methyl-2H-isothiazol-3-one	1.74	54.9187

Results of PMT and vPvM assessment

Date of issue/Date of revision : 22/04/2025 Date of previous issue : 26/09/2022 TEKNOSTAIN AQUA 1996-00 - EKORNES-WALNUT 708

SECTION 12: Ecologi	cal inf	ormatior	า				
Product/ingredient name	PMT	Р	М	т	vPvM	vP	٧M
1,2-benzisothiazol-3(2H)-one	No	No	No	No	No	No	No
2-methyl-2H-isothiazol-3-one	No	No	No	No	No	No	No
Mobility	: Not av	ailable.					

: Not available.

Conclusion/Summary

: The product does not meet the criteria to be considered as a PMT or vPvM.

12.5 Results of PBT and vPvB assessment Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
7.2-benzisothiazol-3(2H)-one 2-methyl-2H-isothiazol-3-one		No No	No No	No No	No No	No No	No No
Regulation (EC) No. 1272/20	08 [CLP]						
Product/ingredient name	PBT	Р	В	т	vPvB	vP	vB
√2-benzisothiazol-3(2H)-one 2-methyl-2H-isothiazol-3-one		No No	No No		No No	No No	No No

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP]

: The product does not meet the criteria to be considered as a PBT or vPvB.

12.6 Endocrine disrupting properties

Not available.

Conclusion/Summary [Product]

: The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment metho	ds
Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
European waste catalogue (EWC)	: 080112, 200128
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14. Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

: Not relevant/applicable due to nature of the product.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product/ingredient name	%	Designation [Usage]				
FEKNOSTAIN AQUA 1996-00	≥90	3				
Labelling :						
Other EU regulations						
Industrial emissions : (integrated pollution prevention and control) - Air	Not listed					
Industrial emissions : (integrated pollution prevention and control) - Water	Not listed					
Explosive precursors :	Not applicab	le.				
Ozone depleting substances Not listed.	<u>(EU 2024/590</u>	<u>))</u>				
Prior Informed Consent (PIC) Not listed.	<u>) (649/2012/El</u>	<u>ר)</u>				
Date of issue/Date of revision	: 22/04/2025	Date of previo	us issue : 26/09/2022	Version	:2	14/18

ECTION 15: Regulate Persistent Organic Pollutan	-			
Not listed.				
Seveso Directive				
This product is not controlled	under the Seveso Directive.			
ational regulations				
Austria				
∟imitation of the use of organic solvents	: Permitted.			
<u>Belgium</u>				
Book VI carcinogenic agent	<u>s annex VI.2-1 - VI.2-3</u>			
Ingredient name			Status	
Noirs de charbon			Listed	
Czech Republic			I	
	: 🕅			
<u>Denmark</u>				
Fire class	: 🕅-1			
Executive Order No. 1795/20	<u>)15</u>			
Ingredient name		Annex I Section A	Annex I Section B	
carbon black respirable		Listed	-	
MAL-code	: 00-1	ļ		
	shield must be worn in work involving spattering if a full mask is not required. In this case, other recommended use of eye protection is not required. In all spraying operations in which there is return spray, the following must be worn: respiratory protection and arm protectors/apron/coveralls/protective clothing as appropriate or as instructed.			
	MAL-code: 00-1 Application: When spraying in existins spray zone.	ng* spray booths, if the	e operator is outside th	
	- Arm protectors must be worn.			
	During all spraying where atomisation operator is inside the spray zone and o or booth.			
	- Full mask with combined filter, cover	alls and hood must be	worn.	
	Drying: Items for drying/drying ovens rack trolleys, etc, must be equipped w fumes from wet items from passing th	ith a mechanical exhau	ust system to prevent	
	rack trolleys, etc, must be equipped w	ith a mechanical exhau rough workers' inhalati urfaces, a mask with du	ust system to prevent on zone. ust filter must be worn	
	rack trolleys, etc, must be equipped w fumes from wet items from passing th Polishing: When polishing treated su When machine grinding, eye protectio	ith a mechanical exhau rough workers' inhalati urfaces, a mask with du on must be worn. Work	ust system to prevent on zone. ust filter must be worn gloves must always b	
e of issue/Date of revision	rack trolleys, etc, must be equipped w fumes from wet items from passing th Polishing: When polishing treated su When machine grinding, eye protectio worn.	ith a mechanical exhau rough workers' inhalati urfaces, a mask with du on must be worn. Work	ust system to prevent on zone. ust filter must be worn gloves must always b	

SECTION 15: Regulatory information

	*(See Regulations.	
Restrictions on use	 Not to be used by professional users below 18 years of age. See the National Working Environment Authorities Executive Order regarding Young People At Work 		
List of undesirable substances	: Not listed		
Carcinogenic waste	: Waste containers must be labeled: Contains a substance or substances regulated by Danish working environment legislation on cancer risks.		
<u>Finland</u>			
France			
Reinforced medical surveillance		ct of July 11, 1977 determining the list of activities which require reinfor nedical surveillance: not applicable	rced
<u>Germany</u>			
Storage class (TRGS 510)) : 🚺	ō	
Hazardous incident ordin	ance		
This product is not controlle	ed unde	er the Germany Hazardous Incident Ordinance.	
Hazard class for water	: 1	7	
Technical instruction on a	air qua	ality control (TA Luft)	
Number [Class]		Description	%
5 .2.1		Total dust	0.42
5.2.5		Organic substances	1
AOX		he product contains organically bound halogens and can contribute to t alue in waste water.	the AOX
Italy			
D.Lgs. 152/06	• N	ot determined.	
Netherlands			
Norway		72159	
Product registration number	i po	12159	
<u>Sweden</u>			
Switzerland			
VOC content	: E	xempt.	
nternational regulations			
Chemical Weapon Conven	tion Li	ist Schedules I, II & III Chemicals	
Not listed.			
Iontreal Protocol			
Not listed.			
Steelyhelm Convention on	Doroio	stant Organia Pollutanta	
Stockholm Convention on Not listed.	Persis	stent Organic Poliutants	
Rotterdam Convention on Not listed.	Prior I	nformed Consent (PIC)	
JNECE Aarhus Protocol of Not listed.	n POP	s and Heavy Metals	
5.2 Chemical safety		his product contains substances for which Chemical Safety Assessmer	nts are still
sessment	re	equired.	

SECTION 16: Other information

Indicates information that has changed from previously issued version.

	has onanged nom previously issued version.
Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification	
Skin Sens. 1, H317	Calculation method	

Full text of abbreviated H statements

⊮ 301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H330	Fatal if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
EUH071	Corrosive to the respiratory tract.	

Full text of classifications [CLP/GHS]

Acute Tox. 2	ACUTE TOXICITY - Category 2
Acute Tox. 3	ACUTE TOXICITY - Category 3
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Skin Corr. 1B	SKIN CORROSION/IRRITATION - Category 1B
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1	SKIN SENSITISATION - Category 1
Skin Sens. 1A	SKIN SENSITISATION - Category 1A
Date of issue/ Date of	: 22/04/2025
revision	
Date of previous issue	: 26/09/2022
Version	: 2
	TEKNOSTAIN AQUA 1996-00 EKORNES- EKORNES-WALNUT 708

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.