

TEKNOCOAT AQUA PRIMER 1867-00

Water-borne primer

Water-borne pigmented primer for blocking discoloration of knots. For pine and spruce wood panels. Only for interior use.

Low pH.



TECHNICAL DATA

Fields of application	Furniture, Interior doors, Ceilings, Panels, Mouldings
Recommended substrate	Softwood
Solids	Approx. 37% by volume Approx. 51% by weight
Volatile organic compound (VOC)	See safety data sheet.
Colours	NCS S 0502-Y. NCS S 2502-Y.
Thinner	Water.
Density	Approx. 1.28- 1.30 kg/l
Storage	Protected against frost and not above 30°C. Keep containers tightly closed after use. The storage stability is shown on the label.
Packaging	Available in a range of standard pack sizes.

DIRECTION FOR USE

Application method	Conventional spraying, Airless spraying, Air-assisted airless spraying
Application conditions	TEKNOCOAT AQUA PRIMER 1867-00 is normally sprayed in one layer, 90- 150 g/m ² . Best resistance against knot discoloration is achieved when applying two thin layers compared to one thick layer. Only flatter or very slight sanding is recommended.
Drying time	+20°C / 50% RH
-dry to handle	2 h
-forced drying	+50°C / 50% RH -dry to handle: 20 min. after cooling
Coating system	Overcoating with water-borne topcoats.
Cleaning	Water. Low pH, very important with careful cleaning of equipment before and after use.

HEALTH AND SAFETY

Safety and precaution measures See safety data sheet.

Teknos Group Oy Takkatie 3, P.O.Box 107 FI-00371 Helsinki, Finland Tel. +358 9 506 091

The above information is normative and based on laboratory tests and practical experiences. The information is noncommittal, and we cannot accept liability for the results obtained under working conditions beyond our control, and consequently the buyer or the user is not released from the obligation to test the suitability of our products for specific means and application methods under the actual application conditions. Our liability covers only damage caused directly by defects in the products supplied by Teknos. This product is intended for professional use only. This implies that the user possesses sufficient knowledge for using the product correctly with regard to technical and working safety aspects. The latest versions of Teknos' Technical Data Sheets and Safety Data Sheets are available from our homepage www.teknos.com. All trademarks displayed on this document are the exclusive property of Teknos Group or its affiliated companies.