
PRODUCT TYPE	Alkalic detergent concentrate which before use is diluted with water.
USAGE	KIRJO KATTO PESU is pretreatment material for maintenance painting. It is primarily meant for washing old tile roofs before painting with KIRJO TILE paint for tile roofs.

TECHNICAL DATA	
Contents	Cationic surfactants 5 - 15% Nonionic surfactants <5%
Practical spreading rate	abt. 5 m ² /liter with diluted detergent. (Dilution 1:10 with water, 1 liter undiluted detergent enough for washing abt. 50 m ² .)
Thinner	Water
pH	abt. 11.5
Packages (availability varies by country)	1 L, 5 L

SAFETY MARKINGS	See Safety Data Sheet.
------------------------	------------------------

DIRECTION FOR USE

Dilute with water in the ratio 1:10 (1 liter detergent / 10 liters water), for very dirty surfaces dilution ratio 1:7 may be used.

Remove loose dirt, moss and growth from tile roofs by brushing and/or using a high pressure washer.

Wet the tile surface before applying KIRJO KATTOPELU solution. Apply the detergent (eg. using a low-pressure spray) to the surface to be cleaned and brush strongly. Rinse thoroughly with clean water using a high pressure washer.

NOTE! Detergent must not dry onto the surface to be painted.

STORAGE

MUST NOT FREEZE.

The information of this data sheet is based on laboratory tests and practical experience. The figures are for guidance only and depend on, for example, colour and gloss. As we have no control over the use and application conditions, we are only responsible for the quality of the product and guarantee that it conforms to our quality control. We accept no liability for any loss or damage resulting from the application of the product contrary to the directions or the intended use. The latest versions of our data sheets, material safety data sheets and system sheets are on our home pages www.teknos.com.



EN_1933_Tuoteseloste.pdf