

**VISASOL**
water-borne transparent paint

PRODUCT TYPE	VISASOL is a water-borne transparent paint.
USAGE	Intended for use on external wood and plywood surfaces. Before using the product, the manufacturer should be contacted to check the suitability of the product for the object in question.

TECHNICAL DATA	
Solids	17 % by volume
Total mass of solids	abt. 210 g/l
Volatile organic compound (VOC)	abt. 20 g/l
Drying time at +23°C / 50% RH	
- dust free	after 45 min
- touch dry	after 1 h
Overcoatable	after 3 h
	Increase in film thickness and rise in the relative humidity of the air in the drying space usually slow down the drying process.
Thinner, clean up	Water
Colours	Clear The product is included in the Teknomix tinting system.
SAFETY MARKINGS	See Safety Data Sheet.

PTO

DIRECTION FOR USE**Surface preparation**

The surface must be clean and dry.
The moisture content of the wood is to be below 20%.

Application conditions

The temperature of the air, the surface and the paint shall be above +15°C and the relative humidity of the air below 80% during the time of application and drying.

Application

Stir VISASOL thoroughly before use.

Apply by brush, roller, spray or dipping.

Dilute by adding 50 - 100% water depending on the application method and area where used.

**ADDITIONAL
INFORMATION**

The storage stability is shown on the label. Store in a tightly closed containers. The best storage temperature is +10°C - +25°C.

MUST NOT FREEZE.

The information of this data sheet is normative and based on laboratory tests and practical experience. Teknos guarantees that the product quality conforms to our quality system. Teknos accepts, however, no liability for the actual application work, as this is to a great extent dependent on the conditions during handling and application. Teknos accepts no liability for any damage resulting from misapplication of the product. This product is intended for professional use only. This implies that the user possesses sufficient knowledge for using the product correctly with regard to technical and working safety aspects. The latest versions of Teknos data sheets, material safety data sheets and system sheets are on our home pages www.teknos.com.



FI_325_Tuoteseloste.pdf