

PAINTS AND THE ENVIRONMENT

GUIDELINES FOR PAINTING SUSTAINABLY

The strain on the environment keeps growing. Therefore it is increasingly important to pay attention to the environmental impacts of all products including paints. At Teknos, we want to reduce the impact of paints and coatings on the environment and we strive to develop sustainable solutions. We work intensively to improve the sustainable and safe use of our products.

Paint protects surfaces of buildings and other materials and considerably extends their service life. Furthermore, applying a new coat of paint or varnish to old furniture can give them a new lease of life. By making the right choice, you can influence yours and your environment's well-being.

Ecolabels for paints are based on unbiased research. This means by choosing an ecolabeled paint, you can be sure the product affects the environment less than equivalent non-labelled products. Paints made by European manufacturers are a good choice as EU legislation guides manufacturers towards developing safe products. If in doubt, ask a professional to help you choose the right product.


Selecting the right paint is just as important as calculating the right amount of paint for each project. When planning a painting project, think about what you are going to do with the leftover paint. Could you use the paint for another project or offer it to friends or family?

Once the painting project is complete, it is also important to recycle the paint waste, packages and equipment correctly.

For Teknos, sustainability is a mindset. It is a part of the company's strategy and affects everything we do. We can help you make sustainable choices. In this guide, you can find useful information about the ingredients, labels and recycling of paints.

A TO-DO LIST FOR SUSTAINABLE PAINTING PROJECTS

- Selecting the right kind of paint for each surface is essential and makes the painted surface last longer. If you want to reduce the environmental impact, go for waterborne products with ecolabels. Find out about the products in advance and, if needed, ask a professional to help you choose the right product.
- 2. Calculate the amount of paint you need as accurately as you can to avoid leftover paint going to waste.
- 3. Read the instructions on the package and follow them. Our website also offers plenty of advice for painting different surfaces. Protect yourself and your environment well.
- 4. Painting equipment should not be washed out in mains discharge sinks as this can cause harmful substances to end up in the water course, instead wash out in a container and take the waste water to a Recycling centre. Recycle all waste generated, such as dry paints, paint pots, unwanted leftover wet paint and unusable painting equipment.
- 5. We recommend using the leftover paint for other painting projects or passing it on to others. The paint will keep well in its own pot if the pot is undamaged and the lid can be closed tightly. The paint can also be poured into another airtight and clean container. Only use clean painting equipment: the hygiene of the equipment also affects the shelf life of leftover paint. If you are storing the paint for the next use, you should not let it freeze.



LABELS AND CERTIFICATES

Look for labels which tell you about the paint's environmental impacts, safety and durability.

Allergy label

The Allergiatunnus ("allergy label") label is granted by the Finnish Allergy, Skin and Asthma Federation to products that meet the 72-hour low emission criteria. These products do not contain harmful concentrations of fragrance or other commonly sensitizing or irritating ingredients. By choosing a product which has the Allergiatunnus label, you will also be taking care of your health. Paints with this label also meet the criteria for the M1 emission class.



The Nordic Swan Ecolabel

The Nordic Swan Ecolabel works to reduce the environmental impact from production and consumption of the state of the stat from production and consumption of goods. It takes the product's entire life cycle into account and sets strict environmental requirements. This makes it easy to choose the environmentally best goods. By choosing a paint with this label, you can be sure that it is safe for you and the environment.



The criteria for the Nordic Swan Ecolabel include stringent health criteria for interior paints that place strict limitations on the amount of volatile and semi-volatile organic compounds (VOC and SVOC) and the concentration of formaldehyde. Preservatives that accumulate in organisms are not allowed, and the amount of preservatives has also been limited.

Paints with the Nordic Swan Ecolabel also meet strict quality criteria for hiding power, coverage and scrub resistance.

М1

The M1-label tells that the products meet M1-classification for low emission and odour to maintain good indoor air quality. Building materials and paints used indoors can be classified into three classes, of which M1 is the gold standard, according to the compounds they emit. The M1 class includes low-emission paint products and materials from which only very small amounts of compounds evaporate into the air of the room. The classification is done by the Finnish Building Information Foundation.



CE

The CE marking demonstrates the product satisfies the relevant requirements set out for its functioning by EU directives and regulations. Receiving the marking requires testing by an external party to ensure that the paints and coatings work as promised. The CE marking covers products such as fillers and products for protecting concrete surfaces.



BioCote®

BioCote® silver phosphate glass antimicrobial technology preserves the coating surface and prevents colonisation and degradation caused by microbial growth once applied to the intended substrate. It is recommended for spaces with high hygiene requirements.



BioCote® has been shown to decrease microbes such as Escherichia coli, and Methicillin-resistant Staphylococcus aureus (MRSA) - by up to 99.99%.

MED-certification

Products marked with the helm symbol, i.e. MED-certified products, must be used for ships sailing under an EU flag. The certification means the products meet fire safety requirements and can be used for purposes such as painting the ships' indoor or outdoor furniture or varnishing the ship's wooden floors.



EPD (Environmental Product Declaration)

EDP describes the environmental impacts of a product across its entire life cycle. It demonstrates the manufacturer's transparency and helps consumers to make environmentally concious choices. In an EPD, you can find information e.g. the carbon footprint and water footprint of a product.

BASIC INSTRUCTIONS FOR PAINTING

- Carefully remove dust, grease and dirt from the surfaces to be painted before painting. If the surface to be painted has been painted before, remove cracked, damaged or flaking paint.
- Previously painted or varnished surfaces should be wiped down with a paint cleaner.
- If required repair any damaged areas, apply putty to holes and scratches and let it cure. Sand down the places where putty was applied and remove the sanding dust.
- Protect the adjacent surroundings of the area to be painted properly, be mindful
 of overspray if spray painting, and protect yourself with equipment such as
 gloves, eye protection and a paint mask.
- Check Teknos' painting instructions to see whether the product or the surface requires using a primer or an adhesion promoter.
- Always shake and stir the paint well before painting.
- Apply one to two coats of paint, depending on the paint's hiding power and the painting instructions.
- Maintain the wet edge and do not over work the paint as this will leave marks in the finished surface.

WHAT ARE VOC EMISSIONS?

Volatile organic compounds are gaseous compounds that may evaporate, for example, from building materials, interior decorative materials or detergents. The EU's VOC directive limits the amount of VOCs, such as solvents, used in paints meant for painting buildings. Separate VOC limits have been specified for waterborne and solvent-based paints. The VOC emissions of waterborne paints are significantly lower.

WHAT DOES PAINT CONTAIN?

Paints contain both natural and synthetic raw materials. Together with the way the products are used, the ingredients used in paints determine how paint affects the environment, indoor air quality, health, and the breathability of the painted surface. The key constituents of paints are binders, pigments and fillers, thinners and additives.

Binder

The most important component effecting the properties of a paint is the binder. Alkyds and acrylics are typically used as binders for paints meant for consumers. The purpose of a binder is to bind the paint ingredients together, give the paint its desired properties and make the paint stick to the surface. Binders include solid or liquid polymers and natural materials. Many of the paint's

properties – such as drying, adhesion and durability
– are determined mostly by the binder. This is why
paints are often named after their binder.

Carrier


Carrier is the liquid in which the binder is dispersed or dissolved. In waterborne paints, the carrier is water. In solvent-based paints, organic solvents serve as a carrier. Waterborne paints can be thinned with water, and painting equipment can also be cleaned using water. For solvent-based paints, white spirit is a typical thinner and cleaning agent for the painting equipment.

Pigments and fillers

Pigments give paint its colour and affect the paint's hiding power. There are also special pigments which, in addition to colour give the paint additional properties such as anticorrosive and UV reflecting pigments.

Additives

Paints also include additives, which are used to improve the paint's drying, viscosity, homogeneity or shelf life. Biocides can be added to paint to protect it against microbial growth on surfaces such as facades that are exposed to the elements. This helps painted surfaces last longer without maintenance.



RECYCLING PAINT AND PACKAGING

Recycle all waste generated by painting: dry paints, paint cans, wet paints, painting equipment and the water used for washing the equipment. We recommend using the leftover paint for other painting projects or passing it on to others. Paint that is not needed must be disposed of appropriately.

Wet paints, varnishes, fillers and thinners as well as the water used for washing painting equipment are classified as hazardous waste. Take them to the nearest collection point for waste recycling. You must not pour them down the drain, put them in the bin or leave them in nature.

Do you know how to wash your paint brushes?

Always wash your brushes in a separate container and take the water containing the paint to a collection point for waste in a bottle or sealed container. Alternatively, you can wait for the water to evaporate, leaving only dry paint on the bottom of the container, which you can then dispose of according to the instructions.

Painting equipment can also be washed with a brush cleaner in accordance with the product's instructions. In fact, using a brush cleaner is better than using water. After use, you should let the brush cleaner rest in a container until the paint residue sinks to the bottom of the container. The clear brush cleaner can be stored in another container and reused. The portion containing the paint must be taken to a collection point for waste or left to dry on the bottom of the container. Dispose dry paint waste into mixed waste.

If you still need the piece of equipment for the same paint the next day, do not wash it. Instead, put the brush or roller in a sealed plastic bag for the night.

How to dispose of metal paint cans?

The good news is that metal packaging can be recycled and turned into new products. Most of Teknos products come in metal cans. Make sure that the can is empty and dry. Leave it at least one day to dry. Only a very thin coat of dry paint, no more than the thickness of a brush stroke, should be left inside. Sort the cap or lid separately according to its material. Cans that contain wet paint should be taken to a hazardous waste collection point.

How to dispose of plastic paint cans?

At the moment, plastic paint cans are not widely recycled. They should not be put into any household waste containers. Instead, plastic paint cans should be taken to a collection point specified by your local authority.

How to increase metal recycling and reduce hazardous waste?

Paint waste accounts for a large proportion of the waste sent for hazardous waste collection. You can reduce the amount of metal packaging taken to a hazardous waste collection by combining paint cans as follows:

- 1. Pour the remaining paint into the largest metal can.
- 2. Carefully seal the metal can containing paint and take it to the hazardous waste collection point.
- 3. Leave the emptied paint cans to dry for at least 24 hours before taking them to the metal collection.

Please note: never mix different types of paint or chemicals that you are not familiar with. Water-dilutable latex paints, solvent-based alkyd paints and oil paints sold to consumers can be mixed together. However, solvents used for cleaning brushes and pure linseed oil must be kept separate.

What should I do with painting equipment?

Clean them thoroughly and store for the next use. Alternatively, you can put completely dry painting equipment – such as brushes, rollers and paint trays – into containers for mixed waste. Wet equipment should be taken to a collection point for waste or stored until dried.

How should I store leftover paint?

We recommend storing paint for the next painting project in its own can if the can is undamaged and the lid can be closed tightly. The paint can also be transferred to another airtight container with a lid. A container made of glass is a better option than a plastic container. Always store your paints in a location where the temperature will not fall below freezing. Waterborne paint will typically keep for three years from the production date in an unopened pot.



For more information

www.teknos.com

