

Teknos A/S
Industrivej 19
6580 Vamdrup
Denmark

Att.: Else Toftegaard

Eurofins Product Testing
Smedeskovvej 38
DK-8464 Galten
Denmark

Tel. +45 70 22 42 76
Fax +45 70 22 42 75
ProductTesting-GA
@eurofins.dk
www.eurofins.dk

Date
October 31, 2016
Your ref.
1745-09 TS 20047 WHITE
Our ref.
392-2016-00388404/TKI6

Analytical report

Sample material

Sample identification	1745-09 TS 20047 WHITE
Receipt of samples	October 20, 2016
Analytical period	October 24 – October 27, 2016

Applied methods

EN 71-3:2013+A1:2014

Picture of sample



Results

Please see enclosure with detailed results.

Conclusion

The sample **complies** with the requirements in EN 71-3

Eurofins Product Testing A/S



Ditte F. Bonde
MSc. Medicinal Chemistry

Eurofins Product Testing A/S



Brian Jensen
MSc. Chemistry

Eurofins CPT GmbH · Am Neuländer Gewerbepark 4 · D-21079 Hamburg

Eurofins Product Testing A/S
attn. Reports
Smedeskovvej 38
8464 Galten
DÄNEMARKProductTesting-HH@eurofins.com
www.product-testing.eurofins.com**Person in charge** Mrs J. Wissel
Client support Mrs L. Schneider

Report date 27.10.2016

Page 1/1

Analytical report AR-16-JR-019379-01**Sample Code 799-2016-00089945****(Official counter proof)**

Reference	392-2016-003884041745-09 TS 20047 WHITE
Client sample code	392-2016-00388404
Purchase order code	EUDKGA00002171
Ordered by	Eurofins Product Testing A/S
Submitted by	Eurofins Product Testing A/S
Carrier	TNT
Reception date	24.10.2016
Start/end of analyses	24.10.2016 / 27.10.2016

TEST RESULTS**Physical-chemical Analysis****JR0EP EN 71 Part 3: Migration of certain 19 elements (#)**

Method: EN 71-3:2013+A1:2014, PV 01362, ICP-MS

Safety of toys - Migration of certain elements

Complies with the
requirements

(#) = Eurofins Consumer Product Testing (Hamburg) is accredited for this test.

Signature 
Analytical Service Manager (Jana Wissel)

Appendix 1 to report no: AR-16-JR-019379-01

Sample no: 799-2016-00089945

JR0EP - EN 71-3:2013 + A1:2014 Safety of Toys - Migration of certain 19 elements

Limits of element migration from accessible parts of toy material
All figures quoted as mg soluble element per kg material

Element	B	Al	Cr(III) Cr(VI)	Mn	Co	Ni	Cu	Zn	As	Se	Sr	Cd	Sn	Organic tin	Ba	Hg	Pb	Sb
Limits Category I (dry, brittle, powder like, pliable) mg/kg	1200	5625	37,5 0,02	1200	10,5	75	622,5	3750	3,8	37,5	4500	1,3	15000	0,9	1500	7,5	13,5	45
Limits Category II (liquid, sticky) mg/kg	300	1406	9,4 0,005	300	2,6	18,8	156	938	0,9	9,4	1125	0,3	3750	0,2	375	1,9	3,4	11,3
Limits Category III (scraped-off) mg/kg	15000	70000	460 0,2	15000	130	930	7700	46000	47	460	56000	17	180000	12	18750	94	160	560
Description of sample	Results of analysis																	
A 392-2016-003884041745-09 TS 20047 WHITE Cat I <input type="checkbox"/> Cat II <input type="checkbox"/> Cat III <input checked="" type="checkbox"/>	<0,05*	0,27	total Cr <0,02*	<0,05*	<0,05*	<0,25*	0,08	0,95	<0,05*	<0,5*	<0,25*	<0,05*	<0,08*	<12	0,61	<0,05*	<0,05*	<0,25*

* Limit of quantification

Test results and evaluation relate to the tested items only.

Tested by: KBe

Date: 2016-10-27

Appendix 1 to report no: AR-16-JR-019379-01

Sample no: 799-2016-00089945

Analytical details (EN 71-3 clause 10)

10f Technique used: Inductively coupled plasma

10h Notes for individual sample portions -
the following notes apply to the samples indicated and referenced above:

	Applicable samples:
Between 10 and 100mg taken:	
Sample/volume ratio exceeds 1:50:	
Base material included:	
Samples sieved:	
2M HCl added:	
6M HCl added:	
n-heptane used:	
Samples centrifuged:	
Specimens adjusted to 0.3M:	
Less than 10mg present:	
Others:	