Specialised coating solutions for interior joinery

TEKNOS

We make **wood** last longer

TEXNOS





We make wood last longer

At Teknos, we look at the challenge from your perspective and work closely with you to create the coating solution that best fits your needs. We believe this collaborative process gives you the greatest possible value and ensures your interior joinery products get the aesthetic look and level of durability you desire. There are 4 layers to the right coating solution











Get the paints and coatings that are best for your interior joinery substrates and application techniques. We have waterborne and UV coatings that can be used with traditional and contemporary designs, and there is a nearly limitless choice of colours available.

Technical Service

Our expertise and experience is always at your disposal, whether it's for day-to-day operations or that special one-off project. Technical Service can help with the scoping, testing and implementation of your coating solutions and help to ensure you are compliant with the latest legislation.

Local presence




We're there, where and when you need us. Our technical competence centers are placed in Denmark and Sweden. We have sales and technical support in 18 countries. We have production facilities in eight of these: Finland, Sweden, Denmark, Germany, Netherlands, Poland, Russia and China.

Commitment



We are committed to developing, manufacturing and delivering paint products and services in a responsible way that respects the environment and the communities we work within.







We make doors last longer

The task

When Porta KMI were developing a new premium line in 2014, it became apparent that the new doors would require an even higher standard of finish. In order to ensure the production process was smooth and productivity levels would be high, it was imperative that the doors were also fast drying and stackable.

Porta KMI profile

- Founded in 1992
- 1,800 employees
- Six production facilities
- 95,000 door panels and 85,000 door frames per month
- Active in 36 countries



The process

Teknos technical support worked closely with Porta KMI to identify the right solutions and establish a testing program at the factory in Bolszewo. The tests were supported by Teknos Poland and Teknos specialists from our central technical service backup team. Carefully selected products from the **TEKNOCOAT AQUA** product range were tested in spray and curtain coating applications. "We made multiple changes during testing and Teknos were always flexible and quick to respond."

Zdzisław Kwidziński, Head of Research and Development at Porta KMI

The solution

Porta KMI were impressed by the high surface quality of Teknos coatings and their outstanding ability to smooth out unevenness and provide good filling coverage on HDF and MDF fibre substrates. They were also impressed by the high standard and flexibility of Teknos service.

Product choices

For manual spraying	TEKNOCOAT AQUA TEKNOCOAT AQUA
 For coatings in RAL or NCS shades made to customer specifictions 	TEKNOCOAT AQUA using the just-in-tim
For fast curtain coating process WB	TEKNOCOAT AQUA TEKNOCOAT AQUA

We make doors last longer




"The delivery times are short and the product quality is consistent. Teknos is also highly flexibile. For example, when we need special colours in small quantities, they support us with fast delivery."

A PRIMER 1875 A 2577

A 2575 tinted by Teknos and delivered ne system.

A PRIMER 1866 A 2577





The smart choice for RBI Interior's evolving range of Smartpanels

The task

RBI Interiør need tough and long-lasting coatings that can consistently protect the beauty and quality of their Smartpanel systems and fit their commitment to sustainable production. Smartpanels are an easy and time efficient way to create aesthetic and

functional interiors. They are based on MDF and are fully prefabricated and painted at the factory.

The panels come in a wide range of styles and sizes, are manufactured with V-grooves and attach easily to walls and wood structures.

RBI Interiør profile

Norway's leading provider of hard flooring, wall and ceiling panelling

Founded in 1997

- Production capacity of 10 million m² of MDF plates a year
- Annual sales €55 million
- 350+ wall and ceiling panel products

The process

The Smartpanel developers involve Teknos technical support in the early stages of product development. Teknos also collaborates closely with RBI Interiør in the development and implementation of its colour collections.

We make panels last longer

Product choices Waterborne primer **AQUAFILLER 1151** Waterborne topcoat **TEKNOCOAT AQUA 2577** UV topcoat **UVILUX 6450**

The solution

For in-line production a waterborne topcoat and primer were used. In order to ensure the surface was strong, long-lasting and could quickly seal the product before automatic packaging, a UV solution was selected.

"We are an innovationdriven company, so our suppliers need to be flexible, open to new ideas and capable of contributing the latest technical know-how in support of our development"

> Remi Bergstrøm, Managing Director at RBI Interiør



AccorHotels Arena

An outstanding performance at AccorHotels Arena in Paris

The task

Fire protect 75,000 metres of beautiful oak panelling without compromising its beauty – and do it all within an extremely tight schedule!

AccorHotels Arena profile

- International sports and concert venue
- 21,000 seat capacity
- Formerly known as Palais Omnisports de Paris-Bercy
- €96 million renovation in 2014/2015 by Bouygues Construction

The process

Teknos worked closely with Bouygues Construction to determine the right solution and also ensured it was compliant with the M1 fire protection class, the French equivalent of Euroclass B (B-s1,d0). As the fire protection was one of the final jobs before the opening of the AccorHotels Arena, delivery and application had to be timed very carefully.

The solution

Teknos assisted so 1,200 litres of TEKNOSAFE 2467 Colourless could be delivered overnight to contractors for application.

Product choices

Fire protection

TEKNOSAFE 2467

We make


look good

fire protection

"What we needed was a colourless, fire-retardant coating which does not detract from the natural appearance of the oak, a coating which can be applied on the boards installed and which fulfils the required M1 fire protection class."

> Denis Vallet, Project Director at Bouygues Construction

The final boards were painted just a few hours before the ceremonial opening by Parisian mayor Anne Hidalgo.



We make mouldings last longer

The task

Eesti Höövelliist has a large-scale production with an output of more than 2500 km of mouldings a month. The company needs a coating partner that can supply a very wide range of high-quality coating solutions and that can meet constantly changing needs.

Eesti Höövelliist profile

- Founded in 1993
- Based in Suure-Jaani, Estonia
- 90% of production is exported
- 185 employees
- Annual sales €25 million

The process

Teknos have worked closely with Eesti Höövelliist for over seven years and supply solutions for a wide variety of products. Technical Service plays a pivotal role.

The solution

Production speed was of the utmost importance, so for solid wood mouldings production the solution included a rapid drying waterbased UV paint.

"Less than two minutes after UV drying, we film-package the mouldings on palettes. The time between the UV oven and packaging is used for final quality control. Teknos paint is crucial for these high speeds."

Product choices

For solid wood	TEKNOCOAT PRIM
mouldings	TEKNOLUX AQUA 1
For MDF mouldings	TEKNOCOAT AQUA TEKNOCOAT AQUA

"The application engineers almost always give us an immediate answer. And when not, they find the right solution within a very short time. It's exactly the support that we need for our high volume production."

> Andrus Rooks, Managing Director at Eesti Höövelliist

For the MDF line a fast-drying waterborne solution provides excellent blocking properties and can be used for both spray and curtain coating.

The vast majority of solid wood and MDF mouldings are painted in white NCS S 0502-Y but when necessary Teknos supports with special NCS or RAL shades.

IER 1604 1728

APRIMER 1866 A 2571

Mould- Interior & Boards ings doors Panels Product proposition highlights



PRIMERS, OPAQUE						
AQUAFILLER 1100		Fast drying white filler with good filling and sanding properties.	n.a.	no		
AQUAFILLER 1151		Fast drying white filler preparing the surface for the high speed production lines	n.a.	no		
TEKNOCOAT AQUA 1875		Filler with excellent edge covering properties and optimised for visual appearance by minimising grain raise. The filler dries fast and offers good sanding properties	n.a.	Factory tinted		
TEKNOCOAT AQUA PRIMER 1867		Interior white knot sealer for pine wood. Efficiency documented by NTI, shows excellent sealing efficiency compared to market standard	n.a.	no		
TEKNOCOAT AQUA PRIMER 1868		Interior white anti stain sealer. Highly efficient, offers excellent edge sealing properties and fast drying	n.a.	no		

STAINS						
TEKNOSTAIN 1993		Cost efficient waterborne stain tintable using TEKNOCOLOR	no	yes		
TEKNOSTAIN 1996		Waterborne stain for on-site tinting	no	no		

TOPCOAT, CLEAR						
TEKNOCLEAR AQUA 1331		All round product for high pressure vertical and horisontal spraying	10-50	no		
TEKNOCLEAR AQUA 1334		High initial hardness, good stacking and early mar resistance, with excellent flow at low film thickness	10-60	no		
TEKNOCLEAR AQUA 1338		Best transparency (3 layers fully transparent), with excellent flow at low film thickness	10-60	no		

TOPCOAT, OPAQUE						
TEKNOCOAT AQUA 2550		Standard colours, group "M1" in Emission Classification, cost efficient	10-35	no		
TEKNOCOAT AQUA 2575		Fast drying, appropriate for high speed production lines, good blocking properties	10-35	yes		
TEKNOCOAT AQUA 2577		Fast drying, appropriate for high speed production lines, good blocking properties and anti-burnish effect	25	yes		
TEKNOCOAT AQUA 2580		Creates hard surface, excellent filling and blocking properties, appropriate for high speed production lines	25	yes		
TEKNOCOAT AQUA 2585		Topcoat with excellent chemical resistance (ethanol & coffee) and anti-burnish effect	35	no		

ACID					
Primers					
TEKNOCOAT PRIMER 1603		E1 approval	n.a.	Factory tinted	
TEKNOCOAT PRIMER 1604		Fast drying primer	n.a.	Factory tinted	
Topcoats					
TEKNOCOAT 1633		E1 approval, high gloss	20-90	yes	
TEKNOCOAT 1677		Good filling, fast drying and hardness	20-70	Factory tinted	

	Mould- ings	Interior doors	Boards & Panels	Product proposition highlights	Gloss range	Tinting	Sprayin Roller Curtair Vacuun
UV WATERBORNE							
Sealer							
TEKNOLUX AQUA 1429-33				Good blocking and wetting properties	no	no	
Topcoat, clear							
TEKNOLUX AQUA 1429				Good blocking properties,R2	5-50	no	
Topcoat, opaque			^				
TEKNOLUX AQUA 1728				Hard wearing enamel	25	yes	

100% UV						
Sealer	 					
UVILUX SEALER 1438		Adhesion to melamine, good sanding properties	no	no		
UVILUX SEALER 1455		Clear knot sealer	no	no		
UVILUX 1456		Good filling and sanding properties	no	no		
UVILUX 1493		Good adhesion, sandability properties	no	no		
Primer		·				
UVILUX 1754		Good hiding power	n.a.	Factory tinted		
UVILUX 1760		Specialized opti-roller primer	n.a.	Factory tinted		
Topcoat, clear					 	
UVILUX 6450		Good flow, high resistance against chemicals and wear and tear	10-40	no		
UVILUX 1490		Good flow, high resistance against chemicals and wear and tear	20-40	no		
UVILUX 1453		Combi-coat, sealer and topcoat in one product	25	no		
Topcoat, opaque		·				
UVILUX 1745		Good hiding power, high resistance against chemicals and wear and tear	20-95	Factory tinted		
UVILUX 6790		Pigmented UV topcoat with good hiding power, high resistance against chemicals and wear and tear	25	Factory tinted		

FIRE RETARDANT	_					
TEKNOSAFE 2467		Intumescent, clear lacquer applied on any wood based substrate. Classification B-s1,d0	no	no		
TEKNOCLEAR AQUA 1331		Clear topcoat for TEKNOSAFE 2467 - this version of TEKNOCLEAR AQUA 1331 is a special designed version only to be used over TEKNOSAFE 2467. Classification B-s1,d0	6	no		

Teknos Group Companies

Teknos Group Oy/Teknos Oy

Helsinki factory, Head office Takkatie 3 P.O.Box 107 FI-00371 Helsinki Finland Tel. +358 9 506 091 sales@teknos.fi Business ID: 2210042-4 - Teknos Group Oy Business ID: 2203752-5 - Teknos Oy Finland

Teknos Oy

Rajamäki factory Perämatkuntie 12 P.O.Box 14 FI-05201 Rajamäki Finland Tel. +358 9 506 091 sales@teknos.fi

Teknos Oy

Representative Office Kiseljova Street 55, room 12 220002 Minsk Republic of Belarus Tel. +375 17 237 4336 teknos.belarus@teknos.com Belarus

Teknos Coatings (Shanghai) Co. Ltd

Rm 405a-407a, Silver Centre No. 1388 North Shan Xi Road Putuo District, Shanghai China Tel. +86 21 6149 8582 teknos.china@teknos.com

Manfield Teknos Chemical (Changzhou) Co. Ltd

(Changzhou) Co. Ltd Contacts via Teknos Shanghai Tel. +86 21 6149 8582 teknos.china@teknos.com

Teknos Hrvatska d.o.o

Rakovo Selo 4 51219 Čavle Croatia Tel. +385 051 818 616 info@teknos.hr

The Teknos Group

Teknos is one of Europe's leading suppliers of industrial coatings with a strong position in retail and architectural coatings.

Teknos has its own production in seven countries: Finland, Sweden, Denmark, Germany, Poland, Russia and China. In addition, Teknos has sales companies in 18 countries and exports to more than 20 countries via a well-established network of dealers.

Teknos employs around 1300 staff. Established in 1948, Teknos and is one of Finland's largest family-owned businesses.

Group companies

Group companies

www.teknos.com

Teknos A/S Industrivej 19 DK–6580 Vamdrup

DK–6580 Vamdrup Denmark Tel. +45 76 93 94 00 salg@teknos.dk

Teknos OÜ

Jüri Tehnopark Kesk tee 29, Aaviku küla 75305 Rae vald, Harjumaa Estonia Tel. +372 656 3491 teknos@teknos.ee

Teknos Deutschland GmbH

Edelzeller Strasse 62 D-36043 Fulda Germany Tel. +49 661 1080 info@teknos.de

Teknos Feidal GmbH & Co. KG Brachter Straße 92 D-41379 Brüggen Germany

Teknos Coatings and Paints Ltd

7 Udyog Bhavan, Sonawala Rd Goregaon EastMumbai 40063 Maharashtra India Tel. +91 22 26861106

SIA Teknos

Unijas street 8 k10 LV-1084 Riga Latvia Tel. +371 6780 6430 teknos@teknos.lv

UAB Teknos Raudondvario pl. 170C LT-47172 Kaunas Lithuania

Tel. +370 671 03108

teknos@teknos.lt

Teknos Drywood B.V.

Hendrik Ter Kuilestraat 181 7547 SK Enschede The Netherlands Tel. +31 (0)53 4334422 Fax. +31 (0)53 4306832 info@drywood.nl

Teknos Ireland Limited

52 Ballymoughan Road Magherafelt BT45 6HN Northern Ireland Tel. +44 (0) 2879 301 472 sales.ireland@teknos.co.uk

Teknos Norge AS

Industriveien 28 NO-3430 Spikkestad Norway Tel. +47 31 29 49 00 teknos@teknos.no

Teknos Sp. z o.o.

ul. Ziemowita 59 PL-03-885 Warsaw Poland Tel. +48 22 678 70 04 biuro@teknos.pl Poland

Teknos Oliva Sp. z o.o.

ul. Chwaszczynska 129-149 PL-81-571 Gdynia Poland Tel. +48 58 629 91 62 biuro.gdynia@teknos.pl

Teknos LLC

Butyrskij Val, 68/70, bld.4, of.211 127055 Moscow Russia Tel./Fax +7 495 967 19 61 teknos.russia@teknos.com

Branch of Teknos LLC

in St.Petersburg Str. Novye Zavody, d.56, k.3 198517, St.Petersburg Russia Tel. +7 812 334 95 31 teknos.russia@teknos.com

Teknos UK Limited (Scotland)

Nettlehill Road Houston Industrial Estate Livingston EH54 5DL UK Tel. +44 1506 436222 sales.scotland@teknos.co.uk

Teknos d.o.o.

Cesta na Rupo 67 4000 Kranj Slovenia Tel. +386 4 236 58 78 Fax +386 4 236 58 79 info@teknos.si

Teknos AB

Office in Tranemo Limmaredsv. 2, P.O.Box 211 SE-514 24 Tranemo Sweden Tel. +46 325 619 500 info@teknos.se

Vedevåg factory Industrigatan 7 SE-711 72 Vedevåg Sweden Tel. +46 581 645 900 info@teknos.se

Teknos UK Limited

Unit E1, Heath Farm Banbury Road, Swerford Oxfordshire OX7 4BN UK Tel. +44 1608 683 494 sales@teknos.co.uk

Teknos LLC

10G Starokyivska Str., Of. 442 04055 Kiev Ukraine Tel. /Fax +38 044 359 0333 teknos.ukraine@teknos.com



