Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758

# **SAFETY DATA SHEET**



INFRALIT PUR 8457-00 - All variants

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

## 1.1 Product identifier Product name

: INFRALIT PUR 8457-00 - All variants

**1.2 Relevant identified uses of the substance or mixture and uses advised againstProduct use**: Paint.

## 1.3 Details of the supplier of the safety data sheet

Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.

e-mail address of person : Prod-safe@teknos.com responsible for this SDS

## National contact

Teknos (UK) Limited, 7 Longlands Rd, Bicester, Oxfordshire OX26 5AH, United Kingdom. Tel. +44 (0) 1869 208005.

## 1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number : NHS: 111

## **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Product definition : Mixture Classification according to UK CLP/GHS

STOT RE 2, H373

The product is classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

## 2.2 Label elements

**Hazard pictograms** 



Signal word Hazard statements	<ul> <li>Warning</li> <li>H373 - May cause damage to organs through prolonged or repeated exposure.</li> </ul>
Precautionary statements	
Prevention	: P260 - Do not breathe dust.
Response	: P314 - Get medical advice/attention if you feel unwell.
Storage	: Not applicable.
Disposal	: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: Contains zinc di(benzothiazol-2-yl) disulphide. May produce an allergic reaction. Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

<b>SECTION 2: Hazards</b>	identification
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
2.3 Other hazards	
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	: May form explosible dust-air mixture if dispersed.

# **SECTION 3: Composition/information on ingredients**

Product/ingredient name	Identifiers	%	Classification	Туре
Cyclohexane, 5-isocyanato-1- (isocyanatomethyl)-1,3,3-trimethyl-, homopolymer, caprolactam- blocked	REACH #: 01-2119979523-27 CAS: 127184-53-6	<10	STOT RE 1, H372	[1]
titanium dioxide	REACH #: 01-2119489379-17 EC: 236-675-5 CAS: 13463-67-7	≤3	Carc. 2, H351 (inhalation)	[1] [*]
epsilon-caprolactam	REACH #: 01-2119457029-36 EC: 203-313-2 CAS: 105-60-2 Index: 613-069-00-2	<1	Acute Tox. 4, H302 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	[1] [2]
crystalline silica, respirable powder	EC: 238-878-4 CAS: 14808-60-7	≤0.3	STOT RE 1, H372 (inhalation)	[1] [2]
zinc di(benzothiazol-2-yl) disulphide		<0.25	Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	[1]
Aluminium oxide	REACH #: 01-2119529248-35 EC: 215-691-6 CAS: 1344-28-1	≤0.3	Not classified.	[2]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[\*] The classification as a carcinogen by inhalation applies only to mixtures placed on the market in powder form containing 1% or more of titanium dioxide particles with aerodynamic diameter  $\leq$  10 µm not bound within a matrix. Occupational exposure limits, if available, are listed in Section 8.

# **SECTION 4: First aid measures**

4.1 Description of first aid r	neasures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention following exposure or if feeling unwell. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

## 4.2 Most important symptoms and effects, both acute and delayed

<u>Over-exposure signs/symptoms</u>				
Eye contact	: No specific data.			
Inhalation	: No specific data.			
Skin contact	: No specific data.			
Ingestion	: No specific data.			

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising	from the substance or mixture
Hazards from the substance or mixture	: No specific fire or explosion hazard.
Hazardous combustion products	<ul> <li>Decomposition products may include the following materials: sulfur oxides metal oxide/oxides</li> </ul>

## 5.3 Advice for firefighters

## **SECTION 5: Firefighting measures**

Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incide there is a fire. No action shall be taken involving any personal risk or without suitable training.	ent if
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	•

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responder	s:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material fo	or co	ntainment and cleaning up
Small spill	:	Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment.

# **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

See Section 13 for additional waste treatment information.

## 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

# **SECTION 7: Handling and storage**

# 7.3 Specific end use(s)

Recommendations Industrial sector specific solutions

: Not available. : Not available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Occupational exposure limits	
epsilon-caprolactam	EH40/2005 WELs (United Kingdom (UK), 1/2020).
	TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Dust and vapour
	STEL: 20 mg/m <sup>3</sup> 15 minutes. Form: Dust and vapour
	STEL: 3 mg/m <sup>3</sup> 15 minutes. Form: dust
	TWA: 1 mg/m <sup>3</sup> 8 hours. Form: dust
crystalline silica, respirable powder	EH40/2005 WELs (United Kingdom (UK), 1/2020). [silica,
	respirable crystalline]
	TWA: 0.1 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction
Aluminium oxide	EH40/2005 WELs (United Kingdom (UK), 1/2020). [aluminium
	oxides]
	TWA: 4 mg/m³ 8 hours. Form: respirable dust
	TWA: 10 mg/m³ 8 hours. Form: inhalable dust

# procedures

**Recommended monitoring** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

## **DNELs/DMELs**

Product/ingredient name	Туре	Exposure	Value	Population	Effects
Cyclohexane, 5-isocyanato-1-	DNEL	Long term	0.013 mg/	General	Local
(isocyanatomethyl)-1,3,3-trimethyl-,		Inhalation	m³ Ö	population	
homopolymer, caprolactam-blocked					
	DNEL	Short term	0.065 mg/	General	Local
		Inhalation	m³	population	
	DNEL	Long term	0.075 mg/	Workers	Local
		Inhalation	m³		
	DNEL	Short term	0.375 mg/	Workers	Local
		Inhalation	m³		
titanium dioxide	DNEL	Long term	10 mg/m <sup>3</sup>	Workers	Local
		Inhalation	-		
	DNEL	Long term Oral	700 mg/kg	General	Systemic
		-	bw/day	population	-
epsilon-caprolactam	DNEL	Long term	2.5 mg/m <sup>3</sup>	General	Local
		Inhalation	_	population	
	DNEL	Short term	5 mg/m³	General	Local
		Inhalation		population	
	DNEL	Long term	5 mg/m³	Workers	Local
		Inhalation			
	DNEL	Long term Oral	8.55 mg/	General	Systemic
			kg bw/day	population	
	DNEL	Short term	10 mg/m³	Workers	Local
		Inhalation			
zinc di(benzothiazol-2-yl) disulphide	DNEL	Short term Oral	3 mg/kg	General	Systemic
			bw/day	population	
	DNEL	Short term	5.2 mg/m <sup>3</sup>	General	Systemic
		Inhalation		population	
	DNEL	Short term Dermal	6 mg/kg	General	Systemic
			bw/day	population	
	DNEL	Short term Dermal	12 mg/kg	Workers	Systemic
			bw/day		
	DNEL	Short term	21 mg/m³	Workers	Systemic
		Inhalation			
	DNEL	Long term Oral	0.6 mg/kg	General	Systemic
e of issue/Date of revision : 24/1	1/2022	Date of previous issue	· No prev	ious validation Ve	rsion : 1 5/13

			bw/day	population	
	DNEL	Long term Inhalation	1 mg/m <sup>3</sup>	General population	Systemic
	DNEL	Long term Dermal	1.2 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	3.3 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	5.9 mg/m <sup>3</sup>	Workers	Systemic
Aluminium oxide	DNEL	Long term Inhalation	0.75 mg/m³	General population	Local
	DNEL	Long term Inhalation	0.75 mg/m³	General population	Systemic
	DNEL	Long term Oral	1.32 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	3 mg/m <sup>3</sup>	Workers	Local
	DNEL	Long term Inhalation	3 mg/m³	Workers	Systemic

**PNECs** 

No PNECs available

## 8.2 Exposure controls

Appropriate engineering controls	:	If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.			
Individual protection measu	res				
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.			
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.			
Skin protection					
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.			
		Recommendations : Wear gloves according to EN374 to protect against skin effects from powders.			
		> 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm			
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.			
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.			
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.			
		Filter type: P 2			

Date of issue/Date of revision	: 24/11/2022	Date of previous issue	: No previous validation	Version	:1	6/13
INFRALIT PUR 8457-00 - All varia	nts			Label No	:42779	9

## **SECTION 8: Exposure controls/personal protection**

<b>Environmental exposure</b>	
controls	

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

## 9.1 Information on basic physical and chemical properties

<u>Appearance</u>		
Physical state	÷	Solid.
Colour	1	Various
Odour	:	Slight
Odour threshold	:	Not available.
Melting point/freezing point	:	Not available.
Initial boiling point and boiling range	:	Not available.
Flammability (solid, gas)	÷	Not available.
Upper/lower flammability or explosive limits	:	Lower: Not applicable. Upper: Not applicable.
Flash point	÷	Closed cup: >100°C (>212°F)
Auto-ignition temperature	1	Not applicable.
Decomposition temperature	÷	Not available.
рН	÷	Not available.
Viscosity	÷	Not applicable.
Solubility(ies)	÷	
Not available.		
Solubility in water	:	Not available.
Partition coefficient: n-octanol/	:	Not applicable.
water		
Vapour pressure	÷	Not available.
Relative density	÷	Not available.
Density	÷	1.6 g/cm³
Vapour density	÷	Not applicable.
Explosive properties	÷	Not available.
Oxidising properties	÷	Not available.
Particle characteristics		
Median particle size	÷	40 µm

## **SECTION 10: Stability and reactivity**

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: No specific data.

Date of issue/Date of revision	: 24/11/2022	Date of previous issue	: No previous validation	Version	:1	7/13
INFRALIT PUR 8457-00 - All varia	ants			Label No	:4277	'9

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	
epsilon-caprolactam zinc di(benzothiazol-2-yl) disulphide	LD50 Oral LD50 Oral	Rat Rat	1210 mg/kg 540 mg/kg	-	
<b>Conclusion/Summary</b> : Based on available data, the classification criteria are not met.					

## Acute toxicity estimates

Route	ATE value
Not available.	

## Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation		
titanium dioxide	Skin - Mild irritant	Human	-	72 hours 300	-		
epsilon-caprolactam	Eyes - Moderate irritant	Rabbit	-	ug I 24 hours 20	-		
	Skin - Mild irritant	Rabbit	-	mg 24 hours 500 mg	-		
Conclusion/Summary	: Based on available data, the c	lassification cri	teria are	not met.			
Sensitisation							
Conclusion/Summary	<b>Conclusion/Summary</b> : Based on available data, the classification criteria are not met.						
Mutagenicity							
<b>Conclusion/Summary</b>	: Based on available data, the classification criteria are not met.						
Carcinogenicity							
It has been observed that the carcinogenic hazard of this product arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung.							
<b>Conclusion/Summary</b>	: Based on available data, the c	lassification cri	teria are	not met.			
Reproductive toxicity							
Conclusion/Summary	: Based on available data, the c	lassification cri	teria are	not met.			
Teratogenicity							
<b>Conclusion/Summary</b>	: Based on available data, the c	lassification cri	teria are	not met.			

## Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
epsilon-caprolactam	Category 3	-	Respiratory tract irritation

## Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Cyclohexane, 5-isocyanato-1-(isocyanatomethyl) -1,3,3-trimethyl-, homopolymer, caprolactam-blocked	Category 1	-	-
	Category 1	inhalation	-

## Aspiration hazard

Not available.

Information on likely routes : Not available. of exposure

Date of issue/Date of revision : 2 INFRALIT PUR 8457-00 - All variants

# **SECTION 11: Toxicological information**

Potential acute health effects		
Eye contact	÷	No known significant effects or critical hazards.
Inhalation	÷	No known significant effects or critical hazards.
Skin contact	÷	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

## Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	<u>cts</u>
Not available.	
Conclusion/Summary	: Not available.
General	: May cause damage to organs through prolonged or repeated exposure.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

## Other information

: Not available.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
titanium dioxide	Acute LC50 3 mg/l Fresh water	Crustaceans - Water flea - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 6.5 mg/l Fresh water	Daphnia - Water flea - Daphnia pulex - Neonate	48 hours
	Acute LC50 >1000000 μg/l Marine water	Fish - Mummichog - Fundulus heteroclitus	96 hours
Aluminium oxide	Acute EC50 114.357 mg/l Fresh water	Daphnia - Water flea - Daphnia magna - Neonate	48 hours

## **12.2 Persistence and degradability**

**Conclusion/Summary** : This product has not been tested for biodegradation.

## **12.3 Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
zinc di(benzothiazol-2-yl) disulphide	5.02	<8	low

Date of issue/Date of revision INFRALIT PUR 8457-00 - All variants

: 24/11/2022 Date of previous issue

: No previous validation

# **SECTION 12: Ecological information**

## 12.4 Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	
Mobility	: Not available.

## 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

# **SECTION 13: Disposal considerations**

13.1 Waste treatment meth	nods
Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
European waste catalogue (EWC)	: 080201
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

•				
	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

# **SECTION 14: Transport information**

14.7 Transport in bulk according to IMO instruments : Not relevant/applicable due to nature of the product.

# **SECTION 15: Regulatory information**

15.1 Safety, health and enviro	nmental regula	ations/legislation speci	fic for the substance o	r mixture
UK (GB) /REACH Annex XIV - List of substan	cas subject to	authorisation		
Annex XIV		dutionsation		
None of the components ar	e listed.			
Substances of very high c	oncern			
None of the components ar				
Ozone depleting substance Not listed.	<u>IS</u>			
Prior Informed Consent (Ple Not listed.	<u>C)</u>			
Persistent Organic Pollutar Not listed.	<u>nts</u>			
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicab	le.		
Seveso Directive				
This product is not controlled u	inder the Seves	o Directive.		
EU regulations Industrial emissions (integrated pollution prevention and control) - Air	: Not listed			
Industrial emissions (integrated pollution prevention and control) - Water	: Not listed			
International regulations				
Chemical Weapon Convention	on List Schedu	les I, II & III Chemicals		
Not listed.				
Montreal Protocol Not listed.				
Stockholm Convention on P Not listed.	<u>ersistent Orga</u>	nic Pollutants		
Rotterdam Convention on Pr Not listed.	rior Informed C	consent (PIC)		
UNECE Aarhus Protocol on Not listed.	POPs and Hea	vy Metals		
15.2 Chemical safety assessment	: This product required.	contains substances for	which Chemical Safety	Assessments are still
Date of issue/Date of revision	: 24/11/2022	Date of previous issue	: No previous validation	Version : 1 11/1:

INFRALIT PUR 8457-00 - All variants

# **SECTION 16: Other information**

Indicates information that has changed from previously issued version.				
Abbreviations and acronyms       : ATE = Acute Toxicity Estimate         GB CLP = UK CLP (EC No 1272/2008) on the Classification, Labelling and Packaging of Substances and Mixtures as amended by (EU Exit) Regulations 2019 No. 720 and amendments         DMEL = Derived Minimal Effect Level         DNEL = Derived No Effect Level         EUH statement = GB CLP-specific Hazard statement         N/A = Not available         PBT = Persistent, Bioaccumulative and Toxic         PNEC = Predicted No Effect Concentration         RRN = REACH Registration Number         SGG = Segregation Group         vPvB = Very Persistent and Very Bioaccumulative				
Procedure used to derive the classification				

#### Procedure used to derive the classification

Classification		Justificati	tion
STOT RE 2, H373		Calculation method	
Full text of	abbreviated H statements		
H302	Harmful if swallowed.		

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

## Full text of classifications

Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Carc. 2	CARCINOGENICITY - Category 2
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1	SKIN SENSITISATION - Category 1
STOT RE 1	SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 1
STOT RE 2	SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3
Date of issue/ Date of revision	: 24/11/2022

Date of previous issue	: No previous validation
Version	: 1

#### All variants

#### Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Date of issue/Date of revision: 24.INFRALIT PUR 8457-00 - All variants